


# FEAL



## 60 K

AL. FASADA  
*AL. FACADE*

Knjiga B / *Book B*



# SADRŽAJ CONTENT

|    |                        |            |
|----|------------------------|------------|
| 06 | VEZNI ELEMENTI         | 502.06.000 |
| 06 | CONNECTION ELEMENTS    | 502.06.000 |
| 07 | PVC ELEMENTI           | 502.07.000 |
| 07 | PVC ELEMENTS           | 502.07.000 |
| 08 | MEHANIZMI              | 502.08.000 |
| 08 | MECHANISMS             | 502.08.000 |
| 09 | BRTVILA                | 502.09.000 |
| 09 | GASKETS                | 502.09.000 |
| 10 | DODACI                 | 502.10.000 |
| 10 | ACCESSORIES            | 502.10.000 |
| 11 | OBRADA I MONTAŽA       | 502.11.000 |
| 11 | PROCESSING AND MONTAGE | 502.11.000 |
| 12 | REZNE LISTE            | 502.12.000 |
| 12 | CUTTING LISTS          | 502.12.000 |






















# Vezni elementi






## Connection elements










| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                                           | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 720.001        |    | <ul style="list-style-type: none"> <li>- Klizač okomice za vodoravnicu FMV 60/88</li> <li>- Stara oznaka: KO1 60</li> <li>- Mullion slider for transom FMV 60/88</li> <li>- Former code: KO1 60</li> </ul>                                                                    | Al.                   |                    |
| 720.002        |    | <ul style="list-style-type: none"> <li>- Klizač okomice za vodoravnicu FMV 60/41</li> <li>- Stara oznaka: KO2 60</li> <li>- Mullion slider for transom FMV 60/41</li> <li>- Former code: KO2 60</li> </ul>                                                                    | Al.                   |                    |
| 720.003        |   | <ul style="list-style-type: none"> <li>- Klizač okomice za vodoravnicu FMV 60/114</li> <li>- Stara oznaka: KO3 60</li> <li>- Mullion slider for transom FMV 60/114</li> <li>- Former code: KO3 60</li> </ul>                                                                  | Al.                   |                    |
| 720.004        |  | <ul style="list-style-type: none"> <li>- Klizač okomice za vodoravnicu FMV 60/156</li> <li>- Stara oznaka: KO4 60</li> <li>- Mullion slider for transom FMV 60/156</li> <li>- Former code: KO4 60</li> </ul>                                                                  | Al.                   |                    |
| 720.005        |  | <ul style="list-style-type: none"> <li>- Klizač okomice za pomoćnu vodoravnicu FMP 60/88</li> <li>- Stara oznaka: KO5 60</li> <li>- Mullion slider for auxiliary transom FMP 60/88</li> <li>- Former code: KO5 60</li> </ul>                                                  | Al.                   |                    |
| 720.006        |  | <ul style="list-style-type: none"> <li>- Klizač okomice za pomoćnu vodoravnicu FMP 60/200 i vodoravnicu FMV 60/198</li> <li>- Stara znaka: KO6 60</li> <li>- Mullion slider for auxiliary transom FMP 60/200 and transom FMV 60/198</li> <li>- Former code: KO6 60</li> </ul> | Al.                   |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 721.001        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/88</li> <li>- Stara oznaka: KV1 60</li> <li>- Slider for transom FMV 60/88</li> <li>- Former code: KV1 60</li> </ul>                                                                          | Al.                   |                    |
| 721.002        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/41</li> <li>- Stara oznaka: KV2 60</li> <li>- Slider for transom FMV 60/41</li> <li>- Former code: KV2 60</li> </ul>                                                                          | Al.                   |                    |
| 721.003        |   | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/114</li> <li>- Stara oznaka: KV3 60</li> <li>- Slider for transom FMV 60/114</li> <li>- Former code: KV3 60</li> </ul>                                                                        | Al.                   |                    |
| 721.004        |  | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/156</li> <li>- Stara oznaka: KV4 60</li> <li>- Slider for transom FMV 60/156</li> <li>- Former code: KV4 60</li> </ul>                                                                        | Al.                   |                    |
| 721.005        |  | <ul style="list-style-type: none"> <li>- Klizač za pomoćnu vodoravnicu FMP 60/88 za gumeni odstopnik DG 1C</li> <li>- Stara oznaka: KV5 60</li> <li>- Slider for auxiliary transom FMP 60/88 for dilatation rubber DG 1C</li> <li>- Former code: KV5 60</li> </ul>  | Al.                   |                    |
| 721.006        |  | <ul style="list-style-type: none"> <li>- Klizač za pomoćnu vodoravnicu FMP 60/200 za gumeni odstopnik DG 1D</li> <li>- Stara znaka: KV6 60</li> <li>- Slider for auxiliary transom FMP 60/200 for dilatation rubber DG 1D</li> <li>- Former code: KV6 60</li> </ul> | Al.                   |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                   | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 721.007        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/198</li> <li>- Stara znaka: KV7 60</li> <li>- Slider for transom FMV 60/198</li> <li>- Former code: KV7 60</li> </ul>                                                           | Al.                   |                    |
| 721.008        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/88 za ravnu gumu DG 2</li> <li>- Stara oznaka: KV1/A 60</li> <li>- Slider for transom FMV 60/88 for flat dilatation rubber DG 2</li> <li>- Former code: KV1/A 60</li> </ul>     | Al.                   |                    |
| 721.009        |   | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/114 za ravnu gumu DG 2A</li> <li>- Stara oznaka: KV3/A 60</li> <li>- Slider for transom FMV 60/114 for flat dilatation rubber DG 2A</li> <li>- Former code: KV3/A 60</li> </ul> | Al.                   |                    |
| 721.010        |  | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/156 za ravnu gumu DG 2B</li> <li>- Stara oznaka: KV4/A 60</li> <li>- Slider for transom FMV 60/156 for flat dilatation rubber DG 2B</li> <li>- Former code: KV4/A 60</li> </ul> | Al.                   |                    |
| 721.011        |  | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu FMV 60/198 za ravnu gumu DG 2C</li> <li>- Stara oznaka: KV5/A 60</li> <li>- Slider for transom FMV 60/198 for flat dilatation rubber DG 2C</li> <li>- Former code: KV5/A 60</li> </ul> | Al.                   |                    |
|                |                                                                                     |                                                                                                                                                                                                                                                       |                       |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                             | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 722.001        |    | <ul style="list-style-type: none"> <li>- Klizač pod kutem za vodoravnicu FMV 60/88</li> <li>- Stara znaka: KV1/B 60</li> <li>- Angled slider for transom FMV 60/88</li> <li>- Former code: KV1/B 60</li> </ul>                  | Al.                   |                    |
| 722.002        |    | <ul style="list-style-type: none"> <li>- Klizač pod kutem za vodoravnicu FMV 60/114</li> <li>- Stara znaka: KV3/B 60</li> <li>- Angled slider for transom FMV 60/114</li> <li>- Former code: KV3/B 60</li> </ul>                | Al.                   |                    |
| 722.003        |   | <ul style="list-style-type: none"> <li>- Klizač pod kutem za vodoravnicu FMV 60/156</li> <li>- Stara oznaka: KV4/B 60</li> <li>- Angled slider for transom FMV 60/156</li> <li>- Former code: KV4/B 60</li> </ul>               | Al.                   |                    |
| 722.004        |  | <ul style="list-style-type: none"> <li>- Klizač pod kutem za vodoravnicu FMV 60/198</li> <li>- Stara oznaka: KV5/B 60</li> <li>- Angled slider for transom FMV 60/198</li> <li>- Former code: KV5/B 60</li> </ul>               | Al.                   |                    |
| 722.005        |  | <ul style="list-style-type: none"> <li>- Klizač pod kutem za pom.vodoravnicu FMP 60/200</li> <li>- Stara oznaka: KV6/B 60</li> <li>- Angled slider for auxiliary transom FMP 60/200</li> <li>- Former code: KV6/B 60</li> </ul> | Al.                   |                    |
|                |                                                                                     |                                                                                                                                                                                                                                 |                       |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                                   | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 723.001        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu    FMV 60/88 (obrada na nulu)</li> <li>- Stara oznaka: KV1 60/A</li> <li>- Slider for transom    FMV 60/88 (without dilatation rubber)</li> <li>- Former code: KV1 60/A</li> </ul>                     | Al.                   |                    |
| 723.002        |    | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu    FMV 60/114 (obrada na nulu)</li> <li>- Stara oznaka: KV3 60/A</li> <li>- Slider for transom    FMV 60/114 (without dilatation rubber)</li> <li>- Former code: KV3 60/A</li> </ul>                   |                       |                    |
| 723.003        |   | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu    FMV 60/156 (obrada na nulu)</li> <li>- Stara znaka: KV4 60/A</li> <li>- Slider for transom    FMV 60/156 (without dilatation rubber)</li> <li>- Former code: KV4 60/A</li> </ul>                    | Al.                   |                    |
| 723.004        |  | <ul style="list-style-type: none"> <li>- Klizač za pomoćnu vodoravnicu    FMP 60/88 (obrada na nulu)</li> <li>- Stara znaka: KV5 60/A</li> <li>- Slider for auxiliary transom    FMP 60/88 (without dilatation rubber)</li> <li>- Former code: KV5 60/A</li> </ul>    | Al.                   |                    |
| 723.005        |  | <ul style="list-style-type: none"> <li>- Klizač za pomoćnu vodoravnicu    FMP 60/200 (obrada na nulu)</li> <li>- Stara oznaka: KV6 60/A</li> <li>- Slider for auxiliary transom    FMP 60/200 (without dilatation rubber)</li> <li>- Former code: KV6 60/A</li> </ul> | Al.                   |                    |
| 723.006        |  | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu    FMV 60/198 (obrada na nulu)</li> <li>- Stara oznaka: KV7 60/A</li> <li>- Slider for transom    FMV 60/198 (without dilatation rubber)</li> <li>- Former code: KV7 60/A</li> </ul>                   | Al.                   |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                              | Opis<br>Description                                                                                                                                                                                                                               | Materijal<br>Material | Napomena<br>Remark |
|----------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 723.007        |  | <ul style="list-style-type: none"> <li>- Klizač za vodoravnicu    FMV 60/41 (obrada na nulu)</li> <li>- Stara oznaka: KV2 60/A</li> <li>- Slider for transom    FMV 60/41 (without dilatation rubber)</li> <li>- Former code: KV2 60/A</li> </ul> | Al.                   |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |
|                |                                                                                   |                                                                                                                                                                                                                                                   |                       |                    |















| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                       | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 724.001        |    | <ul style="list-style-type: none"> <li>- Držač okomice i vodoravnice FMO 60/41 FMV 60/41</li> <li>- Stara oznaka KKS-DG</li> <li>- Mullion and transom clip FMO 60/41 FMV 60/41</li> <li>- Former code: KKS-DG</li> </ul> | Al.<br>Zamak          |                    |
| 724.002        |    | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+ (kut 90°)</li> <li>- Stara oznaka: VS-60-02</li> <li>- Glass clamp for facade 60 S+ (angle 90°)</li> <li>- Former code: VS-60-02</li> </ul>                | Al.                   |                    |
| 724.003        |   | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+ (kut 135°)</li> <li>- Stara oznaka: VS 60-02/A</li> <li>- Glass clamp for facade 60 S+ (angle 135°)</li> <li>- Former code: VS-60-02/A</li> </ul>          | Al.                   |                    |
| 724.004        |  | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+</li> <li>- Stara oznaka: VS-60-03</li> <li>- Glass clamp for facade 60 S+</li> <li>- Former code: VS-60-03</li> </ul>                                      | Al.                   |                    |
| 724.005        |  | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+</li> <li>- Stara oznaka: pločica-VS-60-03/A</li> <li>- Glass clamp for facade 60 S+</li> <li>- Former code: VS-60-03/A</li> </ul>                          | Al.                   |                    |
| 724.006        |  | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+</li> <li>- Stara oznaka: VS-60-04</li> <li>- Glass clamp for facade 60 S+</li> <li>- Former code: VS-60-04</li> </ul>                                      | Al.                   |                    |




| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 724.007        |    | <ul style="list-style-type: none"> <li>- Kopča za fasadu 60 S+</li> <li>- Stara oznaka: VS-60-04/A</li> <li>- Glass clamp for facade 60 S+</li> <li>- Former code: VS-60-04/A</li> </ul>                                            | Al.<br>Zamak          |                    |
| 724.017        |    | <ul style="list-style-type: none"> <li>- Kopča za fasadu strukturalnu fasadu</li> <li>- trostruko staklo-</li> <li>- Glass clamp for facade 60 S+</li> <li>- triple pane glass-</li> </ul>                                          | Al.                   |                    |
| 724.018        |   | <ul style="list-style-type: none"> <li>- Kopča za fasadu strukturalnu fasadu</li> <li>- trostruko staklo-</li> <li>- Glass clamp for facade 60 S+</li> <li>- triple pane glass-</li> </ul>                                          | Al.                   |                    |
| 724.023        |  | <ul style="list-style-type: none"> <li>- Kopča za strukturalnu fasadu</li> <li>- za trostruko staklo - Staklo 59 mm</li> <li>- Glass clamp for 50 FS</li> <li>- triple glass - glazing 59 mm</li> </ul>                             | Al                    |                    |
| 724.024        |  | <ul style="list-style-type: none"> <li>- Kopča za strukturalnu fasadu - za trostruko staklo - Staklo 59 mm</li> <li>- Glass clamp for 50 FS</li> <li>- triple glass - glazing 59 mm</li> </ul>                                      | Al                    |                    |
| 724.025        |  | <ul style="list-style-type: none"> <li>- Nastavak za kopče 724.002 i 724.003 za 60 FS</li> <li>- za trostruko staklo</li> <li>- Extention for glass clamp 724.002 and 724.003 for 60 S+</li> <li>- for triple pane glass</li> </ul> |                       |                    |













| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                   | Opis<br>Description                                                                                                                                                                                                                                                  | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.001        | <br>l=53mm            | <ul style="list-style-type: none"> <li>- Za profil FT-0134</li> <li>- Kutna spojnica za komoru 53,4x16,5</li> <li>- Stara oznaka K-0558/D</li> <li>- For profile FT-0134</li> <li>- Corner bracket for chamber 53,4x16,5</li> <li>- Former code: K-0558/D</li> </ul> | Al.                   |                    |
| 725.002        | <br>l=53mm<br>M8x13   | <ul style="list-style-type: none"> <li>- Za profil FT-0134</li> <li>- Kutna spojnica za komoru 53,4x16,5</li> <li>- Stara oznaka K-0558/D</li> <li>- For profile FT-0134</li> <li>- Corner bracket for chamber 53,4x16,5</li> <li>- Former code: K-0558/D</li> </ul> | Al.                   |                    |
| 725.003        | <br>l=6,3 mm         | <ul style="list-style-type: none"> <li>- Za profil FT-0133</li> <li>- Kutna spojnica za komoru 16,6x6,6</li> <li>- Stara oznaka K-0558/E</li> <li>- For profile FT-0133</li> <li>- Corner bracket for chamber 16,6x6,6</li> <li>- Former code: K-0558/E</li> </ul>   | Al.                   |                    |
| 725.004        | <br>l=7,3mm         | <ul style="list-style-type: none"> <li>- Za profil FT-0134</li> <li>- Kutna spojnica za komoru 16,5x7,6</li> <li>- Stara oznaka K-0558/F</li> <li>- For profile FT-0134</li> <li>- Corner bracket for chamber 16,5x7,6</li> <li>- Former code: K-0558/F</li> </ul>   | Al.                   |                    |
| 725.005        | <br>l=40mm<br>M8x13 | <ul style="list-style-type: none"> <li>- Za profil FT-0124</li> <li>- Kutna spojnica za komoru 40,7x16,3</li> <li>- Stara oznaka K-0558/G</li> <li>- For profile FT-0124</li> <li>- Corner bracket for chamber 40,7x16,3</li> <li>- Former code: K-0558/G</li> </ul> | Al.                   |                    |
| 725.006        | <br>l=44mm<br>M8x13 | <ul style="list-style-type: none"> <li>- Za profil FT-0125</li> <li>- Kutna spojnica za komoru 44,5x16,3</li> <li>- Stara oznaka K-0558/H</li> <li>- For profile FT-0125</li> <li>- Corner bracket for chamber 44,5x16,3</li> <li>- Former code: K-0558/H</li> </ul> | Al.                   |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                     | Opis<br>Description                                                                                                                                                                                                                                                   | Materijal<br>Material | Napomena<br>Remark |
|----------------|----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.007        | <br>l=7,8mm             | <ul style="list-style-type: none"> <li>- Za profil FT-0125</li> <li>- Kutna spojnica za komoru 16,3x8,2</li> <li>- Stara oznaka: K-0558/I</li> <li>- For profile FT-0125</li> <li>- Corner bracket for chamber 16,3x8,2</li> <li>- Former code: K-0558/I</li> </ul>   | Al.                   |                    |
| 725.008        | <br>l=6mm               | <ul style="list-style-type: none"> <li>- Za profil F-0855</li> <li>- Kutna spojnica za komoru 6,3x16,4</li> <li>- Stara oznaka: K-0558/K</li> <li>- For profile F-0855</li> <li>- Corner bracket for chamber 6,3x16,4</li> <li>- Former code: K-0558/K</li> </ul>     | Al.                   |                    |
| 725.009        | <br>l=16,3mm           | <ul style="list-style-type: none"> <li>- Za profil F-0854</li> <li>- Kutna spojnica za komoru 16,4x16,6</li> <li>- Stara oznaka: K-0558/L</li> <li>- For profile F-0854</li> <li>- Corner bracket for chamber 16,4x16,6</li> <li>- Former code: K-0558/L</li> </ul>   | Al.                   |                    |
| 725.010        | <br>l=42,4mm          | <ul style="list-style-type: none"> <li>- Za profil FT-0164</li> <li>- Kutna spojnica za komoru 43,1x16,5</li> <li>- Stara oznaka: K-0558/O</li> <li>- For profile FT-0164</li> <li>- Corner bracket for chamber 43,1x16,5</li> <li>- Former code: K-0558/O</li> </ul> | Al.                   |                    |
| 725.011        | <br>l=42,4mm<br>M8x13 | <ul style="list-style-type: none"> <li>- Za profil FT-0164</li> <li>- Kutna spojnica za komoru 43,1x16,5</li> <li>- Stara oznaka: K-0558/O</li> <li>- For profile FT-0164</li> <li>- Corner bracket for chamber 43,1x16,5</li> <li>- Former code: K-0558/O</li> </ul> | Al.                   |                    |
| 710.452        | <br>l=7mm             | <ul style="list-style-type: none"> <li>- Za profil FT-0261</li> <li>- Kutna spojnica za komoru 7,3x16,5</li> <li>- Stara oznaka: 710.037</li> <li>- For profile FT-0261</li> <li>- Corner bracket for chamber 7,3x16,5</li> <li>- Former code: 710.037</li> </ul>     | Al.                   |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                               | Opis<br>Description                                                                                                                                                                                                                                                            | Materijal<br>Material | Napomena<br>Remark |
|----------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 710.469        |   | <ul style="list-style-type: none"> <li>- Za profil FT-0148</li> <li>- Kutna spojnica za komoru 16,5x29</li> <li>- Stara oznaka 710.087</li> <li>- For profile FT-0148</li> <li>- Corner bracket for chamber 16,5x29</li> <li>- Former code: 710.087</li> </ul>                 | Al.                   |                    |
| 710.092        |   | <ul style="list-style-type: none"> <li>- Za profil FT-0148</li> <li>- Kutna spojnica za komoru 16,5x28,9</li> <li>- Stara oznaka K-0558/M</li> <li>- For profile FT-0148</li> <li>- Corner bracket for chamber 16,5x28,9</li> <li>- Former code: K-0558/M</li> </ul>           | Al.                   |                    |
| 710.100        |  | <ul style="list-style-type: none"> <li>- Za profil FT-0261;FT-0187;FT-0188</li> <li>- Kutna spojnica za komoru 16,5x29</li> <li>- Stara oznaka K-65-07</li> <li>- For profile FT-0261</li> <li>- Corner bracket for chamber 16,5x29</li> <li>- Former code: K-65-07</li> </ul> | Al.                   |                    |
|                |                                                                                    |                                                                                                                                                                                                                                                                                |                       |                    |
|                |                                                                                    |                                                                                                                                                                                                                                                                                |                       |                    |
|                |                                                                                    |                                                                                                                                                                                                                                                                                |                       |                    |
|                |                                                                                    |                                                                                                                                                                                                                                                                                |                       |                    |






| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                         | Opis<br>Description                                                                                                                                                                                                                            | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.101        | <br>l=42mm                  | - Za profile FT-0161, FT-0126, FT-0162;<br>FT-0157<br>- Kutna spojnica za komoru 43,1x13<br>- Stara oznaka: K-0986/B<br>- For profile FT-0161, FT-0126, FT-0162;<br>FT-0157<br>- Corner bracket for chamber 43,1x13<br>- Former code: K-0986/B | Al.                   |                    |
| 725.102        | <br>l=42mm<br><br>M8x13     | - Za profile FT-0161, FT-0126, FT-0162;<br>FT-0157<br>- Kutna spojnica za komoru 43,1x13<br>- Stara oznaka K-0986/B<br>- For profile FT-0161, FT-0126, FT-0162;<br>FT-0157<br>- Corner bracket for chamber 43,1x13<br>- Former code: K-0986/B  | Al.                   |                    |
| 725.104        | <br>l=8,5mm                | - Za profil FT-0157<br>- Kutna spojnica za komoru 8,8x13<br>- Stara oznaka K-0986/C<br>- For profile FT-0157<br>- Corner bracket for chamber 8,8x13<br>- Former code: K-0986/C                                                                 | Al.                   |                    |
| 725.105        | <br>l=56,3mm              | - Za profil FT-0133<br>- Kutna spojnica za komoru 57,1x13<br>- Stara oznaka K-0986/D<br>- For profile FT-0133<br>- Corner bracket for chamber 57,1x13<br>- Former code: K-0986/D                                                               | Al.                   |                    |
| 725.106        | <br>l=56,3mm<br><br>M8x13 | - Za profil FT-0133<br>- Kutna spojnica za komoru 57,1x13<br>- Stara oznaka K-0986/D<br>- For profile FT-0133<br>- Corner bracket for chamber 57,1x13<br>- Former code: K-0986/D                                                               | Al.                   |                    |
|                |                                                                                                              |                                                                                                                                                                                                                                                |                       |                    |














| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                           | Opis<br>Description                                                                                                                                                                                                                                            | Materijal<br>Material | Napomena<br>Remark |
|----------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 710.025        | <br>l=7.3mm   | <ul style="list-style-type: none"> <li>- Za profil FT-0148</li> <li>- Kutna spojnica za komoru 7,8x13</li> <li>- Stara oznaka K-0986/H</li> <li>- For profile FT-0148</li> <li>- Corner bracket for chamber 7,8x13</li> <li>- Former code: K-0986/H</li> </ul> | Al.                   |                    |
| 710.414        | <br>l=7.9mm   | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 8.5x15.1</li> <li>- Koristi se za profil rama FT-1201 (Termo 85 PA)</li> <li>- Corner bracket for chamber 8.5x15.1</li> <li>- Used for frame profile FT-1201 (Termo 85 PA)</li> </ul>        | Al.                   |                    |
| 710.415        | <br>l=17.3mm | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 17.9x20.1</li> <li>- Koristi se za profil rama FT-1201 (Termo 85 PA)</li> <li>- Corner bracket for chamber 17.9x20.1</li> <li>- Used for frame profile FT-1201 (Termo 85 PA)</li> </ul>      | Al.                   |                    |
|                |                                                                                                |                                                                                                                                                                                                                                                                |                       |                    |
|                |                                                                                                |                                                                                                                                                                                                                                                                |                       |                    |
|                |                                                                                                |                                                                                                                                                                                                                                                                |                       |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                    | Opis<br>Description                                                                                                                                                                                                                                                    | Materijal<br>Material | Napomena<br>Remark |
|----------------|---------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.201        | <br>l=12,5mm           | <ul style="list-style-type: none"> <li>- Za profil FT-0124</li> <li>- Kutna spojnica za komoru 8,5x13,1</li> <li>- Stara oznaka K-061059/B</li> <li>- For profile FT-0124</li> <li>- Corner bracket for chamber 8,5x13,1</li> <li>- Former code: K-061059/B</li> </ul> | Al.                   |                    |
| 725.202        | <br>l=18mm             | <ul style="list-style-type: none"> <li>- Za profil F-0796</li> <li>- Kutna spojnica za komoru 8,5x18,7</li> <li>- Stara oznaka K-061059/C</li> <li>- For profile FT-0796</li> <li>- Corner bracket for chamber 8,5x18,7</li> <li>- Former code: K-061059/C</li> </ul>  | Al.                   |                    |
| 725.205        | <br>l=16 mm           | <ul style="list-style-type: none"> <li>- Za profile FT-0174; FT-0169</li> <li>- Kutna spojnica za komoru 8,3x16,4</li> <li>- For profile FT-0174;FT-0169</li> <li>- Corner bracket for chamber 8,3x16,4</li> </ul>                                                     | Al.                   |                    |
| 725.206        | <br>l=16 mm<br>M8x10 | <ul style="list-style-type: none"> <li>- Za profile FT-0174; FT-0169</li> <li>- Kutna spojnica za komoru 8,3x16,4</li> <li>- For profile FT-0174;FT-0169</li> <li>- Corner bracket for chamber 8,3x16,4</li> </ul>                                                     | Al.                   |                    |
| 710.008        | <br>l=3,5mm          | <ul style="list-style-type: none"> <li>- Za profil FT-0126</li> <li>- Kutna spojnica za komoru 8,4x4</li> <li>- Stara oznaka K-061059/A</li> <li>- For profile FT-0126</li> <li>- Corner bracket for chamber 8,4x4</li> <li>- Former code: K-061059/A</li> </ul>       | Al.                   |                    |
| 725.501        | <br>l=39,5mm         | <ul style="list-style-type: none"> <li>- Za profil F-1127</li> <li>- Kutna spojnica za komoru 39,7x8,4</li> <li>- Stara oznaka K-0902/F</li> <li>- For profile F-1127</li> <li>- Corner bracket for chamber 39,7x8,4</li> <li>- Former code: K-0902/F</li> </ul>       | Al.                   |                    |
|                |                                                                                                         |                                                                                                                                                                                                                                                                        |                       |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                         | Opis<br>Description                                                                                                                                                                                                                                                                      | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.301        | <br>l=13,8mm                | <ul style="list-style-type: none"> <li>- Za profil FM 30/20</li> <li>- Kutna spojnica za komoru 14x2,2</li> <li>- Stara oznaka: K-0210/14</li> <li>- For profile FM 30/20</li> <li>- Corner bracket for chamber 14x2,2</li> <li>- Former code: K-0210/14</li> </ul>                      | Al.                   |                    |
| 710.031        | <br>l=11,7mm                | <ul style="list-style-type: none"> <li>- Za profil FT-0187F;FT-0188F</li> <li>- Kutna spojnica za komoru 12,3x15,2</li> <li>- Stara oznaka K-0868/B</li> <li>- For profile FT-0187F;FT-0188F</li> <li>- Corner bracket for chamber 12,3x15,2</li> <li>- Former code: K-0868/B</li> </ul> | Al.                   |                    |
| 725.401        | <br>l=4,4mm                | <ul style="list-style-type: none"> <li>- Za profil FT-0161</li> <li>- Kutna spojnica za komoru 7,8x4,7</li> <li>- Stara oznaka K-0272/D</li> <li>- For profile FT-0161</li> <li>- Corner bracket for chamber 7,8x4,7</li> <li>- Former code: K-0272/D</li> </ul>                         | Al.                   |                    |
| 710.051        | <br>l=8,2mm               | <ul style="list-style-type: none"> <li>- Za profil FT-0260</li> <li>- Kutna spojnica za komoru 22,6x8,6</li> <li>- Stara oznaka: K-0899/C</li> <li>- For profile FT-0260</li> <li>- Corner bracket for chamber 22,6x8,6</li> <li>- Former code: K-0899/C</li> </ul>                      | Al.                   |                    |
| 710.060        | <br>l=32,4mm              | <ul style="list-style-type: none"> <li>- Za profil FT-0260</li> <li>- Kutna spojnica za komoru 35,2x32,7</li> <li>- Stara oznaka: K-0795/D</li> <li>- For profile FT-0260</li> <li>- Corner bracket for chamfer 35,2x32,7</li> <li>- Former code: K-0795/D</li> </ul>                    | Al.                   |                    |
| 710.074        | <br>l=32,4mm<br><br>M8x13 | <ul style="list-style-type: none"> <li>- Za profil FT-0260</li> <li>- Kutna spojnica za komoru 35,2x32,7</li> <li>- Stara oznaka: K-0795/D</li> <li>- For profile FT-0260</li> <li>- Corner bracket for chamfer 35,2x32,7</li> <li>- Former code: K-0795/D</li> </ul>                    | Al.                   |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                         | Opis<br>Description                                                                                                                                                                                                                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 710.130        |  <p>L=36,6 mm</p>           | <ul style="list-style-type: none"> <li>- Za profil FT-0553</li> <li>- Kutna spojnica za komoru 36,9x46,6</li> <li>- For profile FT-0553</li> <li>- Corner bracket for chamfer 36,9X46,6</li> </ul>                                                                  | Al.                   |                    |
| 710.131        |  <p>L=36,6 mm<br/>M8x13</p> | <ul style="list-style-type: none"> <li>- Za profil FT-0553</li> <li>- Kutna spojnica za komoru 36,9x46,6</li> <li>- For profile FT-0553</li> <li>- Corner bracket for chamfer 36,9X46,6</li> </ul>                                                                  | Al.                   |                    |
| 710.140        |  <p>L=6,3 mm</p>           | <ul style="list-style-type: none"> <li>- Za profil FT-0553</li> <li>- Kutna spojnica za komoru 6,6x35,2</li> <li>- For profile FT-0553</li> <li>- Corner bracket for chamfer 6,6X35,2</li> </ul>                                                                    | Al.                   |                    |
| 710.153        |  <p>l=10 mm</p>           | <ul style="list-style-type: none"> <li>- Za profil FT-0170</li> <li>- Kutna spojnica za komoru 10,5X19</li> <li>- For profile FT-0170</li> <li>- Corner bracket for chamfer 10,5X19</li> </ul>                                                                      | Al.                   |                    |
| 730.001        |                           | <ul style="list-style-type: none"> <li>- Za profile krila prozora</li> <li>- Kutna spojnica za komoru 1.7x4.7</li> <li>- Stara oznaka (G112/)</li> <li>- For sash profiles</li> <li>- Corner bracket for chamfer 1,7X4,7</li> <li>- Former code: G112</li> </ul>    | Inox                  |                    |
| 730.002        |                           | <ul style="list-style-type: none"> <li>- Za profile rama prozora</li> <li>- Kutna spojnica za komoru 1.7x4.7</li> <li>- Stara oznaka (G112/A)</li> <li>- For frame profiles</li> <li>- Corner bracket for chamfer 1,7X4,7</li> <li>- Former code: G112/A</li> </ul> | Inox                  |                    |



| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                                   | Opis<br>Description                                                                                                                                                                                                                                                                                                                                                                          | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.117        | <br>l=8 mm            | <ul style="list-style-type: none"> <li>- Kutnik za FT-0607</li> <li>- (Ram T60 , FT-0607; FT-0608)</li> <li>- Kutnik za FT-0607</li> <li>- (Frame Termo 60, FT-0607; FT-0608)</li> </ul>                                                                                                                                                                                                     | Al.                   |                    |
| 725.701        | <br>M8x13    l=23,7mm | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 19x24.3</li> <li>- Ram T60; FT-607</li> <li>- Corner bracket for chamber 19x24.3</li> <li>- Frame Termo 60; FT-607</li> </ul>                                                                                                                                                                                              | Al.                   |                    |
| 725.702        | <br>l=23,7mm         | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 19x24.3</li> <li>- Ram T60; FT-607</li> <li>- Corner bracket for chamber 19x24.3</li> <li>- Frame T60; FT-607</li> </ul>                                                                                                                                                                                                   | Al.                   |                    |
| 725.709        | <br>M8x10    l=17mm | <ul style="list-style-type: none"> <li>- Kutna spojnica s vijkom za komoru 10,6x17,5</li> <li>- Ram T60; FT-608</li> <li>- Stara oznaka 725.703</li> <li>- Corner bracket with screw for chamber 10,6x17,5</li> <li>- Frame Termo 60; FT-608</li> <li>- Former code 725.703</li> </ul>                                                                                                       | Al.                   |                    |
| 710.523        | <br>l=11,6 mm       | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 30x12.2</li> <li>- Spojni profili za klizne sisteme:<br/>FT-0194F; FT-0195F; FT-0196F; FT-0197F;<br/>FT-1800F; FT-1801F; FT-1802F</li> <li>- Corner bracket for chamber 30x12.2</li> <li>- Connection profile for sliding systems:<br/>FT-0194F; FT-0195F; FT-0196F; FT-0197F;<br/>FT-1800F; FT-1801F; FT-1802F</li> </ul> | Al.                   |                    |
| 710.524        | <br>l=15,7 mm       | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 13x16.2</li> <li>- Spojni profili za klizne sisteme:<br/>FT-0194F; FT-0195F; FT-0196F; FT-0197F;<br/>FT-1800F; FT-1801F; FT-1802F</li> <li>- Corner bracket for chamber 13x16.2</li> <li>- Connection profile for sliding systems:<br/>FT-0194F; FT-0195F; FT-0196F; FT-0197F;<br/>FT-1800F; FT-1801F; FT-1802F</li> </ul> | Al.                   |                    |







| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                                   | Opis<br>Description                                                                                                                                                                                                                                                           | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 725.704        | <br>l=17mm            | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 10,6x17,5</li> <li>- Ram T60; FT-608</li> <li>- Corner bracket for chamber 10,6x17,5</li> <li>- Frame T60; FT-608</li> </ul>                                                                                | Al.                   |                    |
| 725.705        | <br>l=8 mm            | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 25,2x8.5</li> <li>- Ram T60,T65,T85 FT-0608,FT-0290, FT-0290 H</li> <li>- Corner bracket for chamber 25,2x8.5</li> <li>- Frame T60,T65,T85 FT-0608,FT-0290, FT-0290 H</li> </ul>                            | Al.                   |                    |
| 725.706        | <br>M8x10<br>l=26 mm | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 10,6x26,5</li> <li>- Ram T65,T85; FT-608</li> <li>- Corner bracket for chamber 10,6x26,5</li> <li>- Frame T65,T85; FT-608</li> </ul>                                                                        | Al.                   |                    |
| 725.712        | <br>l=26 mm         | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru LxH=26.5x10.6</li> <li>- Ram T65,T85; FT-608</li> <li>- Stara oznaka 725.707</li> <li>- Corner bracket for chamber LxH=26.5x10.6</li> <li>- Frame T65,T85; FT-608</li> <li>- Former code 725.707</li> </ul> | Al.                   |                    |
| 725.708        | <br>l=29,3 mm       | <ul style="list-style-type: none"> <li>- Kutna spojnica za komoru 8 x 30</li> <li>- Krilo krovnog prozora F-1572</li> <li>- Corner bracket for chamber 8 x 30</li> <li>- Roof window sash F-1572</li> </ul>                                                                   | Al.                   |                    |
|                |                                                                                                        |                                                                                                                                                                                                                                                                               |                       |                    |





| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                     | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 501.000        |    | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na C-vodilicu L=250 mm</li> <li>- Stara oznaka: NF-250/140</li> <li>- Al. mullion anchor for C-shaped guiderail L=250 mm</li> <li>- Former code: NF-250/140</li> </ul>       | Al.                   |                    |
| 501.001        |    | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na C-vodilicu L=170 mm</li> <li>- Stara oznaka NF-170/140</li> <li>- Al. mullion anchor for C-shaped guiderail L=170 mm</li> <li>- Former code: NF-170/140</li> </ul>        | Al.                   |                    |
| 501.002        |   | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na C-vodilicu L=80 mm</li> <li>- Stara oznaka NF-80/140</li> <li>- Al. mullion anchor for C-shaped guiderail L=80 mm</li> <li>- Former code: NF-80/140</li> </ul>            | Al.                   |                    |
| 501.003        |  | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na beton L=250 mm</li> <li>- Stara oznaka NF-250/140-B</li> <li>- Al. mullion anchor for direct montage on concrete L=250 mm</li> <li>- Former code: NF-250/140-B</li> </ul> | Al.                   |                    |
| 501.004        |  | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na beton L=170 mm</li> <li>- Stara oznaka NF-170/140-B</li> <li>- Al. mullion anchor for direct montage on concrete L=170 mm</li> <li>- Former code: NF-170/140-B</li> </ul> | Al.                   |                    |
| 501.005        |  | <ul style="list-style-type: none"> <li>- Al. nosivi kutnik na beton L=80 mm</li> <li>- Stara oznaka NF-80/140-B</li> <li>- Al. mullion anchor for direct montage on concrete L=80 mm</li> <li>- Former code: NF-80/140-B</li> </ul>     | Al.                   |                    |





| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                  | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 501.025        |    | Nosač okomice fasade L=124 mm<br>Al. mullion anchor L=124 mm                                                         | Al.                   |                    |
| 501.033        |    | Nosač okomice fasade L=80 mm<br>Al. mullion anchor L=80 mm                                                           | Al.                   |                    |
| 501.026        |   | Gornji-donji nosač okomice<br>FMO 60/270<br>Upper lower al. mullion anchor<br>FMO 60/270                             | Al.                   |                    |
| 501.027        |  | Gornji-donji nosač okomica<br>FMO 60/202 i FMO 60/200<br>Upper lower al. mullion anchor<br>FMO 60/202 and FMO 60/202 | Al.                   |                    |
| 501.028        |  | Gornji-donji nosač okomice<br>FMO 60/200-S<br>Upper lower al. mullion anchor<br>FMO 60/200-S                         | Al.                   |                    |
| 501.029        |  | Gornji-donji nosač okomice<br>FMO 60/158<br>Upper lower al. mullion anchor<br>FMO 60/158                             | Al.                   |                    |










| Oznaka<br>Code | Izgled presjek<br>View-cross section                                              | Opis<br>Description                                                                      | Materijal<br>Material | Napomena<br>Remark |
|----------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 501.030        |  | Gornji-donji nosač okomice<br>FMO 60/118<br>Upper lower al. mullion anchor<br>FMO 60/118 | Al.                   |                    |
| 501.031        |  | Gornji-donji nosač okomice<br>FMO 60/88<br>Upper lower al. mullion anchor<br>FMO 60/88   | Al.                   |                    |
|                |                                                                                   |                                                                                          |                       |                    |
|                |                                                                                   |                                                                                          |                       |                    |
|                |                                                                                   |                                                                                          |                       |                    |
|                |                                                                                   |                                                                                          |                       |                    |
|                |                                                                                   |                                                                                          |                       |                    |
|                |                                                                                   |                                                                                          |                       |                    |






| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                                                                                                                                     | Opis<br>Description                                                                                                                                          | Materijal<br>Material | Napomena<br>Remark |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.005        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 27.</p>   | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Stara znaka: DS 100/C</li> <li>- Glass support</li> <li>- Former code: DS 100/C</li> </ul>  | Al.                   |                    |
| 521.102        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 33.</p>   | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Stara oznaka: DS 100</li> <li>- Glass support</li> <li>- Former code: DS 100</li> </ul>     | Al.                   |                    |
| 521.103        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 36.</p>  | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Stara oznaka: DS 100/A</li> <li>- Glass support</li> <li>- Former code: DS 100/A</li> </ul> | Al.                   |                    |
| 521.004        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 40.</p> | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Stara znaka: DS 100/B</li> <li>- Glass support</li> <li>- Former code: DS 100/B</li> </ul>  | Al.                   |                    |
| 521.106        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 43.</p> | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Glass support</li> </ul>                                                                    | Al.                   |                    |
| 521.123        |  <p>Diagram showing a cross-section of a glass support profile. The top width is 100, and the bottom width is 52.</p> | <ul style="list-style-type: none"> <li>- Držać stakla</li> <li>- Glass support</li> </ul>                                                                    | Al.                   |                    |







| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.063        |    | - Držać za trostruko staklo<br>- Glass support for triple pane glass                                                                                | Al.                   |                    |
| 521.261        |    | - Držać za trostruko staklo<br>- Glass support for triple pane glass                                                                                | Al.                   |                    |
| 521.263        |   | Obostrani držać stakla s potporom<br>u fasadi 60K i 60S<br>Doublesided glass support<br>with a vertical support                                     |                       |                    |
| 521.264        |  | Obostrani držać stakla sa potporom<br>i Inox polugom u fasadi 60K i 60S+<br>Doublesided glass support<br>with a vertical support and a<br>steel rod |                       |                    |
|                |                                                                                     |                                                                                                                                                     |                       |                    |
|                |                                                                                     |                                                                                                                                                     |                       |                    |

| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                              | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.235        |    | <ul style="list-style-type: none"> <li>- Držać za vanjska sjenila 50 mm x100 mm</li> <li>- Bracket for exterior shading 50 mm x100 mm</li> </ul> | Al                    |                    |
| 521.236        |    | <ul style="list-style-type: none"> <li>- Držać za vanjska sjenila 50 mm x160 mm</li> <li>- Bracket for exterior shading 50 mm x160 mm</li> </ul> | Al                    |                    |
| 521.237        |  | <ul style="list-style-type: none"> <li>- Držać za vanjska sjenila 70 mm x100 mm</li> <li>- Bracket for exterior shading 70 mm x100 mm</li> </ul> | Al                    |                    |
| 521.238        |  | <ul style="list-style-type: none"> <li>- Držać za vanjska sjenila 70 mm x160 mm</li> <li>- Bracket for exterior shading 70 mm x160 mm</li> </ul> | Al                    |                    |
|                |                                                                                     |                                                                                                                                                  |                       |                    |




| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                         | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.007        |    | <ul style="list-style-type: none"> <li>- Držać vanjskog stakla</li> <li>- Stara oznaka: VDV-S</li> <li>- Exterior glass support</li> <li>- Former code: VDV-S</li> </ul>    | Al.                   |                    |
| 521.009        |    | <ul style="list-style-type: none"> <li>- Držać vanjskog stakla (četiri po staklu)</li> <li>- Exterior glass support (four per glass)</li> </ul>                             | Al.                   |                    |
| 521.013        |   | <ul style="list-style-type: none"> <li>- Držać vanjskog stakla</li> <li>- Stara oznaka VDV-S-2</li> <li>- Exterior glass support</li> <li>- Former code: VDV-S-2</li> </ul> | Al.                   |                    |
| 521.039        |  | <ul style="list-style-type: none"> <li>- Držać vanjskog fiksnog stakla (četiri po staklu)</li> <li>- Exterior fixed field glass clamp (four per glass)</li> </ul>           | Al.                   |                    |
| 521.040        |  | <ul style="list-style-type: none"> <li>- Držać vanjskog fiksnog stakla (četiri po staklu)</li> <li>- Exterior fixed field glass clamp (four per glass)</li> </ul>           | Al                    |                    |
| 521.041        |  | <ul style="list-style-type: none"> <li>- Držać vanjskog stakla (četiri po staklu)</li> <li>- Exterior glass support (four per glass)</li> </ul>                             | Al                    |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                              | Opis<br>Description                                                                         | Materijal<br>Material | Napomena<br>Remark |
|----------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.061        |  | -Držać vanjskog stakla<br>(četiri po staklu)<br>-Exterior glass support<br>(four per glass) | Al                    |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |
|                |                                                                                   |                                                                                             |                       |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                             | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.101        |    | <ul style="list-style-type: none"> <li>- Al. podloška L=55 mm</li> <li>- Stara oznaka ALP-40/17</li> <li>- Al. washer L=55 mm</li> <li>- Former code: ALP-40/17</li> </ul>                                                                                      | Al.                   |                    |
| 521.058        |    | <ul style="list-style-type: none"> <li>- Al. podloška L=40 mm</li> <li>- Stara oznaka ALP-40/13</li> <li>- Al. washer L=40 mm</li> <li>- Former code: ALP-40/13</li> </ul>                                                                                      | Al.                   |                    |
| 111.006        |   | <ul style="list-style-type: none"> <li>- Šarka za krovni prozor</li> <li>- Stara oznaka AD-100/1</li> <li>- Roof window hinges</li> <li>- Former code: AD-100/1</li> </ul>                                                                                      | Inox                  |                    |
| 521.165        |  | <ul style="list-style-type: none"> <li>-Al. podloška 40x40 mm (Ø 15)</li> <li>-Al. washer 40x40 mm (Ø 15)</li> </ul>                                                                                                                                            | - Al                  |                    |
| 521.008        |  | <ul style="list-style-type: none"> <li>- Elastični držač opšava</li> <li>- Elastic flashing sheet clamp</li> </ul>                                                                                                                                              | Al.                   |                    |
| 521.006        |  | <ul style="list-style-type: none"> <li>- Držač okomice i vodoravnice FMO 60/41, FMV 60/41</li> <li>- Stara oznaka KOS 100</li> <li>- Connection element of mullion FMO 60/41 and transom FMV 60/41 with substructure</li> <li>- Former code: KOS 100</li> </ul> | Al.                   |                    |

| Oznaka<br>Code | Izgled presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                                                                     | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.010        |    | <ul style="list-style-type: none"> <li>- Distancer za čelični kutnik koji drži profil FMO-053 (kut)</li> <li>- Stara oznaka: Distancer L=93 mm Ø 16/13</li> <li>- Spacer for steel mullion anchor that holds profile FMO-053 (angle)</li> <li>- Former code: Distancer L=93 mm Ø 16/13</li> </ul>       | Inox                  |                    |
| 521.011        |    | <ul style="list-style-type: none"> <li>- Distancer za aluminijski nosivi kutnik koji s vana drži okomicu</li> <li>- Stara oznaka: Distancer L=64 mm Ø 16/13</li> <li>- Spacer for aluminium mullion anchor that holds mullion from outside</li> <li>- Former code: Distancer L=64 mm Ø 16/13</li> </ul> | Inox                  |                    |
| 521.017        |   | <ul style="list-style-type: none"> <li>- Distancer za aluminijski nosivi kutnik koji s vana drži okomicu</li> <li>- L=84 mm Ø 16/13</li> <li>- Spacer for aluminium mullion anchor that holds the mullion from outside</li> <li>- L=84 mm Ø 16/13</li> </ul>                                            | Inox                  |                    |
| 521.020        |  | <ul style="list-style-type: none"> <li>- Distancer za čelični kutnik</li> <li>- Stara oznaka: Distancer L=73 mm Ø16/13</li> <li>- Spacer for steel mullion anchor</li> <li>- Former code: Distancer L=73 mm Ø16/13</li> </ul>                                                                           | Inox                  |                    |
| 521.164        |  | <ul style="list-style-type: none"> <li>- Distancer nosač fasade</li> <li>- L=89.5 mm Ø14/11</li> <li>- Spacer for mullion anchor</li> <li>- L=89.5 mm Ø14/11</li> </ul>                                                                                                                                 | - Inox                |                    |
| 521.167        |  | <ul style="list-style-type: none"> <li>- Distancer za nosač fasade</li> <li>- L=60 mm Ø14/11</li> <li>- Spacer for mullion anchor</li> <li>- L=60 mm Ø14/11</li> </ul>                                                                                                                                  | - Inox                |                    |




| Oznaka<br>Code | Izgled presjek<br>View-cross section                                               | Opis<br>Description                                                                                                                                                                                                             | Materijal<br>Material | Napomena<br>Remark |
|----------------|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 521.275        |   | <ul style="list-style-type: none"> <li>- Odstojnik za čelični nosač fasade</li> <li>- L=74 mm Ø14/11</li> <li>- Spacer for steel mullion anchor</li> <li>- L=74 mm Ø14/11</li> </ul>                                            | - Inox                |                    |
| 391.148        |   | <ul style="list-style-type: none"> <li>- Aluminijska nosiva pločica francuskog balkona lijeva</li> <li>- 50 mm x 54 mm x 8 mm</li> <li>- French balcony aluminium glass support left</li> <li>- 50 mm x 54 mm x 8 mm</li> </ul> | Al                    |                    |
| 391.149        |  | <ul style="list-style-type: none"> <li>- Aluminijska nosiva pločica francuskog balkona desna</li> <li>- 50 mm x 54 mm x 8 mm</li> <li>- French balcony aluminium glass support right</li> <li>- 50 mm x 54 mm x 8 mm</li> </ul> | Al                    |                    |
|                |                                                                                    |                                                                                                                                                                                                                                 |                       |                    |
|                |                                                                                    |                                                                                                                                                                                                                                 |                       |                    |
|                |                                                                                    |                                                                                                                                                                                                                                 |                       |                    |



# PVC elementi PVC elements














| Oznaka<br>Code | Opis<br>Description                                                  | Izgled<br>View                                                                      | Materijal<br>Material | Oznaka proizvođača<br>Manufacturer code |
|----------------|----------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------|-----------------------------------------|
| 370.026        | Podmetač za staklo 100 x 20 x 1 mm<br>Glazing packer 100 x 20 x 1 mm |  | PVC                   | BO 5120001                              |
| 370.027        | Podmetač za staklo 100 x 30 x 1 mm<br>Glazing packer 100 x 30 x 1 mm |                                                                                     |                       | BO 5120031                              |
| 370.028        | Podmetač za staklo 100 x 40 x 1 mm<br>Glazing packer 100 x 40 x 1 mm |                                                                                     |                       | BO 5120051                              |
| 370.029        | Podmetač za staklo 100 x 50 x 1 mm<br>Glazing packer 100 x 50 x 1 mm |                                                                                     |                       | BO 5120111                              |
| 370.030        | Podmetač za staklo 100 x 20 x 2 mm<br>Glazing packer 100 x 20 x 1 mm |                                                                                     |                       | BO 5120002                              |
| 370.031        | Podmetač za staklo 100 x 30 x 2 mm<br>Glazing packer 100 x 30 x 1 mm |                                                                                     |                       | BO 5120032                              |
| 370.032        | Podmetač za staklo 100 x 40 x 2 mm<br>Glazing packer 100 x 40 x 1 mm |                                                                                     |                       | BO 5120052                              |
| 370.033        | Podmetač za staklo 100 x 50 x 2 mm<br>Glazing packer 100 x 50 x 1 mm |                                                                                     |                       | BO 5120112                              |
| 370.034        | Podmetač za staklo 100 x 20 x 3 mm<br>Glazing packer 100 x 20 x 3 mm |                                                                                     |                       | BO 5120003                              |
| 370.035        | Podmetač za staklo 100 x 24 x 3 mm<br>Glazing packer 100 x 24 x 3 mm |                                                                                     |                       | BO 5120013                              |
| 370.037        | Podmetač za staklo 100 x 30 x 3 mm<br>Glazing packer 100 x 30 x 3 mm |                                                                                     |                       | BO 5120033                              |
| 370.038        | Podmetač za staklo 100 x 40 x 3 mm<br>Glazing packer 100 x 40 x 3 mm |                                                                                     |                       | BO 5120053                              |
| 370.039        | Podmetač za staklo 100 x 30 x 4 mm<br>Glazing packer 100 x 30 x 4 mm |                                                                                     |                       | BO 5120034                              |
| 370.040        | Podmetač za staklo 100 x 50 x 4 mm<br>Glazing packer 100 x 50 x 4 mm |                                                                                     |                       | BO 5120114                              |
| 370.041        | Podmetač za staklo 100 x 30 x 5 mm<br>Glazing packer 100 x 30 x 5 mm |                                                                                     |                       | BO 5120035                              |
| 370.043        | Podmetač za staklo 100 x 34 x 5 mm<br>Glazing packer 100 x 34 x 5 mm |                                                                                     |                       | BO 5120045                              |
| 370.044        | Podmetač za staklo 100 x 24 x 6 mm<br>Glazing packer 100 x 24 x 6 mm |                                                                                     |                       | BO 5120016                              |
| 370.045        | Podmetač za staklo 100 x 30 x 6 mm<br>Glazing packer 100 x 30 x 6 mm |                                                                                     |                       | BO 5120036                              |

NAPOMENA: Navedeni podmetači stakla kompatibilni su sa staklo kitovima.



REMARK: Listed glazing packers are compatible with glass sealants.








| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                          | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 374.005        |    | <ul style="list-style-type: none"> <li>- PVC profil 17 mm</li> <li>- Stara oznaka: 505.0817.6/S</li> <li>- PVC profile 17 mm</li> <li>- Former code: 505.0817.6/S</li> </ul> | PVC                   |                    |
| 374.006        |    | <ul style="list-style-type: none"> <li>- PVC profil 23 mm</li> <li>- Stara oznaka: 505.0823.6</li> <li>- PVC profile 23 mm</li> <li>- Former code: 505.0823.6</li> </ul>     | PVC                   |                    |
| 374.007        |   | <ul style="list-style-type: none"> <li>- PVC profil 23 mm</li> <li>- Stara oznaka 505.0823.6/S</li> <li>- PVC profile 23 mm</li> <li>- Former code: 505.0823.6/S</li> </ul>  | PVC                   |                    |
| 374.008        |  | <ul style="list-style-type: none"> <li>- PVC profil 5 mm</li> <li>- Stara oznaka 505.0805.6</li> <li>- PVC profile 5 mm</li> <li>- Former code: 505.0805.6</li> </ul>        | PVC                   |                    |
| 374.009        |  | <ul style="list-style-type: none"> <li>- PVC profil 7 mm</li> <li>- Stara oznaka 505.0807.6</li> <li>- PVC profile 7 mm</li> <li>- Former code: 505.0807.6</li> </ul>        | PVC                   |                    |
| 370.067        |  | <ul style="list-style-type: none"> <li>- Distancer na okomici 32 mm</li> <li>- Polyamid spacer 32 mm</li> </ul>                                                              | Poliamid              |                    |

| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                        | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 374.010        |    | <ul style="list-style-type: none"> <li>- PVC distancer</li> <li>- Stara oznaka PI-10-11</li> <li>- PVC spacer</li> <li>- Former code: PI-10-11</li> </ul>  | PVC                   |                    |
| 374.011        |    | <ul style="list-style-type: none"> <li>- PVC distancer</li> <li>- Stara oznaka: PI-10-12</li> <li>- PVC spacer</li> <li>- Former code: PI-10-12</li> </ul> | PVC                   |                    |
| 374.012        |   | <ul style="list-style-type: none"> <li>- PVC distancer</li> <li>- Stara oznaka: PI-102</li> <li>- PVC spacer</li> <li>- Former code: PI-102</li> </ul>     | PVC                   |                    |
| 374.013        |  | <ul style="list-style-type: none"> <li>- PVC distancer</li> <li>- Stara oznaka: PI-103</li> <li>- PVC spacer</li> <li>- Former code: PI-103</li> </ul>     | PVC                   |                    |
| 373.054        |  | <ul style="list-style-type: none"> <li>- Čep okomice francuskog balkona</li> <li>- Cover cap of french balcony profile</li> </ul>                          | PVC                   |                    |
|                |                                                                                     |                                                                                                                                                            |                       |                    |






| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                               | Opis<br>Description                                                                                                                                                                        | Materijal<br>Material | Napomena<br>Remark |
|----------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 373.012        |   | <ul style="list-style-type: none"> <li>- Čep za profil FM 60/20</li> <li>- Stara znaka: PI-Z-60/20</li> <li>- Cover cap for profile FM 60/20</li> <li>- Former code: PI-Z-60/20</li> </ul> | PVC                   |                    |
| 373.004        |   | <ul style="list-style-type: none"> <li>- Čep za profil FM 60/80</li> <li>- Stara znaka: PI-Z-60/80</li> <li>- Cover cap for profile FM 60/80</li> <li>- Former code: PI-Z-60/80</li> </ul> | PVC                   |                    |
| 374.071        |  | <ul style="list-style-type: none"> <li>- Parapetni fasadni umetak 18 mm</li> <li>- Facade spandrel insert 18 mm</li> </ul>                                                                 | PVC                   |                    |
|                |                                                                                    |                                                                                                                                                                                            |                       |                    |
|                |                                                                                    |                                                                                                                                                                                            |                       |                    |
|                |                                                                                    |                                                                                                                                                                                            |                       |                    |

| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                      | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 374.022        |    | <ul style="list-style-type: none"> <li>- Podmetač Al. nosača 250 mm</li> <li>- Stara oznaka PN-KF-250</li> <li>- Mullion anchor shim 250 mm</li> <li>- Former code: PN-KF-250</li> </ul> | PVC                   |                    |
| 374.023        |    | <ul style="list-style-type: none"> <li>- Podmetač Al. nosača 170 mm</li> <li>- Stara oznaka PN-KF-170</li> <li>- Mullion anchor shim 170 mm</li> <li>- Former code: PN-KF-170</li> </ul> | PVC                   |                    |
| 374.020        |   | <ul style="list-style-type: none"> <li>- Podmetač Al. nosača 85 mm</li> <li>- Stara oznaka PN-KF-85</li> <li>- Mullion anchor shim 85 mm</li> <li>- Former code: PN-KF-85</li> </ul>     | PVC                   |                    |
| 374.076        |  | <p>Podmetač za nosač<br/>okomice fasade 125x90x2,4<br/>Mullion anchor shim<br/>125x90x2,4</p>                                                                                            | PVC                   |                    |
| 374.077        |  | <p>Podmetač za nosač<br/>okomice fasade 80x90x2,4<br/>Mullion anchor shim<br/>80x90x2,4</p>                                                                                              | PVC                   |                    |
|                |                                                                                     |                                                                                                                                                                                          |                       |                    |

# Mehanizmi Mechanisms





| Oznaka<br>Code | Kod proizvođača<br>Manufacturer code | Makaze fasadnog ventusa<br>Hung vent friction stays                                 | Opis<br>Description                                                                                                                                     | Materijal<br>Material | Proizvođač<br>Manufacturer |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| 134.019        | 4060.05.55<br>4060.05.55R            |    | visina krila 600-1200 mm<br>sash height 600-1200 mm<br>težina <130 kg<br>weight <130 kg<br>kut otvaranja - 25° ili 30°<br>opening angle - 25° ili 30°   | Inox                  | Stublina                   |
| 134.020        | 4060.07.55<br>4060.07.55R            |   | visina krila 1200-1600 mm<br>sash height 1200-1600 mm<br>težina <180 kg<br>weight <180 kg<br>kut otvaranja - 20° ili 25°<br>opening angle - 20° ili 25° | Inox                  | Stublina                   |
| 134.021        | 4060.08.55<br>4060.08.55R            |  | visina krila 1600-1800 mm<br>sash height 1600-1800 mm<br>težina <180 kg<br>weight <180 kg<br>kut otvaranja - 15° ili 20°<br>opening angle - 15° ili 20° | Inox                  | Stublina                   |

| Oznaka<br>Code | Kod proizvođača<br>Manufacturer code | Makaze fasadnog ventusa<br>Hung vent friction stays | Opis<br>Description                                                                                                                                     | Materijal<br>Material | Proizvođač<br>Manufacturer |
|----------------|--------------------------------------|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| 134.022        | 4060.09.55<br>4060.09.55R            |                                                     | visina krila 1800-2000 mm<br>Sash height 1800-2000 mm<br>težina <180 kg<br>weight <180 kg<br>kut otvaranja - 15° ili 20°<br>opening angle - 15° ili 20° | Inox                  | Stublina                   |





- IZBOR VELIČINE MAKAZE ZA FASADNE PROFILE





- FRICTION STAYS SIZE SELECTION FOR FACADE PROFILES




| <b>Izbor makaze na osnovu visine krila (Vk)</b><br><b>Stays selection based on the sash height (Vk)</b> |         |     |         |     |         |     |         |     |
|---------------------------------------------------------------------------------------------------------|---------|-----|---------|-----|---------|-----|---------|-----|
|                                                                                                         | 134.019 |     | 134.020 |     | 134.021 |     | 134.022 |     |
| Vk [mm]                                                                                                 | min     |     | 1200    |     | 1600    |     | 1800    |     |
|                                                                                                         | max     |     | 1200    |     | 1600    |     | 2000    |     |
| α                                                                                                       | 25°     | 30° | 20°     | 25° | 15°     | 20° | 15°     | 20° |

Okov fasadnog prozora- paralelno ručno otvaranje sa mogućnošću zaključavanja u više točaka + makaze za paralelno otvaranja  
Facade opening hardware - parallel manual opening with option of locking in multiple points + parallel stay





| Oznaka<br>Code | Kod proizvođača<br>Manufacturer code | Makaze paralnog otvaranja<br>Parallel stays                                                       | Opis<br>Description                                                                                                                                                                                                                                                                                                                                  | Materijal<br>Material | Proizvođač<br>Manufacturer |
|----------------|--------------------------------------|---------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| 132.005        | 6-34810-00-9-8                       | <p>PAS350</p>    | <p>Visina krila 380-500 mm<br/>Sash height 380-500 mm<br/>Težina krila &lt; 100 kg<br/>Sash weight &lt; 100 kg<br/>Max. otvaranje krila u odnosu na ram:<br/>Max. opening distance of the sash from the frame:<br/>- otvaranje ručkom -150 mm<br/>- manually opened -150 mm<br/>- otvaranje motorom- 180 mm<br/>- opened with a motor - 180 mm</p>   | Inox                  | G-U                        |
| 132.006        | 6-34811-00-9-8                       | <p>PAS450</p>   | <p>Visina krila 480-720 mm<br/>Sash height 480-720 mm<br/>Težina krila &lt; 100 kg<br/>Sash weight &lt; 100 kg<br/>Max. otvaranje krila u odnosu na ram:<br/>Max. opening distance of the sash from the frame:<br/>- otvaranje ručkom -150 mm<br/>- manually opened -150 mm<br/>- otvaranje motorom- 250 mm<br/>- opened with a motor - 250 mm</p>   | Inox                  | G-U                        |
| 132.007        | 6-34812-00-9-8                       | <p>PAS670</p>  | <p>Visina krila 700-1100 mm<br/>Sash height 700-1100 mm<br/>Težina krila &lt; 200 kg<br/>Sash weight &lt; 200 kg<br/>Max. otvaranje krila u odnosu na ram:<br/>Max. opening distance of the sash from the frame:<br/>- otvaranje ručkom -150 mm<br/>- manually opened -150 mm<br/>- otvaranje motorom- 180 mm<br/>- opened with a motor - 180 mm</p> | Inox                  | G-U                        |
| 132.008        | 6-34813-00-9-8                       | <p>PAS930</p>  | <p>Visina krila 960-2000 mm<br/>Sash height 960-2000 mm<br/>Težina krila &lt; 200 kg<br/>Sash weight &lt; 200 kg<br/>Max. otvaranje krila u odnosu na ram:<br/>Max. opening distance of the sash from the frame:<br/>- otvaranje ručkom -150 mm<br/>- manually opened -150 mm<br/>- otvaranje motorom- 250 mm<br/>- opened with a motor - 250 mm</p> | Inox                  | G-U                        |
|                |                                      |                                                                                                   |                                                                                                                                                                                                                                                                                                                                                      |                       |                            |







Dijagram nosivosti makaza G-U  
Load diagram of G-U parallel stays


2x HB2 graničnik staviti na 150 mm  
jedan sa svake strane okvira  
2x HB2 spacer to be placed 150 mm  
from each side of the opening



2x HB2 graničnik staviti na 150 mm  
jedan sa svake strane okvira  
2x HB2 spacer to be placed 150 mm  
from each side of the opening



dvije ručke prema dolje  
two handles downwards



jedna ručka prema dolje  
one handle downwards




PAS450  
max.težina 100 kg  
PAS450  
max.weight 100 kg


PAS450  
max.težina 200 kg  
PAS450  
max.weight 200 kg

IZBOR SCHEMA ZA RUČNO PARALELNO OTVARANJE G-U  
POSITIONING AND SELECTION OF PARALLEL STAYS G-U




IZBOR SHEMA ZA RUČNO PARALELNO OTVARANJE-G-U  
SELECTION AND POSITIONING OF G-U PARALLEL STAYS FOR PARALLEL







dvije ručke na bočnim stranama    two handles on the sides



- zaključavanja ne smije prekoračiti visinu od 1500 mm    - locking points must not exceed 1500 mm in height

| Oznaka<br>Code | Kod proizvođača<br>Manufacturer code | Motor fasadnog prozora<br>Facade opening motor                                      | Opis<br>Description                                                                                                                                    | Materijal<br>Material | Proizvođač<br>Manufacturer |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| 142.004        | K-17723-20-0-1                       |    | K25 Synchro - otvaranje<br>VA 25        - ključanje<br>K25 Synchro - opening<br>VA 25        - locking<br><br>Hod motora 200 mm<br>Motor stroke 200 mm |                       | G-U                        |
| 142.005        | K-17723-30-0-1                       |   | K25 Synchro - otvaranje<br>VA 25        - ključanje<br>K25 Synchro - opening<br>VA 25        - locking<br><br>Hod motora 300 mm<br>Motor stroke 300 mm |                       | G-U                        |
| 142.006        | K-17723-50-0-1                       |  | K25 Synchro - otvaranje<br>VA 25        - ključanje<br>K25 Synchro - opening<br>VA 25        - locking<br><br>Hod motora 500 mm<br>Motor stroke 500 mm |                       | G-U                        |
|                |                                      |                                                                                     |                                                                                                                                                        |                       |                            |
|                |                                      |                                                                                     |                                                                                                                                                        |                       |                            |








| Oznaka<br>Code | Kod proizvođača<br>Manufacturer code | Okov motor<br>Motor accessories                                                     | Opis<br>Description                                                                                                                            | Materijal<br>Material | Proizvođač<br>Manufacturer |
|----------------|--------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|
| 142.007        | K-17632-00-0-1                       |    | <ul style="list-style-type: none"><li>- Pripjatnik lanca</li><li>- Chain anchor</li></ul>                                                      |                       | G-U                        |
| 142.008        | A-02823-00-0-1                       |   | <ul style="list-style-type: none"><li>- Poveznica klizača i motora za ključanje</li><li>- Connection of the slider and locking motor</li></ul> |                       | G-U                        |
| 142.009        | 9-45249-04-0-6                       |  | <ul style="list-style-type: none"><li>- Podmetač motora za ključanje</li><li>- Locking motor shim</li></ul>                                    |                       | G-U                        |
| 142.010        | T-9501-00-0-0                        |  | <ul style="list-style-type: none"><li>- Podmetač motora za otvaranje</li><li>- Opening motor shim</li></ul>                                    |                       | G-U                        |
|                |                                      |                                                                                     |                                                                                                                                                |                       |                            |












# Brtve Gaskets




















| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                                              | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 358.012        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu /vanjska/ 3.5mm</li> <li>- Stara oznaka: 351.012</li> <li>- Glass gasket /exterior/ 3.5mm</li> <li>- Former code: 351.012</li> </ul> | EPDM                  | 71                           |
| 358.017        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 13mm</li> <li>- Stara oznaka: 351.017</li> <li>- Glass gasket /interior/ 13mm</li> <li>- Former code: 351.017</li> </ul> | EPDM                  | 71                           |
| 358.016        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 11mm</li> <li>- Stara oznaka: 351.016</li> <li>- Glass gasket /interior/ 11mm</li> <li>- Former code: 351.016</li> </ul> | EPDM                  | 71                           |
| 358.015        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 9mm</li> <li>- Stara oznaka: 351.015</li> <li>- Glass gasket /interior/ 9mm</li> <li>- Former code: 351.015</li> </ul>   | EPDM                  | 71                           |
| 358.014        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 7mm</li> <li>- Stara oznaka: 351.014</li> <li>- Glass gasket /interior/ 7mm</li> <li>- Former code: 351.014</li> </ul>   | EPDM                  | 71                           |
| 358.013        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 5mm</li> <li>- Stara oznaka: 351.013</li> <li>- Glass gasket /interior/ 5mm</li> <li>- Former code: 351.013</li> </ul>   | EPDM                  | 71                           |
| 358.011        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja/ 3mm</li> <li>- Stara oznaka: 351.011</li> <li>- Glass gasket /interior/ 3mm</li> <li>- Former code: 351.011</li> </ul>   | EPDM                  | 71                           |

| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                                                                 | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 351.005        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu unutarnja, 10.2 mm</li> <li>- Glass gasket /interior/ 10.2 mm</li> </ul>                                                                                | EPDM                  | 71                           |
| 351.006        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu unutarnja, 4.2 mm</li> <li>- Glass gasket /interior/ 4.2 mm</li> </ul>                                                                                  | EPDM                  | 71                           |
| 358.008        |   | <ul style="list-style-type: none"> <li>- Brtva prema staklu unutarnja, fasada pod kutom</li> <li>- Stara oznaka: 351.008</li> <li>- Glass gasket/interior/ angled facade</li> <li>- Former code: 351.008</li> </ul> | EPDM                  | 71                           |
| 358.007        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu vanjska, fasada pod kutom</li> <li>- Stara oznaka: 351.007</li> <li>- Glass facade /exterior/ angled facade</li> <li>- Former code: 351.007</li> </ul>  | EPDM                  | 71                           |
| 358.019        |  | <ul style="list-style-type: none"> <li>- Brtva za strukturalnu fasadu</li> <li>- Stara oznaka: 351.019</li> <li>- Structural glazing gasket</li> <li>- Former code: 351.019</li> </ul>                              | Silicon               | 71                           |
| 351.018        |  | <ul style="list-style-type: none"> <li>- Brtva u ramu strukturalne fasade</li> <li>- Stara oznaka: 02984 (200341)</li> <li>- Frame gasket for structural facade</li> <li>- Former code: 02984 (200341)</li> </ul>   | EPDM                  | 71                           |

| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                                                                  | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 358.021        |    | <ul style="list-style-type: none"> <li>- Brtva u krilu strukturalne fasade</li> <li>- Stara oznaka: 351.021</li> <li>- Sash gasket in structural facade</li> <li>- Former code: 351.021</li> </ul>                   | EPDM                  | 71                           |
| 328.001        |    | <ul style="list-style-type: none"> <li>- Brtva u krilu</li> <li>- Stara oznaka: 321.001</li> <li>- Sash gasket</li> <li>- Former code: 321.001</li> </ul>                                                            | EPDM                  | 61                           |
| 354.012        |    | <ul style="list-style-type: none"> <li>- Umetak za brtvu 351.018</li> <li>- Stara oznaka: OFN2762 (200411)</li> <li>- Insert for gasket 351.018</li> <li>- Former code: OFN2762 (200411)</li> </ul>                  | EPDM                  | 71                           |
| 318.001        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu</li> <li>- Stara oznaka: 311.001</li> <li>- Glass gasket</li> <li>- Former code: 311.001</li> </ul>                                                      | EPDM                  | 71                           |
| 318.002        |  | <ul style="list-style-type: none"> <li>- Brtva između fasadnog profila i profila rama</li> <li>- Stara oznaka: 311.002</li> <li>- Gasket between facade and frame profile</li> <li>- Former code: 311.002</li> </ul> | EPDM                  | 71                           |
| 358.020        |  | <ul style="list-style-type: none"> <li>- Brtva krovnog prozora</li> <li>- Stara oznaka: 354.019</li> <li>- Roof opening gasket</li> <li>- Former code: 354.019</li> </ul>                                            | EPDM                  | 71                           |
| 328.101        |  | <ul style="list-style-type: none"> <li>- Brtva u krilu /vanjska/</li> <li>- Stara oznaka: 322.001</li> <li>- Sash gasket /exterior/</li> <li>- Former code: 322.001</li> </ul>                                       | EPDM                  | 61                           |

| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                                             | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 331.004        |    | <ul style="list-style-type: none"> <li>- Centralna brtva</li> <li>- Stara oznaka: SB85-01</li> <li>- Central gasket</li> <li>- Former code: SB85-01</li> </ul>                                  | EPDM                  | 61                           |
| 348.010        |    | <ul style="list-style-type: none"> <li>- Brtva za poklopnu lajsnu FM 58/12</li> <li>- Cover cap gasket FM 58/12</li> <li>- Stara oznaka 358.010</li> <li>- Former code: 358.010</li> </ul>      | EPDM                  | 71                           |
| 328.002        |   | <ul style="list-style-type: none"> <li>- Brtva prema staklu /vanjska/</li> <li>- Stara oznaka: 321.002</li> <li>- Glass gasket /exterior/</li> <li>- Former code: 321.002</li> </ul>            | EPDM                  | 61                           |
| 328.003        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /vanjska/</li> <li>- Stara oznaka: 321.003</li> <li>- Glass gasket /exterior/</li> <li>- Former code: 321.003</li> </ul>            | EPDM                  | 61                           |
| 354.011        |  | <ul style="list-style-type: none"> <li>- Brtva u profilu krila</li> <li>- Stara oznaka: 200 500</li> <li>- Gasket in sash profile</li> <li>- Former code: 200 500</li> </ul>                    | ELASTRON<br>G SEBS    | 65                           |
| 354.010        |  | <ul style="list-style-type: none"> <li>- Brtva u profilu krila</li> <li>- Stara oznaka: 200 501</li> <li>- Gasket in sash profile</li> <li>- Former code: 200 501</li> </ul>                    | ELASTRON<br>G SEBS    | 65                           |
| 354.009        |  | <ul style="list-style-type: none"> <li>- Brtva vrata i prozora u fasadi</li> <li>- Stara oznaka: 200 502</li> <li>- Door and window gasket in facade</li> <li>- Former code: 200 502</li> </ul> | ELASTRON<br>G SEBS    | 65                           |








| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                               | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 351.001        |    | - Brtva u profilu rama /unutarnja/<br>- Gasket in frame profile /interior/                                                                                                        | EPDM                  | 71                           |
| 351.002        |    | - Centralna brtva<br>- Central gasket                                                                                                                                             | EPDM                  | 71                           |
| 351.003        |    | - Brtva u fasadnog otvora /vanjska/<br>- Gasket in facade opening frame /exterior/                                                                                                | EPDM                  | 71                           |
| 318.014        |  | - Brtva prema staklu ili između profila fasade i profila rama<br>- Glazing gasket or between facade profile and frame profile<br><br>Stara oznaka 311.014<br>/Former code 311.014 | EPDM                  | 70±5 ShA                     |
| 311.007        |  | - Brtva prema staklu ili između profila fasade i profila rama<br>- Glazing gasket or between facade profile and frame profile<br><br>Stara oznaka UP-5<br>/Former code UP-5       | EPDM                  | 70±5 ShA                     |
| 311.008        |  | - Brtva prema staklu ili između profila fasade i profila rama<br>- Glazing gasket or between facade profile and frame profile<br><br>Stara oznaka UP-6<br>/Former code UP-6       | EPDM                  | 70±5 ShA                     |










| Oznaka<br>Code | Izgled-presjek<br>View- cross section                                               | Opis<br>Description                                                                                                                                                                                                          | Materijal<br>Material | Tvrdoća<br>Hardness<br>(ShA) |
|----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------|
| 311.009        |    | <ul style="list-style-type: none"> <li>- Brtva prema staklu ili između profila fasade i profila rama</li> <li>- Glazing gasket or between facade profile and frame profile</li> </ul> Stara oznaka UP-7<br>/Former code UP-7 | EPDM                  | 70±5 ShA                     |
| 340.055        |    | <ul style="list-style-type: none"> <li>- Brtva u profilu krila</li> <li>- Gasket in sash profile</li> </ul> Stara oznaka UP-8<br>/Former code UP-8                                                                           | ELASTRON              |                              |
| 351.029        |   | <ul style="list-style-type: none"> <li>- Vanjska brtva za lajsnu polustrukturalne fasade</li> <li>- Exterior gasket for cover cap of semistructural glazing</li> </ul>                                                       | EPDM                  | 71                           |
| 355.002        |  | <ul style="list-style-type: none"> <li>- Brtva na okomici prema vodoravnici 60 mm</li> <li>- Stara oznaka 217 587</li> <li>- Mullion-transom connection gasket 60 mm</li> <li>- Former code: 217 587</li> </ul>              | EPDM                  |                              |
| 354.014        |  | <ul style="list-style-type: none"> <li>- Brtva za odvod kondenzata 5 mm</li> <li>- Gasket for condensation drainage 5 mm</li> </ul>                                                                                          | TPE                   | 71                           |
| 311.003        |  | <ul style="list-style-type: none"> <li>- Brtva prema staklu /unutarnja,nosi 3-4 mm/</li> </ul>                                                                                                                               | EPDM                  | 71                           |
|                |                                                                                     |                                                                                                                                                                                                                              |                       |                              |






# Dodaci Accessories















| Oznaka Code | Izgled-presjek View-cross section                                                            | Opis Description     |
|-------------|----------------------------------------------------------------------------------------------|----------------------|
| 430.001     | <br>M 1:2   | fischer FBN 6/5      |
| 430.013     | <br>M 1:2   | fischer FBN II 10/30 |
| 430.020     | <br>M 1:2   | fischer FBN II 12/30 |
| 430.170     |            | Tipla pvc SX5 X25    |
| 430.200     |           | HS 50/30 M16         |
| 431.117     | <br>M 1:2 | M12x110 DIN 933      |
| 431.231     | <br>M 1:2 | M12x80 DIN 931       |
| 431.233     | <br>M 1:2 | M12x90 DIN 931       |
| 431.234     | <br>M 1:2 | M12x100 DIN 931      |





| Oznaka Code | Izgled-presjek View-cross section                                                            | Opis Description                                    |
|-------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------|
| 431.235     | <br>M 1:2   | M12x110 DIN 931                                     |
| 431.236     | <br>M 1:2   | M12x120 DIN 931                                     |
| 431.215     | <br>M 1:2   | - Vijak M10x80 DIN 931                              |
| 431.219     | <br>M 1:2  | Vijak M10x110 DIN 931                               |
| 431.218     | <br>M 1:2 | M10x100 DIN 931                                     |
| 431.265     |           | M8x10 tip Feal<br>M8x10 Feal type                   |
| 431.266     |           | M8x13 tip Feal<br>M8x13 Feal type                   |
| 431.301     |           | M3x4 DIN 914                                        |
| 432.016     |           | - Matica M12<br>- DIN 985<br>- Nut M12<br>- DIN 985 |
| 432.015     |           | - Matica M10<br>- DIN 985<br>- Nut M10<br>- DIN 985 |






| Oznaka Code | Izgled-presjek View-cross section                                                                                                                                   | Opis Descripton                                            |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|
| 432.124     |                                                                                    | Podloška K12<br>DIN 9021<br>Washer K12<br>DIN 9021         |
| 432.120     |                                                                                    | Podloška K5<br>DIN 9021<br>Washer K5<br>DIN 9021           |
| 434.008     |   | FN 4/8<br>Alu                                              |
| 434.014     |   | FN 5/8<br>Niro                                             |
| 432.123     |                                                                                  | - Podloška K10<br>- DIN 9021<br>- Washer K10<br>- DIN 9021 |
| 432.115     |                                                                                  | - Podloška U12<br>- DIN 125<br>- Washer U12<br>- DIN 125   |
|             |                                                                                                                                                                     |                                                            |

| Oznaka<br>Code | Opis<br>Description | Izgled-presjek<br>View-cross section                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|---------------------|--------------------------------------------------------------------------------------|-----------------------|--------------------|
| 433.002        | 3.5x9.5 DIN 7981    |    |                       |                    |
| 433.004        | 3.5x16 DIN 7981     |                                                                                      |                       |                    |
| 433.006        | 3.5x22 DIN 7981     |                                                                                      |                       |                    |
| 433.015        | 3.9x9.5 DIN 7981    |                                                                                      |                       |                    |
| 433.016        | 3.9x13 DIN 7981     |                                                                                      |                       |                    |
| 433.017        | 3.9x16 DIN 7981     |                                                                                      |                       |                    |
| 433.019        | 3.9x22 DIN 7981     |                                                                                      |                       |                    |
| 433.040        | 4.8x9.5 DIN 7981    |                                                                                      |                       |                    |
| 433.041        | 4.8x13 DIN 7981     |                                                                                      |                       |                    |
| 433.042        | 4.8x16 DIN 7981     |                                                                                      |                       |                    |
| 433.043        | 4.8x19 DIN 7981     |                                                                                      |                       |                    |
| 433.044        | 4.8x22 DIN 7981     |                                                                                      |                       |                    |
| 433.045        | 4.8x25 DIN 7981     |                                                                                      |                       |                    |
| 433.046        | 4.8x32 DIN 7981     |                                                                                      |                       |                    |
| 433.047        | 4.8x38 DIN 7981     |                                                                                      |                       |                    |
| 433.048        | 4.8x45 DIN 7981     |                                                                                      |                       |                    |
| 433.049        | 4.8x50 DIN 7981     |                                                                                      |                       |                    |
| 433.050        | 4.8x60 DIN 7981     |                                                                                      |                       |                    |
| 433.051        | 4.8x70 DIN 7981     |                                                                                      |                       |                    |
| 433.077        | 6.3x25 DIN 7981     |                                                                                      |                       |                    |
| 433.090        | 3.5x9.5 DIN 7982    |  |                       |                    |
| 433.091        | 3.5x13 DIN 7982     |                                                                                      |                       |                    |
| 433.092        | 3.5x16 DIN 7982     |                                                                                      |                       |                    |







| Oznaka<br>Code | Opis<br>Description | Izgled-presjek<br>View-cross section                                                 | Materijal<br>Material | Napomena<br>Remark |
|----------------|---------------------|--------------------------------------------------------------------------------------|-----------------------|--------------------|
| 433.093        | 3.5x19 DIN 7982     |                                                                                      |                       |                    |
| 433.094        | 3.5x22 DIN 7982     |                                                                                      |                       |                    |
| 433.095        | 3.5x25 DIN 7982     |                                                                                      |                       |                    |
| 433.096        | 3.5x32 DIN 7982     |                                                                                      |                       |                    |
| 433.104        | 3.9x13 DIN 7982     |                                                                                      |                       |                    |
| 433.105        | 3.9x16 DIN 7982     |                                                                                      |                       |                    |
| 433.107        | 3.9x22 DIN 7982     |                                                                                      |                       |                    |
| 433.116        | 4.2x13 DIN 7982     |                                                                                      |                       |                    |
| 433.117        | 4.2x16 DIN 7982     |                                                                                      |                       |                    |
| 433.118        | 4.2x19 DIN 7982     |                                                                                      |                       |                    |
| 433.129        | 4.8x16 DIN 7982     |                                                                                      |                       |                    |
| 433.132        | 4.8x25 DIN 7982     |                                                                                      |                       |                    |
| 433.133        | 4.8x32 DIN 7982     |                                                                                      |                       |                    |
| 433.134        | 4.8x38 DIN 7982     |                                                                                      |                       |                    |
| 433.136        | 4.8x50 DIN 7982     |                                                                                      |                       |                    |
| 433.137        | 4.8x60 DIN 7982     |                                                                                      |                       |                    |
| 433.138        | 4.8x70 DIN 7982     |                                                                                      |                       |                    |
| 433.150        | 5.5x50 DIN 7982     |                                                                                      |                       |                    |
| 433.152        | 5.5x60 DIN 7982     |                                                                                      |                       |                    |
| 433.164        | 6.3x25 DIN 7982     |                                                                                      |                       |                    |
| 433.200        | 6.3x25 DIN 7504-K   |  |                       |                    |
| 433.206        | AW-A4-5,5x45 mm     |  | Inox                  |                    |
| 433.207        | AW-A4-5,5x65 mm     |                                                                                      |                       |                    |
|                |                     |                                                                                      |                       |                    |






| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                      | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 340.013        |    | - Ispuna za fasadu 50 FK<br>- Facade 50 FK isolation                                     | PPE                   |                    |
| 340.014        |    | - Ispuna za fasadu 60K<br>- Facade 60 K isolation                                        | XPE                   |                    |
| 348.002        |   | - Ispuna po opsegu stakla sa ljepljivom trakom-<br>- Facade isolation with a sticky band | PPE                   |                    |
| 340.015        |  | - Ispuna za fasadu 60 S+<br>- Facade 60 S+ isolation                                     | XPE                   |                    |
| 340.016        |  | - Ispuna za fasadu 60 K<br>- Facade 60 K isolation                                       | XPE                   |                    |
| 340.017        |  | - Ispuna za fasadu 60 S+<br>- Facade 60 S+ isolation                                     | XPE                   |                    |

| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                             | Opis<br>Description                                                                                                                                                                                                           | Materijal<br>Material | Napomena<br>Remark |
|----------------|--------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 340.419        |  <p>M 1:2</p>   | <ul style="list-style-type: none"> <li>- Termoblok za komoru:14,8x114<br/>Za profile: FT-0194F i FT-0195F</li> <li>- Termoblock for chamber:14,8x114<br/>For profiles: FT-0194F &amp; FT-0195F</li> </ul>                     | XPS                   |                    |
| 340.420        |  <p>M 1:2</p>   | <ul style="list-style-type: none"> <li>- Termoblok za komoru:5x67<br/>Za profile: FT-0194F i FT-0195F</li> <li>- Termoblock for chamber:5x67<br/>For profiles: FT-0194F &amp; FT-0195F</li> </ul>                             | XPS                   |                    |
| 340.421        |  <p>M 1:2</p>   | <ul style="list-style-type: none"> <li>- Termoblok za komoru:14,8x120<br/>Za profile: FT-0196F i FT-0197F</li> <li>- Termoblock for chamber:14,8x120<br/>For profile: FT-0196F &amp; FT-0197F</li> </ul>                      | XPS                   |                    |
| 340.511        |  <p>M 1:2</p> | <ul style="list-style-type: none"> <li>- Termoblok za komoru:14,8x90<br/>Za profile:<br/>FT-1800F, FT-1801F, FT-1802F</li> <li>- Termoblock for chamber:14,8x90<br/>For profiles:<br/>FT-1800F, FT-1801F, FT-1802F</li> </ul> | XPS                   |                    |
|                |                                                                                                  |                                                                                                                                                                                                                               |                       |                    |
|                |                                                                                                  |                                                                                                                                                                                                                               |                       |                    |

| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                                                                                                                                                       | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 365.026        |    | <ul style="list-style-type: none"> <li>- Gumeni umetak za prebacivanje kapljevina na spoju okomica</li> <li>- Stara znaka OS 301</li> <li>- Mullion joint rubber insert for drainage transfer</li> <li>- Former code: OS 301</li> </ul>                                                                                                                   | TPE                   |                    |
| 365.027        |    | <ul style="list-style-type: none"> <li>- Gumeni umetak za prebacivanje kapljevina na spoju okomica-60 K</li> <li>-Za profile: FMO 60/202, FMO 60/200-S</li> <li>- Stara znaka OS 601</li> <li>- Mullion joint rubber insert for drainage transfer</li> <li>-60K</li> <li>-For profiles: FMO 60/202, FMO 60/200-S</li> <li>-Former code: OS 601</li> </ul> | TPE                   |                    |
| 363.022        |   | <ul style="list-style-type: none"> <li>- Umetak za izvod kapljevina</li> <li>- Drainage spout</li> </ul>                                                                                                                                                                                                                                                  | Tvrda guma            |                    |
| 421.006        |  | <ul style="list-style-type: none"> <li>- Hidroizolacija</li> <li>- Water isolation</li> </ul>                                                                                                                                                                                                                                                             |                       |                    |
| 366.018        |  | <ul style="list-style-type: none"> <li>- Kutnik centralne brtve 351.002</li> <li>- Corner for central gasket 351.002</li> </ul>                                                                                                                                                                                                                           | EPDM                  |                    |
|                |                                                                                     |                                                                                                                                                                                                                                                                                                                                                           |                       |                    |




| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                               | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 365.015        |    | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za vodoravnicu FMV 60/88</li> <li>- Stara znaka: DG 1</li> <li>- Dilatation rubber for transom FMV 60/88</li> <li>- Former code: DG 1</li> </ul>                        | TPE                   |                    |
| 365.016        |    | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za vodoravnicu FMV 60/114</li> <li>- Stara oznaka: DG 1A</li> <li>- Dilatation rubber for transom FMV 60/114</li> <li>- Former code: DG 1A</li> </ul>                   | TPE                   |                    |
| 365.017        |   | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za vodoravnicu FMV 60/156</li> <li>- Stara oznaka: DG 1B</li> <li>- Dilatation rubber for transom FMV 60/156</li> <li>- Former code: DG 1B</li> </ul>                   | TPE                   |                    |
| 365.018        |  | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za pomoćnu vodoravnicu FMP 60/88</li> <li>- Stara oznaka: DG 1C</li> <li>- Dilatation rubber for auxiliary transom FMP 60/88</li> <li>- Former code: DG 1C</li> </ul>   | TPE                   |                    |
| 365.019        |  | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za pomoćnu vodoravnicu FMP 60/200</li> <li>- Stara oznaka: DG 1D</li> <li>- Dilatation rubber for auxiliary transom FMP 60/200</li> <li>- Former code: DG 1D</li> </ul> | TPE                   |                    |
| 365.020        |  | <ul style="list-style-type: none"> <li>- Gumeni odstopnik za vodoravnicu FMV 60/198</li> <li>- Stara znaka: DG 1E</li> <li>- Dilatation rubber for transom FMV 60/198</li> <li>- Former code: DG 1E</li> </ul>                    | TPE                   |                    |


| Oznaka<br>Code | Izgled-presjek<br>View-cross section                                                | Opis<br>Description                                                                                                                                                                                                              | Materijal<br>Material | Napomena<br>Remark |
|----------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|
| 365.021        |    | <ul style="list-style-type: none"> <li>- Ravni gumeni odstožnik za vodoravnicu FMV 60/88</li> <li>- Stara znaka: DG 2</li> <li>- Flat dilatation rubber for transom FMV 60/88</li> <li>- Former code: DG 2</li> </ul>            | TPE                   |                    |
| 365.022        |    | <ul style="list-style-type: none"> <li>- Ravni gumeni odstožnik za vodoravnicu FMV 60/114</li> <li>- Stara oznaka: DG 2A-60</li> <li>- Flat dilatation rubber for transom FMV 60/114</li> <li>- Former code: DG 2A-60</li> </ul> | TPE                   |                    |
| 365.023        |   | <ul style="list-style-type: none"> <li>- Ravni gumeni odstožnik za vodoravnicu FMV 60/156</li> <li>- Stara oznaka: DG 2B</li> <li>- Flat dilatation rubber for transom FMV 60/156</li> <li>- Former code: DG 2B</li> </ul>       | TPE                   |                    |
| 365.024        |  | <ul style="list-style-type: none"> <li>- Ravni gumeni odstožnik za vodoravnicu FMV 60/198</li> <li>- Stara oznaka: DG 2C</li> <li>- Flat dilatation rubber for transom FMV 60/198</li> <li>- Former code: DG 2C</li> </ul>       | TPE                   |                    |
| 365.025        |  | <ul style="list-style-type: none"> <li>- Ravni gumeni odstožnik za vodoravnicu FMV 60/41</li> <li>- Stara oznaka: DG 2D</li> <li>- Flat dilatation rubber for transom FMV 60/41</li> <li>- Former code: DG 2D</li> </ul>         | TPE                   |                    |
|                |                                                                                     |                                                                                                                                                                                                                                  |                       |                    |

# Obrada i montaža



## Processing and montage








prostor između gume i  
aluminija ispuniti silikonom  
space between rubber and  
aluminium must be filled with  
sealant



FMO 60/200-S



FMO 60/202



Pri ugradnji umetka za izvod kapljevina 363.022 u profilima:  
1. FMO 60/202;  
2. FMO 60/200-S  
potrebno je skratiti umetak.


In case of installation of drain  
spout 363.022 in mullions:  
1. FMO 60/202;  
2. FMO 60/200-S  
it is necessary to cut the spout.

Odrezati naznačene djelove umetka  
Cut the marked parts of the spout




363.022


Odrezani umetak pozicionirati  
u okomicu i silikonorati  
Cutted spout put in wanted  
position and fill with sealant




FMO 60/200-S

















moguće kapljavine  
izvesti van fasade

rain water to be led  
outside the facade



PRESJEK A-A  
CROSS SECTION A-A






FASADA NA DVA OSOLONCA  
FACADE WITH TWO SUPPORTS


FIKSNI OSOLONAC -B-

FIXED SUPPORT -B-

POKRETN I FIKSNI OSOLONAC -D-  
MOVEABLE AND FIXED SUPPORT -D-

POKRETN I OSOLONAC -C-  
MOVEABLE SUPPORT -C-







FASADA NA DVA OSLOMCA  
FACADE WITH TWO SUPPORTS


FIKSNI OSLOMCA -B-  
FIXED SUPPORT -B-

POKRETN I FIKSNI OSLOMCA -D-  
MOVEABLE AND FIXED SUPPORT -D-

POKRETN OSLOMCA -C-  
MOVEABLE SUPPORT -C-








FASADA NA DVA OSLOMCA  
FACADE WITH TWO SUPPORTS


FIKSNI OSLOMCA -B-  
FIXED SUPPORT -B-

POKRETN I FIKSNI OSLOMCA -D-

MOVEABLE AND FIXED SUPPORT -D-

POKRETN OSLOMCA -C-  
MOVEABLE SUPPORT -C-






**FASADA NA TRI OSOLONCA  
FACADE WITH THREE SUPPORTS**

 POKRETNi OSOLONAC -E-  
MOVEABLE SUPPORT -E-

 POKRETNi OSOLONAC -C-  
MOVEABLE SUPPORT -C-

 FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-


 POKRETNi OSOLONAC -A-  
MOVEABLE SUPPORT -A-




**FASADA NA TRI OSLOŃCA  
FACADE WITH THREE SUPPORTS**

 POKRETNI OSLOŃAC -E-  
MOVEABLE SUPPORT -E-

 POKRETNI OSLOŃAC -C-  
MOVEABLE SUPPORT -C-

 FIKSNI OSLOŃAC -B-  
FIXED SUPPORT -B-

 POKRETNI OSLOŃAC -A-  
MOVEABLE SUPPORT -A-




**FASADA NA TRI OSLOMCA  
FACADE WITH THREE SUPPORTS**


POKRETNI OSLOMNAK -E-  
MOVEABLE SUPPORT -E-

POKRETNI OSLOMNAK -C-  
MOVEABLE SUPPORT -C-


FIKSNI OSLOMNAK -B-  
FIXED SUPPORT -B-



POKRETNI OSLOMNAK -A-  
MOVEABLE SUPPORT -A-






moguće kapljevine  
izvesti van fasade  
rain water to be lead  
outside the facade



PRESJEK A-A  
CROSS SECTION A-A







FASADA NA DVA OSOLONCA  
FACADE WITH TWO SUPPORTS


FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-

POKRETN I FIKSNI OSOLONAC -D-  
MOVEABLE AND FIXED SUPPORT -D-






POKRETN I OSOLONAC -C-  
MOVEABLE SUPPORT -C-



vijak 431.235  
matica 432.016  
podloška 432.124  
screw 431.235  
nut 432.016  
washer 432.124

FASADA NA DVA OSOLONAC  
FACADE WITH TWO SUPPORTS

 FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-

 POKRETN I FIKSNI OSOLONAC -D-  
MOVEABLE AND FIXED SUPPORT -D-






 POKRETN OSOLONAC -C-  
MOVEABLE SUPPORT -C-

 vijak 431.235  
matica 432.016  
podloška 432.124  
screw 431.235  
nut 432.016  
washer 432.124




FASADA NA DVA OSOLONCA  
FACADE WITH TWO SUPPORTS





 FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-

 POKRETN I FIKSNI OSOLONAC -D-  
MOVEABLE AND FIXED SUPPORT -D-


 POKRETN OSOLONAC -C-  
MOVEABLE SUPPORT -C-

 vijak 431.235  
matica 432.016  
podloška 432.124  
screw 431.235  
nut 432.016  
washer 432.124

FASADA NA TRI OSOLONCA  
FACADE WITH THREE SUPPORTS


POKRETNI OSOLONAC -E-  
MOVEABLE SUPPORT -E-  
 POKRETNI OSOLONAC -C-  
MOVEABLE SUPPORT -C-  
**FIKSNI OSOLONAC -B-**  
**FIXED SUPPORT -B-**  
 POKRETNI OSOLONAC -A-  
MOVEABLE SUPPORT -A-






vijak 431.235  
matica 432.016  
podloška 432.124  
screw 431.235  
nut 432.016  
washer 432.124



**FASADA NA TRI OSLOMCA  
FACADE WITH THREE SUPPORTS**

 POKRETNi OSLOMNAK -E-  
MOVEABLE SUPPORT -E-

 POKRETNi OSLOMNAK -C-  
MOVEABLE SUPPORT -C-

 FIKSNI OSLOMNAK -B-  
FIXED SUPPORT -B-


 POKRETNi OSLOMNAK -A-  
MOVEABLE SUPPORT -A-

 al.okap ili hidroizolacija  
za odvoda mogućih  
kapljevina  
al.sheet or water barrier  
for drainage

 vijak 431.235  
matica 432.016  
podloška 432.124  
screw 431.235  
nut 432.016  
washer 432.124


 FASADA NA TRI OSLOMCA  
FACADE WITH THREE SUPPORTS


 POKRETNi OSLOMNA -E-  
MOVEABLE SUPPORT -E-


 POKRETNi OSLOMNA -C-  
MOVEABLE SUPPORT -C-

 FIKSNI OSLOMNA -B-  
FIXED SUPPORT -B-

 POKRETNi OSLOMNA -A-  
MOVEABLE SUPPORT -A-


PRESJEK A-A  
CROSS SECTION A-A





## FASADA NA DVA OSOLONCA


### FACADE WITH TWO SUPPORTS


FIKSNI OSOLONAC -A-

FIXED SUPPORT -A-

FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-

## POKRETNI OSOLONAC -C- MOVEABLE SUPPORT -C-






## FASADA NA DVA OSOLONCA


### FACADE WITH TWO SUPPORTS

FIKSNI OSOLONAC -A-  
FIXED SUPPORT -A-

FIKSNI OSOLONAC -B-  
FIXED SUPPORT -B-

## POKRETNI OSLOMAC -C- MOVEABLE SUPPORT -C-





**FASADA NA TRI OSLOMCA**  
**FACADE WITH THREE SUPPORTS**


POKRETNI OSLOMAC -D-  
MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -E-


FIXED SUPPORT -E-

POKRETNI OSLOMAC -F-  
MOVEABLE SUPPORT -F-

POKRETNI OSŁONAC -C-  
MOVEABLE SUPPORT -C-








**FASADA NA TRI OSLOKACI**  
**FACADE WITH THREE SUPPORTS**

 POKRETNII OSLOKAC -D-  
MOVEABLE SUPPORT -D-

 FIKSNI OSLOKAC -E-  
FIXED SUPPORT -E-

 POKRETNII OSLOKAC -F-  
MOVEABLE SUPPORT -F-

 POKRETNII OSLOKAC -C-  
MOVEABLE SUPPORT -C-




**FASADA NA TRI OSOLONCA**  
**FACADE WITH THREE SUPPORTS**


POKRETNI OSOLONAC -D-  
 MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -E-  
 FIXED SUPPORT -E-

POKRETNI OSOLONAC -F-  
 MOVEABLE SUPPORT -F-

POKRETNI OSOLONAC -C-  
 MOVEABLE SUPPORT -C-



**FASADA NA TRI OSOLONAC**  
**FACADE WITH THREE SUPPORTS**


POKRETNI OSOLONAC -D-

MOVEABLE SUPPORT -D-

 FIKSNI OSOLONAC -E-  
FIXED SUPPORT -E-



 POKRETNI OSOLONAC -F-  
MOVEABLE SUPPORT -F-


 POKRETNI OSOLONAC -C-  
MOVEABLE SUPPORT -C-


432.015

432.123

521.165


 okomica  
mullion




**FASADA NA DVA OSOLONAC**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSOLONAC -D-


MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -G-


FIXED SUPPORT -G-

FMO 60/270

FMO 60/270



Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site



FMO 60/200

FMO 60/200


**FASADA NA DVA OSLOMCA**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSLOMCA -D-

MOVEABLE SUPPORT -D-


FIKSNI OSLOMCA -G-

FIXED SUPPORT -G-



Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site

\* Nosač 501.027 odgovara i okomici **FMO 60/200** i okomici **FMO 60/202**  
\* Anchor 501.027 goes with mullion **FMO 60/200** as well as mullion **FMO 60/202**



**FASADA NA DVA OSOLONCA**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSOLONAC -D-


MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -G-

FIXED SUPPORT -G-

**FMO 60/200-S**
**FMO 60/200-S**


Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site



**FASADA NA DVA OSOLONCA**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSOLONAC -D-


MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -G-

FIXED SUPPORT -G-




FMR 60/158



Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site






**FASADA NA DVA OSOLONAC**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSOLONAC -D-


MOVEABLE SUPPORT -D-

FIKSNI OSOLONAC -G-

FIXED SUPPORT -G-



Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site




**FASADA NA DVA OSLOKAC**  
**FACADE WITH TWO SUPPORTS**

POKRETNi OSLOKAC -D-


MOVEABLE SUPPORT -D-

FIKSNI OSLOKAC -G-

FIXED SUPPORT -G-



Rupe na okomici se buše u radionici,  
dok se rupe na nosaču buše na gradilištu.  
Holes on the mullion are drilled in the workshop,  
while the holes on the anchor are drilled on the site


**FASADA NA TRI OSLOMCA**  
**FACADE WITH THREE SUPPORTS**



POKRETNi OSLOMNAČ -D-

MOVEABLE SUPPORT -D-


POKRETNi OSLOMNAČ -C-


MOVEABLE SUPPORT -C-


| Okomica<br>Mullion | Nosač<br>Anchor | Dužina nosača<br>Anchor length |
|--------------------|-----------------|--------------------------------|
| FMO 60/270         | 501.026         | 171 mm                         |
| FMO 60/200         | 501.027         | 159 mm                         |
| FMO 60/202         | 501.027         | 159 mm                         |
| FMO 60/200-S       | 501.028         | 171 mm                         |
| FMR 60/158         | 501.029         | 119.5 mm                       |
| FMO 60/118         | 501.030         | 79.5 mm                        |
| FMO 60/88          | 501.031         | 50 mm                          |

















| $\alpha^\circ$ | A (mm) | B (mm) | C (mm) |
|----------------|--------|--------|--------|
| 85             | 33.5   | 33.9   | 29.3   |
| 80             | 42.3   | 34.3   | 33.9   |
| 75             | 43.1   | 35.0   | 26.0   |
| 70             | 48.5   | 36.0   | 31.0   |
| 65             | 45.9   | 37.3   | 27.8   |
| 60             | 56.7   | 39.0   | 28.9   |
| 55             | 59.7   | 41.2   | 26.1   |
| 50             | 63.8   | 44.1   | 27.8   |
| 45             | 73.8   | 48.1   | 30.2   |


 722.004  
(za FMV 60/198)  
(for FMV 60/198)

 722.002  
(za FMV 60/114)  
(for FMV 60/114)

 722.003  
(za FMV 60/156)  
(for FMV 60/156)

 722.001  
(za FMV 60/88)  
(for FMV 60/88)

Spojnica okomica

**SB-065/M**

Mullion connection

**SB-065/M**

 Primjer pilanja spojnice okomice  
Example of sawing of the mullion connection



Nagib profila FMO 60/88

Mullion angle FMO 60/88

 Kut pilanja  
Sawing angle


| $\alpha^\circ$ | 0  | 5    | 10 | 15   | 20 | 25   | 30 | 35   | 40 | 45   | 50 | 55   | 60 | 65   | 70 | 75  | 80 | 85  |
|----------------|----|------|----|------|----|------|----|------|----|------|----|------|----|------|----|-----|----|-----|
| $\beta^\circ$  | 45 | 42.5 | 40 | 37.5 | 35 | 32.5 | 30 | 27.5 | 25 | 22.5 | 20 | 17.5 | 15 | 12.5 | 10 | 7.5 | 5  | 2.5 |

$$\beta^\circ = 90^\circ - (90^\circ + \alpha^\circ) / 2$$






Spojnica okomica  
**SB-065/M**






Primjer pilanja spojnice okomice  
Example of sawing of the mullion connection



|                                                     |                |    |      |    |      |    |      |    |      |    |      |    |      |    |      |    |     |    |     |
|-----------------------------------------------------|----------------|----|------|----|------|----|------|----|------|----|------|----|------|----|------|----|-----|----|-----|
| Nagib profil FMO 60/118<br>Mullion angle FMO 60/118 | $\alpha^\circ$ | 0  | 5    | 10 | 15   | 20 | 25   | 30 | 35   | 40 | 45   | 50 | 55   | 60 | 65   | 70 | 75  | 80 | 85  |
| Kut pilanja<br>Sawing angle                         | $\beta^\circ$  | 45 | 42.5 | 40 | 37.5 | 35 | 32.5 | 30 | 27.5 | 25 | 22.5 | 20 | 17.5 | 15 | 12.5 | 10 | 7.5 | 5  | 2.5 |



$$\beta^\circ = 90^\circ - (90^\circ + \alpha^\circ)/2$$





Spojnica okomica  
SB-065/M

 Primjer pilanja spojnice okomice  
Example of sawing of the mullion connection


|                                                      |    |    |      |    |      |    |      |    |      |    |      |    |      |    |      |    |     |    |     |
|------------------------------------------------------|----|----|------|----|------|----|------|----|------|----|------|----|------|----|------|----|-----|----|-----|
| Nagib profila FMO 60/158<br>Mullion angle FMO 60/158 | α° | 0  | 5    | 10 | 15   | 20 | 25   | 30 | 35   | 40 | 45   | 50 | 55   | 60 | 65   | 70 | 75  | 80 | 85  |
| Kut pilanja<br>Sawing angle                          | β° | 45 | 42.5 | 40 | 37.5 | 35 | 32.5 | 30 | 27.5 | 25 | 22.5 | 20 | 17.5 | 15 | 12.5 | 10 | 7.5 | 5  | 2.5 |


$$\beta^\circ = 90^\circ - (90^\circ + \alpha^\circ) / 2$$





Spojnica okomica  
SB-065/M

Primjer pilanja spojnice okomice  
Example of sawing of the mullion connection


|                                                      |                |    |      |    |      |    |      |    |      |    |      |    |      |    |      |    |     |    |     |
|------------------------------------------------------|----------------|----|------|----|------|----|------|----|------|----|------|----|------|----|------|----|-----|----|-----|
| Nagib profila FMO 60/200<br>Mullion angle FMO 60/200 | $\alpha^\circ$ | 0  | 5    | 10 | 15   | 20 | 25   | 30 | 35   | 40 | 45   | 50 | 55   | 60 | 65   | 70 | 75  | 80 | 85  |
| Kut pilanja<br>Sawing angle                          | $\beta^\circ$  | 45 | 42.5 | 40 | 37.5 | 35 | 32.5 | 30 | 27.5 | 25 | 22.5 | 20 | 17.5 | 15 | 12.5 | 10 | 7.5 | 5  | 2.5 |

$$\beta^\circ = 90^\circ - (90^\circ + \alpha^\circ) / 2$$










- Montaža francuskog balkona
- French balcony installation




- 1 - profil rukohvata F-1437
- 1 - handrail profile F-1437
- 2 - PVC čep 373.054
- 2 - PVC cover cap 373.054
- 3 - brtva 311.002
- 3 - gasket 311.002
- 4 - profil okomice F-1569
- 4 - french balcony profile F-1569

- 5 - 433.134 (6 komada)
- 5 - 433.134 (6 pieces)
- 6 - 433.048 (svakih 200 mm)
- 6 - 433.048 (every 200 mm)
- 7 - poklopna lajsna F-0826
- 7 - cover profile F-0826
- 8 - nosiva pločica lijeva 391.148
- 8 - glass support left 391.148

- 9 - nosiva pločica desna 391.149
- 9 - glass support right 391.149
- 10 - staklo 10.10.2 Kaljeno lamistal
- 10 - glass 10.10.2 toughened laminated
- 11 - brtva 340.055
- 11 - gasket 340.055
- 12 - PVC distancer 100x30x5 mm
- 12 - PVC packer 100x30x5 mm

- 13 - 433.046 (za PVC čep)
- 13 - 433.046 (for PVC cover cap)
- 14 - PVC distancer 20x20x2\*
- 14 - PVC packer 20x20x2\*


Nosač stakla za veća opterećenja s potpornjom na okomici  
Doublesided glass support for greater loads with a vertical support







Nosač stakla za veća opterećenja s potpornjom na okomici s inox polugom

Doublesided glass support for greater loads with a vertical support and a stainless steel rod







- Obrada okomice **FMO 60/270** za vodoravnicu **FMV 60/198** (gumeni odstopnik s obrubom)
- Processing of mullion **FMO 60/270** for transom **FMV 60/198** (rimmed dilatation rubber)




- Obrada okomice **FMO 60/200** za vodoravnicu **FMV 60/198** (gumeni odstopnik s obrubom)
- Processing of mullion **FMO 60/200** for transom **FMV 60/198** (rimmed dilatation rubber)




- Obrada okomice **FMR 60/158** za vodoravnicu **FMV 60/156** (gumeni odstojnik s obrubom)  
- Processing of mullion **FMR 60/158** for transom **FMV 60/156** (rimmed dilatation rubber)



- Obrada okomice **FMO 60/118** za vodoravnicu **FMV 60/114** (gumeni odstojnik s obrubom)  
- Processing of mullion **FMO 60/118** for transom **FMV 60/114** (rimmed dilatation rubber)



- Obrada okomice **FMO 60/88** za vodoravnicu **FMV 60/88** (gumeni odstopnik s obrubom)
- Processing of mullion **FMO 60/88** for transom **FMV 60/88** (rimmed dilatation rubber)















- Obrada okomice **FMO 60/270** za vodoravnicu **FMV 60/198** (ravni gumeni odstojnik)  
- Processing of mullion **FMO 60/270** for transom **FMV 60/198** (flat dilatation rubber)





- Obrada okomice **FMO 60/200** za vodoravnicu **FMV 60/198** (ravni gumeni odstojnik)  
- Processing of mullion **FMO 60/200** for transom **FMV 60/198** (flat dilatation rubber)



- Obrada okomice **FMR 60/158** za vodoravnicu **FMV 60/156** (ravni gumeni odstojnik)  
- Processing of mullion **FMR 60/158** for transom **FMV 60/156** (flat dilatation rubber)





- Obrada okomice **FMO 60/118** za vodoravnicu **FMV 60/114** (ravni gumeni odstojnik)  
- Processing of mullion **FMO 60/118** for transom **FMV 60/114** (flat dilatation rubber)




- Obrada okomice **FMO 60/88** za vodoravnicu **FMV 60/88** (ravni gumeni odstožnik)

- Processing of mullion **FMO 60/88** for transom **FMV 60/88** (flat dilatation rubber)








- Obrada okomice **FMO 60/270** za vodoravnicu **FMV 60/198** (na nulu)
- Processing of mullion **FMO 60/270** for transom **FMV 60/198** (without dilatation rubber)







- Obrada okomice **FMO 60/200** za vodoravnicu **FMV 60/198** (na nulu)  
- Processing of mullion **FMO 60/200** for transom **FMV 60/198** (without dilatation rubber)










- Obrada okomice **FMR 60/158** za vodoravnicu **FMV 60/156** (na nulu)  
- Processing of mullion **FMR 60/158** for transom **FMV 60/156** (without dilatation rubber)



- Obrada okomice **FMO 60/118** za vodoravnicu **FMV 60/114** (na nulu)  
- Processing of mullion **FMO 60/118** for transom **FMV 60/114** (without dilatation rubber)




- Obrada okomice **FMO 60/88** za vodoravnicu **FMV 60/88** (na nulu)  
- Processing of mullion **FMO 60/88** for transom **FMV 60/88** (without dilatation rubber)







- Obrada okomice **FMO 60/41** za vodoravnicu **FMV 60/41** (ravni gumeni odstožnik)
- Processing of mullion **FMO 60/41** for transom **FMV 60/41** (flat dilatation rubber)







- Obrada vodoravnice **FMV 60/88** za okomicu **FMO 60/88** (gumeni odstopnik s obrubom)
- Processing of transom **FMV 60/88** for mullion **FMO 60/88** (rimmed diletation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A





- Obrada vodoravnice **FMV 60/114** za okomicu **FMO 60/118** (gumeni odstopnik s obrubom)
- Processing of transom **FMV 60/114** for mullion **FMO 60/118** (rimmed dilatation rubber)


 PRESJEK B-B  
CROSS SECTION B-B


 PRESJEK A-A  
CROSS SECTION A-A





- Obrada vodoravnice FMV 60/156 za okomicu FMR 60/158 (gumeni odstopnik s obrubom)
- Processing of transom FMV 60/156 for mullion FMR 60/158 (rimmed dilatation rubber)




PRESJEK B-B  
CROSS SECTION B-B





PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/198** za okomicu **FMO 60/200** (gumeni odstopnik s obrubom)
- Processing of transom **FMV 60/198** for mullion **FMO 60/200** (rimmed dilatation rubber)




- Obrada vodoravnice **FMV 60/88** za okomicu **FMO 60/88** (ravni gumeni odstopnik)
- Processing of transom **FMV 60/88** for mullion **FMO 60/88** (flat diletation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/114** za okomicu **FMO 60/118** (ravni gumeni odstopnik)
- Processing of transom **FMV 60/114** for mullion **FMO 60/118** (flat diletation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/156** za okomicu **FMR 60/158** (ravni gumeni odstožnik)
- Processing of transom **FMV 60/156** for mullion **FMR 60/158** (flat diletation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/198** za okomicu **FMO 60/200** (ravni gumeni odstopnik)
- Processing of transom **FMV 60/198** for mullion **FMO 60/200** (flat diletation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/88** za okomicu **FMO 60/88** (na nulu)
- Processing of transom **FMV 60/88** for mullion **FMO 60/88** (without dilatation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/114** za okomicu **FMO 60/118** (na nulu)
- Processing of transom **FMV 60/114** for mullion **FMO 60/118** (without dilatation rubber)



PRESJEK B-B  
CROSS SECTION B-B





PRESJEK A-A  
CROSS SECTION A-A







- Obrada vodoravnice **FMV 60/156** za okomicu **FMR 60/158** (na nulu)
- Processing of transom **FMV 60/156** for mullion **FMR 60/158** (without dilatation rubber)





PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A




- Obrada vodoravnice **FMV 60/198** za okomicu **FMO 60/200** (na nulu)  
- Processing of transom **FMV 60/198** for mullion **FMO 60/200** (without dilatation rubber)




PRESJEK B-B  
CROSS SECTION B-B




PRESJEK A-A  
CROSS SECTION A-A








Obrada okomice **FMO 60/202** za prihvati pomoćne  
vodoravnice **FMP 60/200** treći nivo (gumeni odstojnik s obrubom)

Processing of mullion **FMO 60/202** for auxiliary transom  
**FMP 60/200** third level (rimmed dilatation rubber)






Obrada pomoćne vodoravnice **FMP 60/200** za prihvat pomoćne okomice **FMV 60/198** treći nivo (gumeni odstopnik s obrubom)

Processing of mullion **FMP 60/200** for auxiliary transom **FMV 60/198** third level (rimmed dilatation rubber)






Obrada okomice **FMO 60/202** za prihvat pomoćne  
vodoravnice **FMP 60/200** treći nivo (obrađena na nulu)

Processing of mullion **FMO 60/202** for auxiliary transom  
**FMP 60/200** third level (without dilatation rubber)



Obrada pomoćne vodoravnice **FMP 60/200** za prihvat pomoćne okomice **FMV 60/198** treći nivo (obrada na nulu)


Processing of mullion **FMP 60/200** for auxiliary transom **FMV 60/198** third level (without dilatation rubber)










- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING






**FT-0133F**




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING





- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING



1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION







- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING



1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING


- VIJČANA VEZA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING





1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION

- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING


PRESJEK C-C  
CROSS SECTION C-C




FT-0157F




PRESJEK A-A  
CROSS SECTION A-A



PRESJEK B-B  
CROSS SECTION B-B




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING






- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING


PRESJEK C-C  
CROSS SECTION C-C



FT-0157F




PRESJEK A-A  
CROSS SECTION A-A





PRESJEK B-B  
CROSS SECTION B-B


1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION



- UPREŠAVANJE STJENKE PROFILA PREMA KUTNIKU
- ALUMINIUM PROFILE CORNER CRIMPING




**PRESJEK A-A**  
**CROSS SECTION A-A**




**PRESJEK B-B**  
**CROSS SECTION B-B**

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE PREMA KUTNIKU
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING







**PRESJEK A-A**  
**CROSS SECTION A-A**

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION








- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING

- UPREŠAVANJE STJENKE PROFILA U KUTNIK  
- ALUMINIUM PROFILE CORNER CRIMPING






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
**CROSS SECTION C-C**







1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING



- VIJČANA VEZA PROFILA
- ALUMINIUM PROFILE SCREW CONNECTION




**PRESJEK C-C**  
**CROSS SECTION C-C**




1. VIJČANA VEZA  
1. SCREW CONNECTION

- UPREŠAVANJE STJENKE PROFILA PREMA KUTNIKU
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE PREMA KUTNIKU
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING





**PRESJEK C-C**  
**CROSS SECTION C-C**



1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION







- UPREŠAVANJE STJENKE PROFILA PREMA KUTNIKU
- ALUMINIUM PROFILE CORNER CRIMPING



1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING

- VIJČANA VEZA PROFILA
- ALUMINIUM PROFILE SCREW CONNECTION

**PRESJEK C-C**  
CROSS SECTION C-C




1. VIJČANA VEZA
1. SCREW CONNECTION



- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING


**PRESJEK C-C**  
**CROSS SECTION C-C**

**FT-0162F**




**PRESJEK A-A**  
**CROSS SECTION A-A**

**725.118**  
(l=42mm)




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

PRESJEK C-C  
CROSS SECTION C-C


FT-0162F



PRESJEK A-A  
CROSS SECTION A-A





1. VIJČANA VEZA
1. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
**CROSS SECTION C-C**




**PRESJEK A-A**  
**CROSS SECTION A-A**

1. VIJČANA VEZA
1. SCREW CONNECTION





- UPREŠAVANJE STJENKE PROFILA PREMA KUTNIKU
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C





**PRESJEK A-A**  
CROSS SECTION A-A




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING

- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
**CROSS SECTION C-C**




**PRESJEK A-A**  
**CROSS SECTION A-A**






**PRESJEK B-B**  
**CROSS SECTION B-B**

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
**CROSS SECTION C-C**






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING




**PRESJEK C-C**  
**CROSS SECTION C-C**




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING



- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING








1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION






- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C







1. STROJNO UPREŠAVANJE
  2. RUČNO UPREŠAVANJE
  3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
  2. MANUAL CORNER CRIMPING
  3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING


**PRESJEK C-C**  
**CROSS SECTION C-C**




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING






- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING



- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION






- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING


**PRESJEK C-C**  
CROSS SECTION C-C



**FT-0261HF**




1. STROJNO UPREŠAVANJE
  2. RUČNO UPREŠAVANJE
  3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
  2. MANUAL CORNER CRIMPING
  3. SCREW CONNECTION





- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C




**FT-0261HF**



**PRESJEK A-A**  
CROSS SECTION A-A


**710.452**  
(l=7 mm)



**PRESJEK B-B**  
CROSS SECTION B-B




**710.469**  
(l=28,5 mm)

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK  
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C



1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION







- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

### PRESJEK C-C

### CROSS SECTION C-C






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING

### PRESJEK C-C

#### CROSS SECTION C-C




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK  
- ALUMINIUM PROFILE CORNER CRIMPING

### PRESJEK C-C

#### CROSS SECTION C-C




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING

### PRESJEK C-C

#### CROSS SECTION C-C




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING


PRESJEK C-C  
CROSS SECTION C-C




FT-0148F



PRESJEK A-A  
CROSS SECTION A-A




PRESJEK B-B  
CROSS SECTION B-B






1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE-
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING

- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING


**PRESJEK C-C**  
**CROSS SECTION C-C**



**FT-0148F**






1. STROJNO UPREŠAVANJE
2. RUČNO
3. UPREŠAVANJEVIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

**PRESJEK C-C**  
**CROSS SECTION C-C**




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING





- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING


**PRESJEK C-C**  
CROSS SECTION C-C



**FT-0260F**




**PRESJEK A-A**  
CROSS SECTION A-A



**PRESJEK B-B**  
CROSS SECTION B-B

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION









- UPREŠAVANJE STJENKE PROFILA U KUTNIK
- ALUMINIUM PROFILE CORNER CRIMPING

### PRESJEK C-C

#### CROSS SECTION C-C




FT-0260F



### PRESJEK A-A CROSS SECTION A-A


710.060  
(l=32,4 mm)






### PRESJEK B-B CROSS SECTION B-B

710.051  
(l=8,2 mm)


1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING



- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION






- UPREŠAVANJE STJENKE PROFILA U KUTNIK


- ALUMINIUM PROFILE CORNER CRIMPING



**PRESJEK C-C**  
CROSS SECTION C-C




**PRESJEK A-A**  
CROSS SECTION A-A




**PRESJEK B-B**  
CROSS SECTION B-B




1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING



PRESJEK C-C  
CROSS SECTION C-C




PRESJEK A-A  
CROSS SECTION A-A








PRESJEK B-B  
CROSS SECTION B-B

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION




- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING






**PRESJEK A-A**  
**CROSS SECTION A-A**

1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION







- VIJČANA VEZA PROFILA + UTISKIVANJE STJENKE U KUTNIK
- ALUMINIUM PROFILE SCREW CONNECTION AND CORNER CRIMPING

**PRESJEK C-C**  
CROSS SECTION C-C








1. STROJNO UPREŠAVANJE
2. RUČNO UPREŠAVANJE
3. VIJČANA VEZA
1. MACHINE CORNER CRIMPING
2. MANUAL CORNER CRIMPING
3. SCREW CONNECTION







1. VIJČANA VEZA  
1. SCREW CONNECTION








1. VIJČANA VEZA  
1. SCREW CONNECTION









**PRESJEK A-A**  
CROSS-SECTION A-A





1. VIJČANA VEZA  
1. SCREW CONNECTION




**PRESJEK B-B**  
CROSS-SECTION B-B







**PRESJEK A-A**  
CROSS-SECTION A-A






**1. VIJČANA VEZA**  
1. SCREW CONNECTION







**PRESJEK B-B**  
CROSS-SECTION B-B






1. VIJČANA VEZA  
1. SCREW CONNECTION







**PRESJEK A-A**  
CROSS-SECTION A-A





1. VIJČANA VEZA  
1. SCREW CONNECTION




**PRESJEK B-B**  
CROSS-SECTION B-B







**PRESJEK A-A**  
**CROSS-SECTION A-A**




1. VIJČANA VEZA  
1. SCREW CONNECTION




- VIJČANA VEZA PROFILA  
- ALUMINIUM PROFILE SCREW CONNECTION


**PRESJEK C-C**  
**CROSS SECTION C-C**




**PRESJEK A-A**  
**CROSS SECTION A-A**




**PRESJEK B-B**  
**CROSS SECTION B-B**




1. VIJČANA VEZA  
1. SCREW CONNECTION



- VIJČANA VEZA PROFILA
- ALUMINIUM PROFILE SCREW CONNECTION





1. VIJČANA VEZA
1. SCREW CONNECTION











- Obrada profila (rama) FT-0125 za prihvat šarke
- Processing of profile (frame) FT-0125 for hinge installation



- Obrada profila (krilo) FT-0124 za prihvat šarke
- Processing of profile (sash) FT-0125 for hinge installation






Za zaokretno i otklopno-zaokretno otvaranje  
For turn and turn-tilt type of opening



**FT-0126** pozicioniranje makaza u odnosu na ram  
positioning of strays related to the frame



**FT-0157**


vijci za osiguravanje položaja krila kad se postavi u potreban položaj  
screws for securing the position of the sash when it is set in the required position

vijak za fiksiranje graničnika u željeni položaj za definiranje kuta otvaranja krila (15° ili 20°)  
screw for fixing the limiter into wanted position for defining opening angle (15° or 20°)


vijak za fiksiranje graničnika u željeni položaj za definiranje kuta otvaranja krila (15° ili 20°)  
screw for fixing the limiter into wanted position for defining opening angle (15° or 20°)

vijci za osiguravanje položaja krila kad se postavi u potreban položaj  
screws for securing the position of the sash when it is set in the required position

ugradnja elastičnog distancera u krilo  
installation of the elastic spacer in the sash



Detalj D Detail D




podmazivanje vršiti nakon 5000 otvaranja  
to be greased after 5000 openings


podešavanje makaza po visini (±5 mm) preko mehanizma za podešavanje  
sash height adjustment (±5 mm) with adjustment mechanism

ugradnja fasadnih makaza  
Stublina 134.022  
installation of friction strays  
Stublina 134.022

obrada krila za fasadne makaze  
Stublina 134.022  
sash processing for friction strays  
Stublina 134.022



obrada rama za fasadne makaze  
Stublina 134.022  
frame processing for friction strays  
Stublina 134.022



① Rupa Ø7 - za zakivne matice  
M5 (M5x16 DIN 6912)  
Hole Ø7 - for rivet nuts  
M5 (M5x16 DIN 6912)


② Rupa Ø7-za element za fino podešavanje  
Hole Ø7-for fine adjustment element


③ Rupa Ø3.7 - za samourezujući vijak  
4.8x16 DIN7982  
Hole Ø3.7 - for selftapping screw  
4.8x16 DIN7982

④ M5x16 DIN 6912 ⑤ 4.8x16 DIN7982


⑥ elastični distancer za krila sa žljebom  
elastic spacer for sashes with the groove  
⑦ povećanjem ili smanjenjem sile trenja omogućava se lakše ili teže otvaranje prozora. Vijak ne smije biti previše zategnut, ukoliko je jako zategnut prozor neće funkcionirati.

with friction force change one regulates the window closing force. Screw should not be screwed too tight, otherwise the window will not be able to open/close.




























| RAM<br>FRAME | KRILO<br>SASH | PASIVNO KLJUČANJE<br>PASSIV LOCKING |
|--------------|---------------|-------------------------------------|
| FT-0133      | FT-0134       | 132.016                             |
| FT-0173      | FT-0162       | 132.016                             |
| FT-0174      | FT-0170       | 132.016                             |
| FT-0126      | FT-0157       | 132.016                             |
| FT-0161      | FT-0162       | 132.016                             |
| FT-0169      | FT-0170       | 132.016                             |






- Obrada lijeve okomice za motor za zaključavanje G-U VA 25
- Processing of left mullion for locking motor G-U VA 25




- ① Rupa za izvod kablova iz okomice  
Hole for leading the cable from the mullion
- ② Rupa za uvod kablova motora otvaranja/zatvaranja u okomicu  
Hole for leading the cable of opening/closing motor into the mullion
- ③ Rupa za uvod kablova motorazaključavanja u okomicu  
Hole for leading the cable of the locking motor in the mullion

- Obrada lijeve okomice rama FT-161 za prihvat motora za zaključavanje G-U VA 25
- Processing of left vertical frame FT-161 for landing of the locking motor G-U VA 25




### Obrada vodoravnica krila FT-164 Processing of horizontal sash profiles FT-164






Obrada nosača F-1129 za motora K 20/25 300 mm  
Processing of support profile F-1129 for K 20/25 300 mm

Nosač F-1129 gore  
Support profile F-1129 up



Nosač F-1129 dolje  
Support profile F-1129 down



- ① Ø7 Rupa za fiksiranje motora na nosač  
Ø7 Hole for fixing the profile on the support profile
- ② Ø5 Rupa za spoj nosača na ram FT-0173  
Ø5 Hole for support profile-frame connection FT-0173





# Rezne liste Cutting lists



Izračun dimenzija -RAM FT-0133  
- KRILO FT-0134  
Cutting list - FRAME FT-0133  
- SASH FT-0134

| naziv/kod<br>name/code       | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b>      |                    |              |                         |
| Ram Frame FT-0133            | ML-28              | 2            | 45-45                   |
| Ram Frame FT-0133            | MH-28              | 2            | 45-45                   |
| Krilo Sash FT-0134           | ML-95              | 2            | 45-45                   |
| Krilo Sash FT-0134           | MH-95              | 2            | 45-45                   |
| Lajsna Glazing bead FM 30/20 | ML-78              | 2            | 45-45                   |
| Lajsna Glazing bead FM 30/20 | MH-78              | 2            | 45-45                   |

**Kutne spojnice Corner brackets**

|                                       |      |   |
|---------------------------------------|------|---|
| Kutna spojnica Corner bracket 725.003 | .... | 4 |
| Kutna spojnica Corner bracket 725.105 | .... | 4 |
| Kutna spojnica Corner bracket 725.001 | .... | 4 |
| Kutna spojnica Corner bracket 725.004 | .... | 4 |
| Kutna spojnica Corner bracket 725.301 | .... | 4 |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |

**Brtve Gaskets**

|                      |                 |
|----------------------|-----------------|
| Brtva Gasket 328.001 | 6L+6H           |
| Brtva Gasket 318.001 | 2LkrLsa+2HkrHsa |
| Brtva Gasket 358.014 | 2LkrLsa+2HkrHsa |
| Brtva Gasket 311.007 | 2LkrLsa+2HkrHsa |

**Okovi i vijci Hardware and screws**

Makaze fasadnog ventusa (vrsta ovisno o visini prozora)  
Friction stays (type depending on window height)

1 par  
1 pair

Okov fasadnog ventusa sa mogućnošću  
zaključavanja u više točaka:

1 par

Hung vent hardware with option  
of multiple locking points

1 pair

Zaključavanje u donjem pojasu:  
Lower position locking:

|         |                                |
|---------|--------------------------------|
| 101.000 | 1                              |
| 133.003 | 1 (jedno zaklj. one lock)      |
| 133.005 | set 1 (tri zaklj. three locks) |



Zaključavanje u donjem pojasu i  
bočno:

|         |                                |
|---------|--------------------------------|
| 101.000 | 1                              |
| 133.003 | 1                              |
| 133.004 | set 1                          |
| 133.005 | set 1 (tri zaklj. three locks) |

Lower and side position locking

|                     |                                   |
|---------------------|-----------------------------------|
| Vijak Screw 433.092 | (2LlajsneLbead+2HlajsneLbead)/250 |
| Vijak Screw 433.043 | (2L+2H)/300                       |

|                                 |                   |   |
|---------------------------------|-------------------|---|
| Staklo vanjsko Exterior glass   | (ML-109)x(MH-109) | 1 |
| Staklo unutarnje Interior glass | (ML-163)x(MH-163) | 1 |



Izračun dimenzija - RAM FT-0173  
 - KRILO FT-0162  
 Cutting list - FRAME FT-0173  
 - SASH FT-0162

| naziv/kod<br>name/code | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------|--------------------|--------------|-------------------------|
|------------------------|--------------------|--------------|-------------------------|

**Profili Profiles**

|                    |       |        |   |       |
|--------------------|-------|--------|---|-------|
| Ram Frame FT-0173  | ..... | ML-30  | 2 | 45-45 |
| Ram Frame FT-0173  | ..... | MH-30  | 2 | 45-45 |
| Krilo Sash FT-0162 | ..... | ML-100 | 2 | 45-45 |
| Krilo Sash FT-0162 | ..... | MH-100 | 2 | 45-45 |

**Kutne spojnice Corner brackets**

|                                       |      |   |
|---------------------------------------|------|---|
| Kutna spojnica Corner bracket 725.101 | .... | 8 |
| Kutna spojnica Corner bracket 725.401 | .... | 4 |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |

**Brtve Gaskets**

|                      |       |                 |
|----------------------|-------|-----------------|
| Brtva Gasket 351.001 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.002 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 328.001 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.003 | ..... | 2H+L            |
| Brtva Gasket 351.004 | ..... | L               |
| Brtva Gasket 358.014 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 318.002 | ..... | 2L+2H           |



**Okovi i vijci Hardware and screws**

Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.013

Selection of hardware for manual parallel opening depends upon window dimensions - according to the schematic on pages 501.08.007 through 501.08.013

|                                    |       |             |
|------------------------------------|-------|-------------|
| Vijak Screw 433.044                | ..... | (2L+2H)/300 |
| Vijak Screw 433.104                | ..... | 8           |
| Držać stakla Glass support 521.041 | ..... | 4           |
| Vijak Screw 433.104                | ..... | 8           |

|                                 |       |                   |   |
|---------------------------------|-------|-------------------|---|
| Staklo vanjsko Exterior glass   | ..... | (ML-72)x(MH-76)   | 1 |
| Staklo unutarnje Interior glass | ..... | (ML-162)x(MH-162) | 1 |



Izračun dimenzija - RAM FT-0173  
- KRILO FT-0164  
Cutting list - FRAME FT-0173  
- SASH FT-0164

| naziv/kod<br>name/code                 | mjera<br>dimension | kom.<br>pcs. | planje<br>sawing angle |
|----------------------------------------|--------------------|--------------|------------------------|
| <b>Profili Profiles</b>                |                    |              |                        |
| Ram Frame FT-0173                      | ML-30              | 2            | 45-45                  |
| Ram Frame FT-0173                      | MH-30              | 2            | 45-45                  |
| Krilo Sash FT-0164                     | ML-100             | 2            | 45-45                  |
| Krilo Sash FT-0164                     | MH-100             | 2            | 45-45                  |
| Držač motora Motor support F-1129      | ML-62              | 1            | 90-90                  |
| Poklopna lajsna Motor cover cap F-1128 | ML-62              | 1            | 90-90                  |

**Kutne spojnice Corner brackets**

|                                       |      |   |
|---------------------------------------|------|---|
| Kutna spojnica Corner bracket 725.101 | .... | 4 |
| Kutna spojnica Corner bracket 725.401 | .... | 4 |
| Kutna spojnica Corner bracket 725.010 | .... | 4 |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |

**Brtve Gaskets**

|                      |       |                 |
|----------------------|-------|-----------------|
| Brtva Gasket 351.001 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.002 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 328.001 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.003 | ..... | 2H+L            |
| Brtva Gasket 351.004 | ..... | L               |
| Brtva Gasket 358.014 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 311.009 | ..... | 2L              |
| Brtva Gasket 318.002 | ..... | 2H              |



**Okovi i vijci Hardware and screws**

Izbor mehanizma za motorno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.015

Selection of hardware for motorized paralel opening depends upon window dimensions - according to the schematic on pages 502.08.007 through 502.08.015

|                                             |       |             |
|---------------------------------------------|-------|-------------|
| Vijak Screw 433.044                         | ..... | (2L+2H)/300 |
| Vijak Screw 433.050                         | ..... | (ML-51)/300 |
| Sigur. držač Exterior glass support 521.041 | ..... | 4           |

|                                 |       |                   |
|---------------------------------|-------|-------------------|
| Staklo vanjsko Exterior glass   | ..... | (ML-72)x(MH-76)   |
| Staklo unutarnje Interior glass | ..... | (ML-171)x(MH-171) |



Izračun dimenzija - RAM FT-0174  
- KRILO FT-0170  
Cutting list - FRAME FT-0174  
- SASH FT-0170

| naziv/kod<br>name/code | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------|--------------------|--------------|-------------------------|
|------------------------|--------------------|--------------|-------------------------|

**Profili Profiles**

|                    |        |   |       |
|--------------------|--------|---|-------|
| Ram Frame FT-0174  | ML-30  | 2 | 45-45 |
| Ram Frame FT-0174  | MH-30  | 2 | 45-45 |
| Krilo Sash FT-0170 | ML-100 | 2 | 45-45 |
| Krilo Sash FT-0170 | MH-100 | 2 | 45-45 |

**Kutne spojnice Corner brackets**

|                                       |      |   |  |
|---------------------------------------|------|---|--|
| Kutna spojnica Corner bracket 725.101 | .... | 4 |  |
| Kutna spojnica Corner bracket 725.205 | .... | 4 |  |
| Kutna spojnica Corner bracket 725.010 | .... | 4 |  |
| Kutna spojnica Corner bracket 710.153 | .... | 4 |  |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |  |

**Brtve Gaskets**

|                                      |                           |  |
|--------------------------------------|---------------------------|--|
| Brtva Gasket 351.001                 | 2Lkr+2Hkr                 |  |
| Brtva Gasket 351.002                 | 2Lkr+2Hkr                 |  |
| Brtva Gasket 328.001                 | 2Lkr+2Hkr                 |  |
| Brtva Gasket 351.003                 | 2H+L                      |  |
| Brtva Gasket 351.004                 | L                         |  |
| Brtva Gasket 358.011                 | 2Lkr+2Hkr                 |  |
| Brtva Gasket 318.002                 | 2L+2H                     |  |
| Izolacijski umetak Isolation 340.013 | 2(LkrLsa-53)+2(HkrHsa-76) |  |

**Okovi i vijci**

Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.013



Selection of hardware for manual parallel opening depends upon window dimensions - according to the schematic on pages 502.08.007 through 502.08.013

Vijak Screw 433.044 (2L+2H)/300

Držač stakla Glass support 521.014 2

Sigur. držač Exterior glass support 521.041 4

|                                 |                   |   |
|---------------------------------|-------------------|---|
| Staklo vanjsko Exterior glass   | (ML-74)x(MH-74)   | 1 |
| Staklo unutarnje Interior glass | (ML-172)x(MH-172) | 1 |



Izračun dimenzija - RAM FT-0174  
- KRILO FT-0186  
Cutting list - FRAME FT-0174  
- SASH FT-0186

| naziv/kod<br>name/code | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------|--------------------|--------------|-------------------------|
|------------------------|--------------------|--------------|-------------------------|

**Profili Profiles**

|                    |        |   |       |
|--------------------|--------|---|-------|
| Ram Frame FT-0174  | ML-30  | 2 | 45-45 |
| Ram Frame FT-0174  | MH-30  | 2 | 45-45 |
| Krilo Sash FT-0186 | ML-100 | 2 | 45-45 |
| Krilo Sash FT-0186 | MH-100 | 2 | 45-45 |

**Kutne spojnice Corner brackets**

|                                       |      |   |  |
|---------------------------------------|------|---|--|
| Kutna spojnica Corner bracket 725.101 | .... | 8 |  |
| Kutna spojnica Corner bracket 725.205 | .... | 4 |  |
| Kutna spojnica Corner bracket 710.153 | .... | 4 |  |

**Brtve Gaskets**

|                      |       |                 |  |
|----------------------|-------|-----------------|--|
| Brtva Gasket 351.001 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 351.002 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 328.001 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 351.003 | ..... | 2H+L            |  |
| Brtva Gasket 351.004 | ..... | L               |  |
| Brtva Gasket 358.011 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 318.002 | ..... | 2L+2H           |  |



**Okovi i vijci**

Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.013

Selection of hardware for manual paralel opening depends upon window dimensions - according to the schematic on pages 502.08.007 through 502.08.013

|                                             |       |             |   |
|---------------------------------------------|-------|-------------|---|
| Vijak Screw 433.044                         | ..... | (2L+2H)/300 |   |
| Sigur. držač Exterior glass support 521.041 |       |             | 4 |

|                                 |       |                   |   |
|---------------------------------|-------|-------------------|---|
| Staklo vanjsko Exterior glass   | ..... | (ML-74)x(MH-74)   | 1 |
| Staklo unutarnje Interior glass | ..... | (ML-162)x(MH-162) | 1 |





Izračun dimenzija -Ram FT-0620 F    Cutting list -Frame FT-0620 F  
-Kriilo FT-0607 F    -Sash FT-0607 F

| naziv/kod<br>name/code      | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|-----------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b>     |                    |              |                         |
| Ram Frame FT-0620 F         | ML-30              | 2            | 45-45                   |
| Ram Frame FT-0620 F         | MH-30              | 2            | 45-45                   |
| Kriilo Sash FT-0607 F       | ML-115             | 2            | 45-45                   |
| Kriilo Sash FT-0607 F       | MH-115             | 2            | 45-45                   |
| Lajsna Glazing bead Z40-668 | LkrLsa-93          | 2            | 90-90                   |
| Lajsna Glazing bead Z40-668 | HkrHsa-137         | 2            | 90-90                   |

**Kutne spojnice Corner brackets**



|                                       |       |   |
|---------------------------------------|-------|---|
| Kutna spojnica Corner bracket 725.701 | ..... | 4 |
| Kutna spojnica Corner bracket 725.117 | ..... | 4 |
| Kutna spojnica Corner bracket 710.033 | ..... | 4 |
| Kutna spojnica Corner bracket 710.023 | ..... | 4 |
| Kutna spojnica Corner bracket 731.010 | ..... | 8 |
| Kutna spojnica Corner bracket 730.001 | ..... | 4 |

**Brtve Gaskets**

|                                      |       |                                   |
|--------------------------------------|-------|-----------------------------------|
| Brtva Gasket 331.002                 | ..... | 2LkrLsa+2HkrHsa                   |
| Brtva Gasket 318.001                 | ..... | 2LstakloLglass+2HstakloHglass     |
| Brtva Gasket 328.002                 | ..... | 2LstakloLglass+2HstakloHglass     |
| Brtva Gasket 328.001                 | ..... | 2LkrLsa+2HkrHsa                   |
| Brtva Gasket 314.001                 | ..... | 2LkrLsa+2HkrHsa                   |
| Brtva Gasket 318.002                 | ..... | 2LkrLsa+2HkrHsa                   |
| Brtva Gasket 311.007                 | ..... | 2LkrLsa+2HkrHsa                   |
| Izolacijski umetak Isolation 340.013 | ..... | 2(LstakloLglass)+2(HstakloHglass) |

**Okovi i vijci Hardware and screws**

|                                    |       |                                       |
|------------------------------------|-------|---------------------------------------|
| Zakretno otklopni mehanizam        | ..... | 1 komplet                             |
| Turn tilt mechanism                | ..... | 1 set                                 |
| Vijak Screw 433.133                | ..... | (2L+2H)/300                           |
| Držac stakla Glass support 521.004 | ..... | 2                                     |
| Staklo vanjsko Exterior glass      | ..... | (LkriilaLsash-106)x(HkriilaHsash-106) |







Izračun dimenzija - RAM FT-0261

- KRILO FT-0203

Cutting list - FRAME FT-0261



- SASH FT-0203

| naziv/kod<br>name/code                   | mjera<br>dimension        | kom.<br>pcs. | planje<br>sawing angle |
|------------------------------------------|---------------------------|--------------|------------------------|
| <b>Profili Profiles</b>                  |                           |              |                        |
| Ram Frame FT-0261                        | ML-28                     | 2            | 45-45                  |
| Ram Frame FT-0261                        | MH-28                     | 2            | 45-45                  |
| Krilo Sash FT-0203                       | ML-109                    | 2            | 45-45                  |
| Krilo Sash FT-0203                       | MH-109                    | 2            | 45-45                  |
| Staklo lajsna Glazing bead Z40-668       | LkrLsa-93                 | 2            | 90-90                  |
| Staklo lajsna Glazing bead Z40-668       | HkrLsa-137                | 2            | 90-90                  |
| <b>Kutne spojnice Corner brackets</b>    |                           |              |                        |
| Kutna spojnica Corner bracket 710.100    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 710.037    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 710.075    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 710.026    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 730.005    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 730.001    | ....                      | 4            |                        |
| Kutna spojnica Corner bracket 730.002    | ....                      | 4            |                        |
| <b>Brtve Gaskets</b>                     |                           |              |                        |
| Brtva Gasket 331.001                     | 2LkrLsa+2HkrHsa           |              |                        |
| Brtva Gasket 354.011                     | 2L+2H                     |              |                        |
| Brtva Gasket 328.001                     | 2LkrLsa+2HkrHsa           |              |                        |
| Brtva Gasket 328.002                     | 2LkrLsa+2HkrHsa           |              |                        |
| Brtva Gasket 318.001                     | 2LkrLsa+2HkrHsa           |              |                        |
| Brtva Gasket 318.002                     | 2L+2H                     |              |                        |
| <b>Okovi i vijci Hardware and screws</b> |                           |              |                        |
| Dry kip mehanizam                        | 1 komplet                 |              |                        |
| Turn tilt mechanism                      | 1 set                     |              |                        |
| Vijak Screw 433.135                      | (2L+2H)/300               |              |                        |
| Staklo Glass 26 mm                       | (LkrLsa-107)x(HkrHsa-107) | 1            |                        |





Izračun dimenzija - RAM FT-0261 HF  
 - KRILO FT-0203 HF  
 Cutting list - FRAME FT-0261 HF  
 - SASH FT-0203 HF

| naziv/kod<br>name/code                   | mjera<br>dimension         | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------------------------|----------------------------|--------------|-------------------------|
| <b>Profili Profiles</b>                  |                            |              |                         |
| Ram Frame FT-0261 HF                     | ML-28                      | 2            | 45-45                   |
| Ram Frame FT-0261 HF                     | MH-28                      | 2            | 45-45                   |
| Krilo Sash FT-0203 HF                    | ML-109                     | 2            | 45-45                   |
| Krilo Sash FT-0203 HF                    | MH-109                     | 2            | 45-45                   |
| Staklo lajsna Glazing bead Z40-667       | LkrLsa-93                  | 2            | 90-90                   |
| Staklo lajsna Glazing bead Z40-667       | HkrHsa-137                 | 2            | 90-90                   |
| <b>Kutne spojnice Corner brackets</b>    |                            |              |                         |
| Kutna spojnica Corner bracket 710.100    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 710.037    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 710.075    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 710.026    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 730.005    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 730.001    | ....                       | 4            |                         |
| Kutna spojnica Corner bracket 730.002    | ....                       | 4            |                         |
| <b>Brtve Gaskets</b>                     |                            |              |                         |
| Brtva Gasket 331.004                     | 2LkrLsa+2HkrHsa            |              |                         |
| Brtva Gasket 354.011                     | 2L+2H                      |              |                         |
| Brtva Gasket 328.001                     | 2LkrLsa+2HkrHsa            |              |                         |
| Brtva Gasket 321.004                     | 2LkrLsa+2HkrLsa            |              |                         |
| Brtva Gasket 311.003                     | 2LkrLsa+2HkrHsa            |              |                         |
| Brtva Gasket 318.002                     | 2L+2H                      |              |                         |
| Izolacijski umetak Isolation 348.002     | 2(LkrLsa-93)+2(HkrHsa-109) |              |                         |
| <b>Okovi i vijci Hardware and screws</b> |                            |              |                         |
| Dry kip mehanizam                        | 1 komplet                  |              |                         |
| Turn tilt mechanism                      | 1 set                      |              |                         |
| Vijak Screw 433.135                      | (2L+2H)/300                |              |                         |
| Staklo 40 mm Glass 40 mm                 | (LkrLsa-107)x(HkrHsa-107)  | 1            |                         |



Izračun dimenzija - RAM FT-0187 F  
 - KRILO FT-0167 F  
 Cutting list - FRAME FT-0187 F  
 - SASH FT-0167 F

| naziv/kod<br>name/code                   | mjera<br>dimension      | kom.<br>pcs. | planje<br>sawing angle |
|------------------------------------------|-------------------------|--------------|------------------------|
| <b>Profili Profiles</b>                  |                         |              |                        |
| Ram Frame FT-0187 F                      | ML-28                   | 2            | 45-45                  |
| Ram Frame FT-0187 F                      | MH-28                   | 2            | 45-45                  |
| Krilo Sash FT-0167 F                     | ML-110                  | 2            | 45-45                  |
| Krilo Sash FT-0167 F                     | MH-110                  | 2            | 45-45                  |
| Staklo lajsna Glazing bead F-0807        | Lkr-83                  | 2            | 90-90                  |
| Staklo lajsna Glazing bead F-0807        | Hkr-111                 | 2            | 90-90                  |
| <b>Kutne spojnice Corner brackets</b>    |                         |              |                        |
| Kutna spojnica Corner bracket 710.100    | ....                    | 4            |                        |
| Kutna spojnica Corner bracket 710.031    | ....                    | 4            |                        |
| Kutna spojnica Corner bracket 730.011    | ....                    | 4            |                        |
| Kutna spojnica Corner bracket 730.002    | ....                    | 4            |                        |
| Kutna spojnica Corner bracket 710.025    | ....                    | 4            |                        |
| Kutna spojnica Corner bracket 710.111    | ....                    | 4            |                        |
| <b>Brtve Gaskets</b>                     |                         |              |                        |
| Brtva Gasket 321.005                     | 2LkrLsa+2HkrHsa         |              |                        |
| Brtva Gasket 328.001                     | 2LkrLsa+2HkrHsa         |              |                        |
| Brtva Gasket 331.004                     | 2LkrLsa+2HkrHsa         |              |                        |
| Brtva Gasket 358.011                     | 2LkrLsa+2HkrHsa         |              |                        |
| Brtva Gasket 318.002                     | 2L+2H                   |              |                        |
| <b>Okovi i vijci Hardware and screws</b> |                         |              |                        |
| Dry kip mehanizam<br>Turn tilt mechanism | 1 komplet<br>1 set      |              |                        |
| Vijak Screw 433.044                      | (2L+2H)/300             |              |                        |
| Vijak Screw 433.002                      | (2L+2H)/300             |              |                        |
| Staklo Glass 30 mm                       | (LkrLsa-97)x(HkrHsa-97) | 1            |                        |



Izračun dimenzija -Ram FT-1201 Cutting list - Frame FT-1201  
- Krilo FT-1211 - Sash FT-1211

| naziv/kod<br>name/code | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------|--------------------|--------------|-------------------------|
|------------------------|--------------------|--------------|-------------------------|

**Profili Profiles**

|                             |            |   |       |
|-----------------------------|------------|---|-------|
| Ram Frame FT-1201           | ML-30      | 2 | 45-45 |
| Ram Frame FT-1201           | MH-30      | 2 | 45-45 |
| Krilo Sash FT-1211          | ML-122     | 2 | 45-45 |
| Krilo Sash FT-1211          | MH-122     | 2 | 45-45 |
| Lajсна Glazing bead Z40-669 | LkrLsa-121 | 2 | 90-90 |
| Lajсна Glazing bead Z40-669 | HkrHsa-165 | 2 | 90-90 |

**Kutne spojnice Corner brackets**

|                                       |  |   |
|---------------------------------------|--|---|
| Kutna spojnica Corner bracket 710.415 |  | 4 |
| Kutna spojnica Corner bracket 710.414 |  | 4 |
| Kutna spojnica Corner bracket 730.001 |  | 4 |
| Kutna spojnica Corner bracket 730.002 |  | 4 |
| Kutna spojnica Corner bracket 710.411 |  | 4 |
| Kutna spojnica Corner bracket 710.410 |  | 4 |
| Kutna spojnica Corner bracket 731.010 |  | 4 |



**Brtve Gaskets**

|                                      |                               |
|--------------------------------------|-------------------------------|
| Brtva Gasket 327.001                 | 2LstaklaLglass+2HstaklaHglass |
| Brtva Gasket 317.001                 | 2LstaklaLglass+2HstaklaHglass |
| Brtva Gasket 317.002                 | 2LkrLsa+2HkrHsa               |
| Brtva Gasket 327.002                 | 2LkrLsa+2HkrHsa               |
| Brtva Gasket 318.002                 | 2LkrLsa+2HkrHsa               |
| Brtva Gasket 337.001                 | 2LkrLsa+2HkrHsa               |
| Izolacijski umetak Isolation 340.142 | 2(LkrLsa-111)+2(HkrHsa-129)   |

**Okovi i vijci Hardware and screws**

|                                                 |                 |
|-------------------------------------------------|-----------------|
| Zakretno otklopni mehanizam Turn-tilt mechanism | 1 komplet 1 set |
| Vijak Screw 433.136                             | (2L+2H)/300     |
| Držač stakla Glass suport 521.261               | 2               |

|              |                           |   |
|--------------|---------------------------|---|
| Staklo Glass | (LkrLsa-129)x(HkrHsa-129) | 3 |
|--------------|---------------------------|---|



Izračun dimenzija -RAM FT-0126  
-KRILO FT-0157  
Cutting list - FRAME FT-0126  
- SASH FT-0157

| naziv/kod<br>name/code  | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|-------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b> |                    |              |                         |
| Ram Frame FT-0126       | ML-23              | 2            | 45-45                   |
| Ram Frame FT-0126       | MH-23              | 2            | 45-45                   |
| Krilo Sash FT-0157      | ML-89              | 2            | 45-45                   |
| Krilo Sash FT-0157      | MH-89              | 2            | 45-45                   |

**Kutne spojnice Corner brackets**

|                                       |      |   |
|---------------------------------------|------|---|
| Kutna spojnica Corner bracket 725.101 | .... | 4 |
| Kutna spojnica Corner bracket 710.008 | .... | 4 |
| Kutna spojnica Corner bracket 725.104 | .... | 4 |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |

**Brtve Gaskets**

|                      |       |                 |
|----------------------|-------|-----------------|
| Brtva Gasket 351.018 | ..... | 2L+2H           |
| Brtva Gasket 358.021 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 328.001 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 358.014 | ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 318.001 | ..... | 2L+2H           |

**Okovi i vijci Hardware and screws**



|                                                         |        |
|---------------------------------------------------------|--------|
| Makaze fasadnog ventusa (vrsta ovisno o visini prozora) | 1 par  |
| Friction stays (type depending on window height)        | 1 pair |

Okov fasadnog ventusa sa mogućnošću zaključavanja u više točaka:  
Hung vent hardware with option of multiple locking points:

|                                        |       |         |                                |
|----------------------------------------|-------|---------|--------------------------------|
| Zaključavanje u donjem pojasu:         | ..... | 101.000 | 1                              |
| Lower position locking:                | ..... | 133.003 | 1 (jedno zaklj. one lock)      |
|                                        | ..... | 133.005 | set 1 (tri zaklj. three locks) |
| Zaključavanje u donjem pojasu i bočno: | ..... | 101.000 | 1                              |
| Lower and side position locking:       | ..... | 133.003 | 1                              |
|                                        | ..... | 133.004 | set 1                          |
|                                        | ..... | 133.005 | set 1 (tri zaklj. three locks) |

|                                              |       |             |
|----------------------------------------------|-------|-------------|
| Vijak Screw 433.041                          | ..... | (2L+2H)/300 |
| Sigur. držač Exterior glass support 521.061. |       | 4           |
| Držač stakla Glass support 521.102           | ..... | 2           |

|                                 |       |                   |   |
|---------------------------------|-------|-------------------|---|
| Staklo vanjsko Glass exterior   | ..... | (ML-42)x(MH-42)   | 1 |
| Staklo unutarnje Glass interior | ..... | (ML-152)x(MH-152) | 1 |



Izračun dimenzija - RAM FT-0161  
 - KRILO FT-0162  
 Cutting list - FRAME FT-0161  
 - SASH FT-0162

| naziv/kod<br>name/code  | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|-------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b> |                    |              |                         |
| Ram Frame FT-0161       | ML-20              | 2            | 45-45                   |
| Ram Frame FT-0161       | MH-20              | 2            | 45-45                   |
| Krilo Sash FT-0162      | ML-89              | 2            | 45-45                   |
| Krilo Sash FT-0162      | MH-89              | 2            | 45-45                   |

**Kutne spojnice Corner brackets**

|                                       |      |   |  |
|---------------------------------------|------|---|--|
| Kutna spojnica Corner bracket 725.101 | .... | 8 |  |
| Kutna spojnica Corner bracket 725.401 | .... | 4 |  |
| Kutna spojnica Corner bracket 730.001 | .... | 4 |  |

**Brtve Gaskets**

|                      |       |                 |  |
|----------------------|-------|-----------------|--|
| Brtva Gasket 358.001 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 358.002 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 328.001 | ..... | 2LkrLsa+2HkrHsa |  |
| Brtva Gasket 351.003 | ..... | 2H+L            |  |
| Brtva Gasket 351.004 | ..... | L               |  |
| Brtva Gasket 358.014 | ..... | 2LkrLsa+2HkrLsa |  |
| Brtva Gasket 311.001 | ..... | 2L+2H           |  |



**Okovi i vijci Hardware and screws**

Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.013

Selection of hardware for manual parallel opening depends upon window dimensions - according to the schematic on pages 502.08.007 through 502.08.013

|                                             |       |             |  |
|---------------------------------------------|-------|-------------|--|
| Vijak Screw 433.043                         | ..... | (2L+2H)/300 |  |
| Držač stakla Glass support 521.004          | ..... | 2           |  |
| Sig. držač Exterior glass support 521.041.. | ..... | 4           |  |

|                                 |       |                   |   |
|---------------------------------|-------|-------------------|---|
| Staklo vanjsko Exterior glass   | ..... | (ML-62)x(MH-66)   | 1 |
| Staklo unutarnje Interior glass | ..... | (ML-152)x(MH-152) | 1 |





Izračun dimenzija - RAM FT-0161  
- KRILO FT-0164  
Cutting list - FRAME FT-0161  
- SASH FT-0164

| naziv/kod<br>name/code                    | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|-------------------------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b>                   |                    |              |                         |
| Ram Frame FT-0161 .....                   | ML-20              | 2            | 45-45                   |
| Ram Frame FT-0161 .....                   | MH-20              | 2            | 45-45                   |
| Krilo Sash FT-0164 .....                  | ML-89              | 2            | 45-45                   |
| Krilo Sash FT-0164 .....                  | MH-89              | 2            | 45-45                   |
| Držač motora Motor support F-1129 .....   | ML-62              | 1            | 90-90                   |
| Pokl. lajsna Motor cover cap F-1128 ..... | ML-62              | 1            | 90-90                   |

**Kutne spojnice Corner brackets**

|                                            |   |
|--------------------------------------------|---|
| Kutna spojnica Corner bracket 725.101 .... | 4 |
| Kutna spojnica Corner bracket 725.401 .... | 4 |
| Kutna spojnica Corner bracket 725.010 .... | 4 |
| Kutna spojnica Corner bracket 730.001 .... | 4 |

**Brtve Gaskets**

|                            |                 |
|----------------------------|-----------------|
| Brtva Gasket 351.001 ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.002 ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 328.001 ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 351.003 ..... | 2H+L            |
| Brtva Gasket 351.004 ..... | L               |
| Brtva Gasket 358.014 ..... | 2LkrLsa+2HkrHsa |
| Brtva Gasket 318.001 ..... | 2L+2H           |



**Okovi i vijci Hardware and screws**

Izbor mehanizma za motorno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 502.08.015

Selection of hardware for motorized paralel opening depends upon window dimensions - according to the schematic on pages 502.08.007 through 502.08.015

|                                                   |             |
|---------------------------------------------------|-------------|
| Vijak Screw 433.044 .....                         | (2L+2H)/300 |
| Vijak Screw 433.050 .....                         | (ML-51)/300 |
| Sigur. držač Exterior glass support 521.041. .... | 4           |
| Držač stakla Glass support 521.102 .....          | 2           |

|                                       |                   |   |
|---------------------------------------|-------------------|---|
| Staklo vanjsko Exterior glass .....   | (ML-62)x(MH-66)   | 1 |
| Staklo unutarnje Interior glass ..... | (ML-161)x(MH-161) | 1 |



Izračun dimenzija - RAM FT-0169  
- KRILO FT-0170  
Cutting list - FRAME FT-0169  
- SASH FT-0170

| naziv/kod<br>name/code   | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|--------------------------|--------------------|--------------|-------------------------|
| <b>Profili Profiles</b>  |                    |              |                         |
| Ram Frame FT-0169 .....  | ML-20              | 2            | 45-45                   |
| Ram Frame FT-0169 .....  | MH-20              | 2            | 45-45                   |
| Krilo Sash FT-0170 ..... | ML-88.5            | 2            | 45-45                   |
| Krilo Sash FT-0170 ..... | MH-88.5            | 2            | 45-45                   |

**Kutne spojnice Corner brackets**

|                                            |   |
|--------------------------------------------|---|
| Kutna spojnica Corner bracket 725.101 .... | 4 |
| Kutna spojnica Corner bracket 725.205 .... | 4 |
| Kutna spojnica Corner bracket 725.010 .... | 4 |
| Kutna spojnica Corner bracket 710.153 .... | 4 |
| Kutna spojnica Corner bracket 730.001 .... | 4 |

**Brtve Gaskets**

|                                            |                           |
|--------------------------------------------|---------------------------|
| Brtva Gasket 351.001 .....                 | 2LkrLsa+2HkrHsa           |
| Brtva Gasket 351.002 .....                 | 2LkrLsa+2HkrHsa           |
| Brtva Gasket 328.001 .....                 | 2LkrLsa+2HkrHsa           |
| Brtva Gasket 351.003 .....                 | 2H+L                      |
| Brtva Gasket 351.004 .....                 | L                         |
| Brtva Gasket 358.011 .....                 | 2LkrLsa+2HkrHsa           |
| Brtva Gasket 318.002 .....                 | 2L+2H                     |
| Izolacijski umetak Isolation 340.013 ..... | 2(LkrLsa-53)+2(HkrHsa-76) |



**Okovi i vijci Hardware and screws**

Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 501.06.013

Selection of hardware for manual parallel opening depends upon window dimensions - according to the schematic on pages 502.08.007 do 502.08.013

|                                             |             |
|---------------------------------------------|-------------|
| Vijak Screw 433.043 .....                   | (2L+2H)/300 |
| Držač stakla Glass support 521.014 .....    | 2           |
| Sig. držač Exterior glass support 521.041.. | 4           |

|                                       |                   |   |
|---------------------------------------|-------------------|---|
| Staklo vanjsko Exterior glass .....   | (ML-63)x(MH-63)   | 1 |
| Staklo unutarnje Interior glass ..... | (ML-162)x(MH-162) | 1 |





Izračun dimenzija - RAM FT-0169  
- KRILO FT-0186  
Cutting list - FRAME FT-0169  
- SASH FT-0186

| naziv/kod<br>name/code | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|------------------------|--------------------|--------------|-------------------------|
|------------------------|--------------------|--------------|-------------------------|

**Profili Profiles**

|                    |         |   |       |
|--------------------|---------|---|-------|
| Ram Frame FT-0169  | ML-20   | 2 | 45-45 |
| Ram Frame FT-0169  | MH-20   | 2 | 45-45 |
| Krilo Sash FT-0186 | ML-88.5 | 2 | 45-45 |
| Krilo Sash FT-0186 | MH-88.5 | 2 | 45-45 |

**Kutne spojnice Corner brackets**

|                                       |   |
|---------------------------------------|---|
| Kutna spojnica Corner bracket 725.101 | 8 |
| Kutna spojnica Corner bracket 725.205 | 4 |
| Kutna spojnica Corner bracket 710.153 | 4 |

**Brtve Gaskets**

|                      |                 |
|----------------------|-----------------|
| Brтва Gasket 351.001 | 2LkrLsa+2HkrHsa |
| Brтва Gasket 351.002 | 2LkrLsa+2HkrHsa |
| Brтва Gasket 328.001 | 2LkrLsa+2HkrHsa |
| Brтва Gasket 351.003 | 2H+L            |
| Brтва Gasket 351.004 | L               |
| Brтва Gasket 358.011 | 2LkrLsa+2HkrHsa |
| Brтва Gasket 318.002 | 2L+2H           |



**Okovi i vijci Hardware and screws**


Izbor mehanizma za ručno paralelno otvaranje ovisno o dimenzijama otvora - prema shemama okova str.502.08.007 do 501.06.013

Selection of hardware for manual paralel opening depends upon window dimensions - according to the schematic on pages 502.08.007 do 502.08.013

|                                             |             |
|---------------------------------------------|-------------|
| Vijak Screw 433.043                         | (2L+2H)/300 |
| Sig. držač Exterior glass support 521.041.. | 4           |

|                                 |                   |   |
|---------------------------------|-------------------|---|
| Staklo vanjsko Exterior glass   | (ML-63)x(MH-63)   | 1 |
| Staklo unutarnje Interior glass | (ML-151)x(MH-151) | 1 |





Izračun dimenzija - RAM FT-0125  
- KRILO FT-0124  
Cutting list - FRAME FT-0125  
- SASH FT-0124



| naziv/kod<br>name/code     | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|----------------------------|--------------------|--------------|-------------------------|
| Ram Frame FT-0125          | ML-30              | 2            | 45-45                   |
| Ram Frame FT-0125          | MH-30              | 2            | 45-45                   |
| Krilo Sash FT-0124         | ML-101             | 2            | 45-45                   |
| Krilo Sash FT-0124         | MH-101             | 2            | 45-45                   |
| Lajsna Glazing bead F-0796 | ML-57.5            | 2            | 45-45                   |
| Lajsna Glazing bead F-0796 | MH-57.5            | 2            | 45-45                   |

| OKOVI HARDWARE                                                                                             |        |                | kom pcs. | mjera dimension |
|------------------------------------------------------------------------------------------------------------|--------|----------------|----------|-----------------|
| 725.006                                                                                                    | kutnik | corner bracket | 4        |                 |
| 725.007                                                                                                    | kutnik | corner bracket | 4        |                 |
| 725.005                                                                                                    | kutnik | corner bracket | 4        |                 |
| 725.201                                                                                                    | kutnik | corner bracket | 4        |                 |
| 725.202                                                                                                    | kutnik | corner bracket | 4        |                 |
| 111.006                                                                                                    | šarka  | hinge          | 2        |                 |
| Elektropodizač (motor) prozora<br>ELTRAL S80 (G-U)<br>Spindle drive for window opening<br>ELTRAL S80 (G-U) |        |                | 1        |                 |

| BRTVE GASKETS |                              |                         |       |
|---------------|------------------------------|-------------------------|-------|
| 358.013       | srednja brtva                | central gasket          | 2L+2H |
| 322.004       | brtva na spoju profila       | gasket on profile joint | 2L+2H |
| 358.011       | brtva prema staklu unutarnja | interior glass gasket   | 2L+2H |
| 311.001       | brtva prema staklu vanjska   | exterior glass gasket   | 2L+2H |

| STAKLO GLASS |   |                   |  |
|--------------|---|-------------------|--|
| 30 mm        | 1 | (ML-174)x(MH-174) |  |





Izračun dimenzija - RAM FT-0125  
- KRILO FT-0124  
Cutting list - FRAME FT-0125  
- SASH FT-0124

| naziv/kod<br>name/code     | mjera<br>dimension | kom.<br>pcs. | pilanje<br>sawing angle |
|----------------------------|--------------------|--------------|-------------------------|
| Ram Frame FT-0125          | ML-30              | 2            | 45-45                   |
| Ram Frame FT-0125          | MH-30              | 2            | 45-45                   |
| Krilo Sash FT-0124         | ML-101             | 2            | 45-45                   |
| Krilo Sash FT-0124         | MH-101             | 2            | 45-45                   |
| Lajsna Glazing bead F-1572 | ML-57.5            | 2            | 45-45                   |
| Lajsna Glazing bead F-1572 | MH-57.5            | 2            | 45-45                   |

| OKOVI<br>HARDWARE | kom<br>pcs. | mjera<br>dimension |
|-------------------|-------------|--------------------|
|-------------------|-------------|--------------------|

|         |                       |   |
|---------|-----------------------|---|
| 725.006 | kutnik corner bracket | 4 |
| 725.007 | kutnik corner bracket | 4 |
| 725.005 | kutnik corner bracket | 4 |
| 725.201 | kutnik corner bracket | 4 |
| 725.208 | kutnik corner bracket | 4 |
| 111.006 | šarka hinge           | 2 |



Elektropodizač (motor) prozora  
ELTRAL S80 (G-U)  
Spindle drive for window opening  
ELTRAL S80 (G-U)

## BRTVE GASKETS

|         |                                                    |       |
|---------|----------------------------------------------------|-------|
| 358.013 | srednja brtva central gasket                       | 2L+2H |
| 322.004 | brtva na spoju profila gasket on profile joint     | 2L+2H |
| 358.013 | brtva prema staklu unutarnja interior glass gasket | 2L+2H |
| 311.001 | brtva prema staklu vanjska exterior glass gasket   | 2L+2H |

## STAKLO GLASS

|       |   |                   |
|-------|---|-------------------|
| 53 mm | 1 | (ML-174)x(MH-174) |
|-------|---|-------------------|





# FEAL



Skenirajte QR kod i registrirajte  
se na [partner.feal.ba](https://partner.feal.ba)

*Scan the QR code and register  
on [partner.feal.ba](https://partner.feal.ba)*

## 60 K

Knjiga B / *Book B*

*Travanj 2025. / April 2025*

FEAL d.o.o.

Trnska cesta 146

88220 Široki Brijeg

Bosna i Hercegovina

Tel. +387 39 704-269; 705-807; 705-636

Fax. +387 39 704-358

[info@feal.ba](mailto:info@feal.ba)

[www.feal.ba](https://www.feal.ba)