


FEAL



TERMO 120

PODIZNO-KLIZNA VRATA

LIFT & SLIDE DOORS







Knjiga B / Book B







SADRŽAJ






CONTENT

06	VEZNI ELEMENTI	406.06.000-000
06	CONNECTION ELEMENTS	406.06.000-000
07	PVC ELEMENTI	406.07.000-000
07	PVC ELEMENTS	406.07.000-000
08	MEHANIZMI	406.08.000-000
08	MECHANISMS	406.08.000-013
09	BRTVILA	406.09.000-000
09	GASKETS	406.09.000-000
10	DODACI	406.10.000-000
10	ACCESSORIES	406.10.000-000
11	OBRADA I MONTAŽA	406.11.000-000
11	PROCESSING AND MONTAGE	406.11.000-000
12	REZNE LISTE	406.12.000-000
12	CUTTING LISTS	406.12.000-000







Vezni elementi Connection elements







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
710.011		- Kutna spojnica 7.5, L=7.5 (Stara oznaka: K 120-3) - Corner bracket 7.5, L=7.5 (Former code: K 120-3)	Al.	
710.066		- Veznik, L= 14.7 (Stara oznaka E-200) - Connector, L=14.7 (Former code E-200)	Al.	
710.428		- Spojnica ramova (FT-0722F) 44, L=4 (s vijcima) - Frame connector (FT-0722F) 44, L=4 (with screws)	Al.	
710.429		- Spojnica ramova (FT-0722F) 24.6, L=14.6 (s vijcima) - Frame connector (FT-0722F) 24.6, L=14.6 (with screws)	Al.	
710.430		- Spojnica ramova (FT-0722F) 4.5, L=15.5 - Frame connector (FT-0722F) 4.5, L=15.5	Al.	
710.445		- Kutna spojnica 12.5, L=17.5 (s vijcima) - Corner bracket 12.5, L=17.5 (with screws)	Al.	







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
710.478	 M8x13	- Kutna spojnica 12.5, L=69.3 (s vijcima) - Corner bracket 12.5, L=63.9 (with screws)	Al.	
710.504	 M6x16	- Kutna spojnica 16, L=10.8 (s vijcima) - Corner bracket 16, L=10.8 (with screws)	Al.	
710.552	 4.8x16 DIN 7382	- Spojnica rama (FT-0720F) 14.6, L=4 (s vijcima) - Frame connector (FT-0720F) 14.6, L=4 (with screws)	Al.	
710.599		- Kutna spojnica 8, L=7.8 - Corner bracket 8, L=7.8	Al.	
710.600	 M6x12	- Kutna spojnica 10, L=10.7 (s vijcima) - Corner bracket 10, L=10.7 (with screws)	Al.	
710.620	 M6x12	- Spojnica ramova (FT-0720F) 34.6, L=10.7 (s vijcima) - Frame connector (FT-0720F) 34.6, L=10.7 (with screws)	Al.	







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
730.001		- Kutna spojnica za komoru 4.8x2 (Stara oznaka: G112, 0365) - Corner bracket for chamber 4.8x2 (Former code: G112, 0365)	Inox	
730.008		- Kutna spojnica 14.5, L=28.5 (Stara oznaka: 0409,1001) - Corner bracket 14.5, L=28.5 (Former code: 0409,1001)	Al.	
730.013		- Kutna spojnica 10.8, L=41 (Stara oznaka: 0432) - Corner bracket 10.8, L=41 (Former code: 0432)	Al.	
730.017		- Pomoćni kutnik 18.7 - Auxiliary corner bracket 18.7	Zamak	
731.010		- Kutna spojnica za komoru 19.1x1.6 (Stara oznaka 2019/500) - Chamber corner bracket 19.1x1.6 (Former code 2019/500)	Zamak	
521.189		- Bočni umetak za kadicu (F-1479; F-1480; F-1478) - Side insert for draitub (F-1479; F-1480; F-1478)	Al.	



PVC elementi PVC elements

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
363.049		- Umetak za spoj dva krila pod 90° - Insert plug for two wings connection at 90°	Tvrda guma Hard rubber	Par Pair
370.000 370.001 370.002		- Podmetači za staklo - Glazing packers d=3 mm.....370.000 d=5 mm.....370.001 d=7mm.....370.002 (L x H = 18 x 27 mm)	PVC	
370.070.01 03		- Maska sa klapnom za drenažni otvor - Oznaka proizvođača Master: 2145 - Boje: 01- bijela; 03- crna - Drainage slot mask with a flap - Manufacturer code Master: 2145 - Color: 01- white; 03- black	PVC	
373.003.01 02 03		- Maska za drenažni otvor - Boje: 01- bijela; 02-siva; 03- crna (Stara oznaka: 2328) - Drainage slot mask - Color: 01- white; 02- gray; 03- black (Former code: 2328)	PVC	
373.060		- Usmjerivač krila FT-0725F - Wing guide FT-0725F	PVC	
373.061		- Usmjerivač krila FT-0727 - Wing guide FT-0727	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
374.037		- PVC profil za ugradnju - PVC profile for installation	Tvrdi PVC Hard PVC	80 ShD
374.052		- Pvc umetak u krilu FT-0725F za kotače HS-330 * Uvlačiti prije sastavljanja krila - PVC wing insert FT-0725F for rollers HS-330 * Pull in before assembling the wings	PVC	
374.060		- Umetak za podizno-klizno za bravu (krilo FT-0725F) - Stara oznaka PVC-N2 * Uvlačiti prije sastavljanja krila - Lift-and-slide insert for lock (sash FT-0725F) - Old code PVC-N2 * Pull in before assembling the wings	PVC	
374.068		- Umetak za kotačiće podizno kliznog mehanizma (niski prag) krilo FT-0725F * Uvlačiti prije sastavljanja krila - Insert for lift-slide mechanism wheels (low threshold) sash FT-0725F * Pull in before assembling the wings	PVC	
374.069		- PVC profil za ugradnju (65x15) - PVC profile for installation (65x15)	PVC	
374.070		- PVC profil za ugradnju (50x15) - PVC profile for installation (50x15)	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
374.075		- Pvc umetak na spoju dva krila, krila i prečke - Krilo FT-0725F - PVC insert at the junction of two sashes, sash and crossbar - Sash FT-0725F	PVC	
374.088		- Umetak na spoju dva krila, krila i prečke - krilo FT-0727 - Insert at the junction of two sashes, sash and crossbar - sash FT-0727	PVC	
374.116		- Pvc umetak u krilu FT-0727 za kotače HS-200 - PVC insert in the sash FT-0727 for wheels HS-200	PVC	
374.117		- Umetak za podizno-klizno za bravu (krilo FT-0727) - Lift-and-slide insert for lock (wing FT-0727)	PVC	
374.118		- Umetak za kotače podizno kliznog mehanizma (niski prag) krilo FT-0727 - Insert for lift-slide mechanism wheels (low threshold) sash FT-0727	PVC	
374.121		- Umetak na spoju dva krila, krila i prečke - krilo FT-0728 - Insert at the junction of two sashes, sash and crossbar - sash FT-0728	PVC	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
375.016.01 02 03		- Umetak maske krila (Stara oznaka: DI-261) - Sash mask cap (Former code DI-261)	PVC	Par Pair
375.018.01		- Umetak profila F-1231 (Stara oznaka DI-269) - Profile plug F-1231; pair (Former code DI-269)	PVC	Par Pair
375.020		- Odbojnik na krilu (Stara oznaka OK-120-01) - Sash bumper (Former code OK-120-01)	Tvrda guma	
375.065		- Bočni Umetci za niski prag Termo 120 plus - Side plugs for low threshold Termo 120 plus	PVC	Par Pair
375.066		- Donji umetak maske krila za Termo 120 plus niski prag-lijevi - Lower sash cover cap for Termo 120 plus low threshold-left	PVC	
375.067		- Donji umetak maske krila za Termo 120 plus niski prag-desni - Lower sash cover cap for Termo 120 plus low threshold-right	PVC	


Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
378.001		- Umetak po obodu rama - Insert around the perimeter of the frame	PA66GF25 Standard	
	M1:2			
340.047		- Mreža komarice - Mosquito net	PVC	
373.077		- Umetak na spoju rama FT-0722F i prečke FT-0736F - Insert at the junction of the frame FT-0722F and mullion FT-0736F	Tvrda guma	

Mehanizmi Mechanisms


- Popis elemenata s kodovima Hautau Atrium HS 330 i Feal
- Item description with codes of Hautau Atrium HS 330 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Sfira dijela Hautau Item code (Hautau)	Sfira dijela Feal Item code (Feal)		
2	3	4	1	2	2	1	Set kotača HS 330 Bogie,handle side (1) (2)	302311	149.053		
2	3	4	1	2	2	1	Dodaci Alu-HS 330 Accessories Alu-HS 330 (10) (11) (12) (13) (31)	188636	149.002		
2	3	4	1	2	2	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) (4) (30)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011		
2	3	4	1	2	2	1	Brava HS 200 (3) Espag HS 200	Gr. 180	Fh. 1200-1800	195419	149.007
								210	1801-2100	195425	149.008
								240	2101-2400	195431	149.009
								270	2401-2700	195437	149.010
2	3	4	1	2	2	1	Spojnica kotača (5) Connection rod	Gr. 150	Fb. 720-1500	184578	149.011
								200	1501-2000	184581	149.012
								250	2001-2500	184584	149.013
								323	2501-3235	184587	149.014
2	3	4	1	2	2	1	Podmetači pod bravu Packer espag. (8)	305466	149.049		
2	4	4	2	4	4	2	Dodaci za odbojnik krila Accessories Sash buffer,top (18)	Bijela White	Crna Black	Siva Grey	149.024
								187480	187477	239855	
4	4	6	2	4	2	2	Zapinjač na ramu Locking bolt (6)	214401	149.006		
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija *Locking bolt (night vent) (7)	214404	149.004		
2	3	4	1	2	2	1	Dodatni vijci Accessories screws (14)	214407	149.018		


*Opcija
*Option




Schema D
Schema D




Schema H
Schema H




Schema F
Schema F




Schema A
Schema A



Schema B
Schema B



Schema C
Schema C






Schema G-2
Schema G-2

HAUTAU ATRIUM ALU-HS 200

HAUTAU ATRIUM ALU-HS 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
1	Kotači, na strani ručke Bogie handle side	10	Odbojnik krila Sash buffer
2	Kotači Bogie	11	Samopričvrtni spojni vijci Connecting screw self trapping
3	Brava 27.5mm Espag 27.5mm	12	Čep Cap
4	LM ručka s vijcima LM handle incl.screws	13	Pričvrzne matice za točkice Growth pin
5	Spojnica kotača Connection rod	14	Vijci Screws
6	Zapinjač na ramu Locking bolt	18	Odbojnik krila, gore Sash buffer, top (optional)
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt, night vent	30	Vanjski rukohvatnik s vijcima External finger grip incl.screws
8	Podmetači pod bravu Packer espag.		





- Osnovni set za podizno klizna vrata (HAUTAU).....149.033
- Hautau kod seta 303127
- Basic set for lift and slide door (HAUTAU).....149.033
- Hautau set code 303127

PODIZNO-KLIZNI MEHANIZAM ATRIUM Alu-HS 330 (HS 330)-(HAUTAU)

-za krilo FT-0725

-težina krila max. 330 kg

-mjere krila Fb x Fh = (720-3235) x (1200-2700)

-položaj ručke

-vrata (Fh 1801-2400).....1006 mm

LIFT-SLIDE MECHANISM ATRIUM Alu-HS (HS 330)-(HAUTAU)



-for sach FT-0725

-sash weight max. 330 kg






-sash measurements Fb x Fh = (720-3235) x (1200-2700)

-hande position

-door (Fh 1801-2400)..... 1006 mm



Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacturer code	Kom.Num.
1	Kotači za Atrium Alu-HS 330 Bogies Atrium Alu-HS 330	302311	1
2	Prčvrzne matice za meh. i kotačiće Grooved pin	188636	1
3	Zatvarači Locking bolt	214401	2
4	Podmetači pod bravu Packer espag.	305466	1(pak.)





Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 200

Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 200

Montaža prihvatnika na ramu
Mounting acceptor on frame


	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900
Gr.270	750	1200	2200




- Popis elemenata s kodovima Hautau Atrium HS 200 i Feal
- Item description with codes of Hautau Atrium HS 200 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Sifra dijela Hautau Item code (Hautau)	Sifra dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača HS 200 Bogie, handle side (1) (2) (42) (42a)	193720	149.046
2	3	4	1	2	2	1	Dodaci Alu-HS 200 Accessories Alu-HS 200 (10) (11) (12) (13)	189490	149.047
2	3	4	1	2	2	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) (4) (4a) (30) (4d)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	3	4	1	2	2	1	Brava HS 120 (3) Espag HS 120 Gr. 180 1200-1800 210 1801-2100 240 2101-2400	246866 246869 246872	149.036 149.037 149.038
2	3	4	1	2	2	1	Spojnicica kotača (5) Connection rod Gr. 150 650-1360 200 1361-1860 250 1861-2360	184578 184581 184584	149.011 149.012 149.013
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer, top	Bijela White 187480 Crna Black 187477 Siva Grey 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu, noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci Accessories screws (14)	198285	149.050


*Opcija
*Option




Schema D
Schema D




Schema H
Schema H




Schema F
Schema F




Schema A
Schema A



Schema B
Schema B



Schema C
Schema C






Schema G-2
Schema G-2

HAUTAU ATRIUM ALU-HS 200

HAUTAU ATRIUM ALU-HS 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
1	Kotači, na strani ručke Bogie handle side	12	Čep Cap
2	Kotači Bogie	13	Pricvrzne matice za točkice Growed pin
3	Brava 25mm Espag 25mm	14	Vijci Screws
4	LM ručka s vijcima LM handle incl.screws	18	Odbojnik krila, gore Sash buffer, top (optional)
4a	LM ručka s ključanjem i vijcima LM handle, with lock and screws	30 4d	Vanjski rukohvatnik s vijcima External finger grip incl.screws
5	Spojnica kotača Connection rod	42	Podmetač za točkice 22mm žlijeb Spacer for bogie HS 200 (22mm groove)
6	Zapinjač na ramu Locking bolt	42a	Podmetač za točkice 18mm žlijeb Spacer for bogie HS 200 (18mm groove)
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt, night vent		
10	Odbojnik krila Sash buffer		
11	Samopricvrtni spojni vijci Connecting screw self trapping		





- Osnovni set za podizno klizna vrata (HAUTAU).....149.034
- Hautau kod seta 303128
- Basic set for lift and slide door (HAUTAU).....149.034
- Hautau set code 303128

PODIZNO-KLIZNI MEHANIZAM ATRIUM Alu-HS 200 (HS 200)-(HAUTAU)

-za krilo FT-0727

-težina krila max. 200 kg

-mjere krila Fb x Fh = (650-2360) x (1200-2400)

-položaj ručke

-vrata (Fh 1801-2400).....1006 mm

LIFT-SLIDE MECHANISM ATRIUM Alu-HS (HS 200)-(HAUTAU)

-for sach FT-0727

-sash weight max. 200 kg

-sash measurements Fb x Fh = (650-2360) x (1200-2400)

-hande position

-door (Fh 1801-2400)..... 1006 mm




Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacturer code	Kom.Num.
1	Kotači za Atrium Alu-HS 200 Bogies Atrium Alu-HS 200	193720	1
2	Prčvrzne matice za meh. i kotačiće Grooved pin	189490	1
3	Zatvarači Locking bolt	214401	2




②^b

②



②





Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 200

Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 200

Montaža prihvatnika na ramu


	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900




- Popis elemenata s kodovima Hautau Atrium S 330 i Feal
- Item description with codes of Hautau Atrium S 330 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šifra dijela Hautau Item code (Hautau)	Šifra dijela Feal Item code (Feal)			
2	3	4	1	2	2	1	Set kotača S 330 Bogie,handle side ②	302369	149.051			
2	2	3	1	2	1	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) ④ ③⑩	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011			
2	2	3	1	2	1	1	Gr.	Fh.				
							180	1200-1800	195419	149.007		
							210	1801-2100	195425	149.008		
							240	2101-2400	195431	149.009		
							270	2401-2700	195437	149.010		
2	2	3	1	2	1	1	Podmetači pod bravu Packer espag. ⑧	305466	149.049			
2	4	4	2	4	4	2	Dodaci za odbojnik krila Accessories Sash buffer,top ⑱	Bijela White	Crna Black	Siva Grey	187480 187477 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu Locking bolt ⑥	214401	149.006			
2	2	2	1	2	1	1	*Zapinjač na ramu,noćna ventilacija ⑦ *Locking bolt (night vent)	214404	149.004			
2	3	4	1	2	2	1	Dodatni vijci Accessories screws ⑭	214407	149.018			


*Opcija
*Option




Shema D
Schema D




Shema H
Schema H




Shema F
Schema F




Shema A
Schema A



Shema B
Schema B



Shema C
Schema C







Shema G-2
Schema G-2

HAUTAU ATRIUM ALU-HS 200

HAUTAU ATRIUM ALU-HS 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
2	Kotačići Bogie	18	Odbojnik krila, gore Sash buffer, top (optional)
3	Brava 27.5mm Espag 27.5mm	30	Vanjski rukohvatnik s vijcima External finger grip incl.screws
4	LM ručka s vijcima LM handle incl.screws		
6	Zapinjač na ramu Locking bolt		
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent		
8	Podmetači pod bravu Packer espag.		
10	Odbojnik krila Sash buffer		
14	Vijci Screws		





- Osnovni set za klizna vrata (HAUTAU).....149.039

- Hautau kod seta 303153

- Basic set for slide door (HAUTAU).....149.039

- Hautau set code 303153

KLIZNI MEHANIZAM ATRIUM Alu-S 330 (S 330)-(HAUTAU)

-za krilo FT-0725

-težina krila max. 330 kg

-mjere krila Fb x Fh = (720-3235) x (1200-2700)

-položaj ručke

-vrata (Fh 1801-2400).....1006 mm

SLIDE MECHANISM ATRIUM Alu-S (S 330)-(HAUTAU)


-for sach FT-0725

-sash weight max. 330 kg


-sash measurements Fb x Fh = (720-3235) x (1200-2700)

-hande position


-door (Fh 1801-2400)..... 1006 mm




④




④





④



④



④





Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacturer code	Kom.Num.
2	Kotači za Atrium Alu-S 330 Bogies Atrium Alu-S 330	302369	1
3	Zatvarači Locking bolt	214401	2
4	Podmetači pod bravu Packer espag.	305466	1(pak.)

Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 200

Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 200

Montaža prihvatnika na ramu
Mounting acceptor on frame


	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900
Gr.270	750	1200	2200




- Popis elemenata s kodovima Hautau Atrium HS 200 i Feal
- Item description with codes of Hautau Atrium HS 200 and Feal

D	H	F	A	B	C	G-2	Naziv dijela i pozicija Part Name and position	Šifra dijela Hautau Item code (Hautau)	Šifra dijela Feal Item code (Feal)
2	3	4	1	2	2	1	Set kotača HS 200 Bogie, handle side (2) (42) (42a)	215004	149.052
2	2	3	1	2	1	1	Set ručke (HAUTAU DESIGN) Carton handle set (HAUTAU-DESIGN) (4) (4a) (30) (4d)	str. 406.08.011 page 406.08.011	str. 406.08.011 page 406.08.011
2	2	3	1	2	1	1	Brava HS 120 (3) Espag HS 120 Gr. 180 Fh. 1200-1800 210 1801-2100 240 2101-2400	246866 246869 246872	149.036 149.037 149.038
2	4	4	2	4	4	2	Dodaci za odbojnik krila (18) Accessories Sash buffer, top	Bijela Crna Siva White Black Grey 187480 187477 239855	149.024
4	4	6	2	4	2	2	Zapinjač na ramu (6) Locking bolt	214401	149.006
2	2	2	1	2	1	1	*Zapinjač na ramu, noćna ventilacija (7) *Locking bolt (night vent)	214404	149.004
2	3	4	1	2	2	1	Dodatni vijci (14) Accessories screws	198285	149.050


*Opcija
*Option




Shema D
Schema D




Shema H
Schema H




Shema F
Schema F




Shema A
Schema A



Shema B
Schema B



Shema C
Schema C






Shema G-2
Schema G-2

HAUTAU ATRIUM ALU-HS 200

HAUTAU ATRIUM ALU-HS 200

Poz.Pos.	Naziv dijela Part Name	Poz.Pos.	Naziv dijela Part Name
2	Kotlačići Bogie	14	Vijci Screws
3	Brava 25mm Espaq 25mm	18	Odbojnik krila, gore Sash buffer, top (optional)
4	LM ručka s vijcima LM handle incl.screws	30 4d	Vanjski rukohvatnik s vijcima External finger grip incl.screws
4a	LM ručka,s ključanjem i vijcima LM handle, with lock and screws	42	Podmetač za točkice 22mm žlijeb Spacer for bogie HS 200 (22mm groove)
6	Zapinjač na ramu Locking bolt		
7	Zapinjač na ramu za noćnu ventilaciju Locking bolt,night vent	42a	Podmetač za točkice 18mm žlijeb Spacer for bogie HS 200 (18mm groove)
10	Odbojnik krila Sash buffer		





- Osnovni set za podizno klizna vrata (HAUTAU).....149.040
- Hautau kod seta 303154
- Basic set for lift and slide door (HAUTAU).....149.040
- Hautau set code 303154

KLIZNI MEHANIZAM ATRIUM Alu-S 200 (S 200)-(HAUTAU)

-za krilo FT-0727

-težina krila max. 200 kg

-mjere krila Fb x Fh = (650-2360) x (1200-2400)

-položaj ručke

-vrata (Fh 1801-2400).....1006 mm

SLIDE MECHANISM ATRIUM Alu-S (S 200)-(HAUTAU)

-for sach FT-0727

-sash weight max. 200 kg



-sash measurements Fb x Fh = (650-2360) x (1200-2400)

-hande position

-door (Fh 1801-2400)..... 1006 mm



Poz.Pos.	Naziv dijela Part Name	Oznaka proizvođača Manufacturer code	Kom.Num.
2	Kotači za Atrium Alu-HS 200 Bogies Atrium Alu-HS 200	215004	1
3	Zatvarači Locking bolt	214401	2





Montažne mjere za podizno-klizni mehanizam ATRIUM ALU-HS 200


Mounting measurements for lift and slide mechanism ATRIUM ALU-HS 200






Montaža prihvatnika na ramu
Mounting acceptor on frame




	A	B	C
Gr.180	-	600	1000
Gr.210	750	1200	1600
Gr.240	750	1200	1900











Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.007		- Brava za ključanje HS 200 vel. 180 - Oznaka proizvođača 195419 (Fh 1200-1800) - Espagnolette HS 200 size 180 - Manufacturer's code 195419 (Fh 1200-1800)		
149.008		- Brava za ključanje HS 200 vel. 210 - Oznaka proizvođača 195425 (Fh 1801-2100) - Espagnolette HS 200 size 210 - Manufacturer's mark 195425 (Fh 1801-2100)		
149.009		- Brava za ključanje HS 200 vel. 240 - Oznaka proizvođača 195431 (Fh 2101-2400) - Espagnolette HS 200 size 240 - Manufacturer's mark 195431 (Fh 2101-2400)		
149.010		- Brava za ključanje HS 200 vel. 270 - Oznaka proizvođača 195437 (Fh 2401-2700) - Espagnolette HS 200 size 270 - Manufacturer's code 195437 (Fh 2401-2700) Hautau		
149.036		- Brava za ključanje HS 120 vel. 180 - Oznaka proizvođača 246866 (Fh 1200-1800) - Espagnolette HS 120 size 180 - Manufacturer's code 246866 (Fh 1200-1800)		
149.037		- Brava za ključanje HS 120 vel. 210 - Oznaka proizvođača 246869 (Fh 1801-2100) - Espagnolette HS 120 size 210 - Manufacturer's code 246869 (Fh 1801-2100)		
149.038		- Brava za ključanje HS 120 vel. 240 - Oznaka proizvođača 246872 (Fh 2101-2400) - Espagnolette HS 120 size 240 - Manufacturer's code 246872 (Fh 2101-2400) Hautau		

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.004		- Zapinjač na ramu (ventilacijski) - Oznaka proizvođača: 214404 - Frame locking bolt (ventilation) - Manufacturer's code: 214404	Hautau	
149.006		- Zapinjač na ramu - Oznaka proizvođača: 214401 - Frame locking bolt - Manufacturer's code: 214401	Hautau	
149.017		- Donje ključanje-prag (HAUTAU) - Oznaka proizvođača: 186934 - Lower locking-threshold (HAUTAU) - Manufacturer's code: 186934	Hautau	
149.043		- Opruga za bravu podizno kliznog mehanizma (lakše otvaranje ručke) <200 kg - Oznaka proizvođača: 239654 (Atrium HS -Soft Lift) - Spring for the espagnolette of the lifting sliding mechanism (easier opening of the handle) <200 kg - Manufacturer's mark: 239654 (Atrium HS -Soft Lift)	Hautau	
149.044		- Opruga za bravu podizno kliznog mehanizma (lakše otvaranje ručke) >200 kg - Oznaka proizvođača: 239657 (Atrium HS -Soft Lift) - Spring for the espagnolette of the lifting sliding mechanism (easier opening of the handle) >200 kg - Manufacturer's mark: 239657 (Atrium HS -Soft Lift)	Hautau	







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
149.011		- Spojnica kotača vel. 150 (HAUTAU) - Oznaka proizvođača 184578 (Fb 720-1500) - wheel connection rod size 150 (HAUTAU) - Manufacturer's code 184578 (Fb 720-1500)		
149.012		- Spojnica kotača vel. 200 - Oznaka proizvođača 184581 (Fb 1501-2000) - wheel connection rod size 200 (HAUTAU) - Manufacturer's code 184581 (Fb 1501-2000)		
149.013		- Spojnica kotača vel. 250 - Oznaka proizvođača 184584 (Fb 2001-2500) - wheel connection rod size 250 (HAUTAU) - Manufacturer's code 184584 (Fb 2001-2500)		
149.014		- Spojnica kotača vel. 323 - Oznaka proizvođača 184587 (Fb 2501-3235) - wheel connection rod size 323 (HAUTAU) - Manufacturer's code 184587 (Fb 2501-3235) Hautau		
149.030		- Usporivač krila za težine krila ≤ 200 kg - Oznaka proizvođača:300359 (Atrium comfort close) - Sash slower for sash weights ≤ 200 kg - Manufacturer's code: 300359 (Atrium comfort close) Hautau		
149.031		- Usporivač krila za težine krila > 200-300 kg - Oznaka proizvođača:300360 (Atrium comfort close) - Sash slower for sash weights > 200 kg-300kg - Manufacturer's code: 300360 (Atrium comfort close) Hautau		
149.032		- Usporivač krila-dodatak na ramu - Oznaka proizvođača:300380 (Atrium comfort close) - Wing slower-an addition to the frame - Manufacturer's code: 300380 (Atrium comfort close) Hautau		
149.042		- Osnovni komplet za protuprovalnost WK2 - Oznaka proizvođača:228487 (Atrium HS -Safe) - Basic anti-burglary set WK2 - Manufacturer's code: 228487 (Atrium HS -Safe) Hautau		





Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.001.01 03 04 06		- Unutarnja ručka (bez vanjskog prihvatnika) - Oznaka proizvođača 196853 (RAL 9016) 196859 (crna) na upit (natural) 246230 (srebrena) - Internal handle (without external catch) - Manufacturer's code 196853 (RAL 9016) 196859 (black) on request (natural) 246230 (silver)		
		Hautau		
108.002.01 03 04 06		- Unutarnja ručka sa cilindrom za ključanje (bez vanjskog prihvatnika) - Oznaka proizvođača 196868 (RAL 9016) 196871 (crna) na upit (natural) 246242 (srebrena) - Internal handle with locking cylinder (without external catch) - Manufacturer's code 196868 (RAL 9016) 196871 (black) on request (natural) 246242 (silver)		
		Hautau		
108.003.01 03 04 06		- Unutarnja ručka (bez vanjskog prihvatnika i osovine) - Oznaka proizvođača 246287 (RAL 9016) 246272 (crna) 246182 (natural) 246236 (srebrena) - Internal handle (without external catch and shaft) - Manufacturer's mark 246287 (RAL 9016) 246272 (black) 246182 (natural) 246236 (silver)		
		Hautau		
108.004.01 03 04 06		- Unutarnja ručka sa cilindrom za ključanje (bez vanjskog prihvatnika i osovine) - Oznaka proizvođača 246290 (RAL 9016) 246275 (crna) 246185 (natural) 246248 (srebrena) - Internal handle with locking cylinder (without external catch holder and shaft) - Manufacturer's code 246290 (RAL 9016) 246275 (black) 246185 (natural) 246248 (silver)		
		Hautau		
108.005.01 03 04 06		- Vanjska ručka sa cilindrom za ključanje (bez osovine) - Oznaka proizvođača 246293 (RAL 9016) 246278 (crna) 246188 (natural) 246254 (srebrena) - External handle with locking cylinder (without shaft) - Manufacturer's code 246293 (RAL 9016) 246278 (black) 246188 (natural) 246254 (silver)		
		Hautau		




Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.006.01 03 04 06		- Unutarnja ručka -set - Oznaka proizvođača 185170 (RAL 9016) 193615 (crna) 204553 (natural) 246227 (srebrena) - Internal handle -set - Manufacturer's code 185170 (RAL 9016) 193615 (black) 204553 (natural) 246227 (silver)		
		Hautau		
108.007.01 03 04 06		- Unutarnja ručka-set (sa cilindrom za ključanje) - Oznaka proizvođača 186982 (RAL 9016) 193618 (crna) 204556 (natural) 246239 (srebrena) - Internal handle set (with locking cylinder) - Manufacturer's code 186982 (RAL 9016) 193618 (black) 204556 (natural) 246239 (silver)		
		Hautau		
108.008.01 03 04 06		- Pogonske ručke-set (sa cilindrom za ključanje) - Oznaka proizvođača 185179 (RAL 9016) 193621 (crna) 206863 (natural) 246251 (srebrena) - Drive handles-set (with locking cylinder) - Manufacturer's code 185179 (RAL 9016) 193621 (black) 206863 (natural) 246251 (silver)		
		Hautau		
108.010.01 03 04 05		- Unutarnja ručka za malo krilo FT-0727 (bez vanjskog prihvatnika) - Oznaka proizvođača 206209 (bijela) 206212 (crna) 206206 (elox) 207361 (smeđa) - Internal handle for small sash FT-0727 (without external catch) - Manufacturer's code 206209 (white) 206212 (black) 206206 (anodized) 207361 (brown)		
		Hautau		
108.011.01 04 05		- Unutarnja ručka za malo krilo FT-0727 (bez vanjskog prihvatnika) sa ključem - Oznaka proizvođača 206218 (bijela) 206215 (elox) 207367 (smeđa) - Internal handle for small leaf FT-0727 (without external latch) with key - Manufacturer's code 206218 (white) 206215 (anodized) 207367 (brown)		
		Hautau		





Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
108.009.01 03 04 06		-Standardni vanjski rukohvatnik 9.5 mm - Oznaka proizvođača 185161 (RAL 9016) 193600 (crna) 185158 (natural) 224259 (srebrena) -Standard external handle 9.5 mm -Manufacturer's code 185161 (RAL 9016) 193600 (black) 185158 (natural) 224259 (silver)		
		Hautau		
108.012.01 .03 06		-Ravni vanjski rukohvatnik -Oznaka proizvođača 223548 (bijela) 223926 (crna) 223551 (srebrena) -Flat outer handle -Manufacturer's mark 223548 (white) 223926 (black) 223551 (silver)		
		Hautau		
100.016.01 02 03		- Ukopavajuća ručka za podizno klizna vrata - Oznaka proizvođača: PHIB0100-00401 (RAL 9016)....01 PHIB0100-02501 (EV1 silber Si-silber)..02 PHIB0100-02301 (RAL 9005).....03 - Burrowing handle for lifting and sliding door - Manufacturer's mark: PHIB0100-00401 (RAL 9016)....01 PHIB0100-02501 (EV1 silver Si-silver)..02 PHIB0100-02301 (RAL 9005).....03		
		Siegenia		
149.049		- Umetci za bravu 4mm - Oznaka proizvođača 305466 - 1 pakiranje 5 komada - koriste se u velikom krilu FT-0725F - 4mm lock inserts - Manufacturer's code 305466 - 1 pack of 5 pieces - used in large sash FT-0725F		
		Hautau		





Brtila Gaskets






Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
318.001		- Brtva prema staklu /unutarnja/ - oznaka proizvođača 02951-FL (Complastex) - Glass seal /internal/ - manufacturer's code 02951-FL (Complastex)	EPDM	
318.002		-Brtva prema staklu /unutarnja/ - oznaka proizvođača 02952-FL (Complastex) -Glass seal /internal/ -manufacturer's code 02952-FL (Complastex)	EPDM	
311.003		- Brtva prema staklu /unutarnja,nosi 3-4 mm/ - Seal against the glass /internal, wears 3-4 mm/	EPDM	
311.004		- Brtva prema staklu /unutarnja,nosi 5-6 mm/ - Seal against the glass /internal, wears 5-6 mm/	EPDM	
311.005		- Brtva prema staklu /unutarnja,nosi 7-8 mm/ - Seal against the glass /internal, wears 7-8 mm/	EPDM	
328.002		- Brtva prema staklu /vanjska/ - oznaka proizvođača 02143 (Complastex) - Glass seal /external/ - manufacturer's code 02143 (Complastex)	EPDM	

Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
328.003		- Brtva prema staklu /vanjska/ - oznaka proizvođača 02487 (Complastex) - Glass seal /external/ - manufacturer's code 02487 (Complastex)	EPDM	
344.015		- Brtva fiksnog krila - Stara oznaka B-IF-01 - Fixed wing gasket - Old designation B-IF-01	TPE	
348.052		- Brtva za ram - Oznaka proizvođača 020605 (Complastex) - Frame gasket - Manufacturer's code 020605 (Complastex)	EPDM	
348.054		- Brtva u donjem pojasu krila prema ramu, niski prag (T120) - Oznaka proizvođača 020613 (Complastex) - Seal in the lower sash belt towards the frame, low threshold (T120) - Manufacturer's code 020613 (Complastex)	EPDM	
344.055		- Brtva za masku F-1381-niski prag - F-1381 mask seal - low threshold	TPE	
344.068		- Brtva na fiksnom dijelu-niski prag sa kadicom - Seal on the fixed part - low threshold with tub	TPE	



Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
344.113		- Brtva na spoju krila - Seal at the wing joint	TPE	
344.075		- Brtva na spoju krila pod 90° - Seal at the 90° wing joint	TPE	
348.048		-Brtva - držač mreže - Oznaka proizvođača 000600 (Complastex) - Gasket - net holder - Manufacturer's code 000600 (Complastex)	PVC	
358.015		- Brtva prema staklu /unutarnja/ nosi 9mm - Oznaka proizvođača- 02877 (Complastex) - Seal against the glass /internal/ carries 9mm - Manufacturer's mark- 02877 (Complastex)	EPDM	
344.104		- Brtva u prečki fiksnog dijela - Termo 120 - Gasket in the crossbar of the fixed part - Termo 120	TPE	



Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
347.011		- Brtva 7x7, (crna) (Stara oznaka: QL 6970) - Oznaka proizvođača Schlegel: 2Q693223 - Seal 7x7, (black) (Former code: QL 6970) - Manufacturer code Schlegel: 2Q693223		
347.012		- Brtva 7x10, (crna) (Stara oznaka: QL 69100) - Oznaka proizvođača Schlegel: 2Q694223 - Seal 7x10, (black) (Former code: QL 69100) - Manufacturer code Schlegel: 2Q694223		
347.003		- Četkasta brtva 7x9, (crna) - Oznaka proizvođača Schlegel: 2A773288016CJ - Brush seal 7x9, (black) - Manufacturer code Schlegel: 2A773288016CJ	PP	
347.004		- Četkasta brtva 7x5.5, (crna) - Oznaka proizvođača Schlegel: 2A703288008CJ - Brush seal 7x5.5, (black) - Manufacturer code Schlegel: 2A703288008CJ	PP	







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
340.041		- Ugradnja umetka s četkicom 340.041 na spojevima krila s prečkom - Installing the brush insert 340.041 on the sash-bar joints	-	
340.515		- Ugradnja umetka s četkicom 340.515 na spojevima dva krila - Installing the brush insert 340.515 at the joints of two wings	-	
340.517		- Ugradnja umetka s četkicom 340.517 na spojevima dva krila započinjemo obradom pvc-a 378.001 koji se uvlači na gornju vodoravnicu rama, nakon kojeg može uslijediti sama ugradnja umetka - The installing of the insert with a brush 340.517 at the joints of the two wings begins with the processing of PVC 378.001, which is inserted into the upper horizontal part of the frame, after which the installation of the insert itself can follow	-	
340.521		- Ugradnja umetka s četkicom 340.521 na spojevima krila s prečkom - Installing the brush insert 340.521 at the sash-bar joints	-	







Oznaka Code	Izgled-presjek View - cross section	Opis Description	Materijal Material	Napomena Remark
360.014		- Ugradnja umetka 360.014 na spojevima dva krila - Installing insert 360.014 at the joints of the sashes	EPDM	
364.018		- Ugradnja umetka 364.018 na spojevima krila FT-0725F s prečkom FT-0730F - Installation of insert 364.018 on the joints of the FT-0725F sash with the FT-0730F crossbar	EPDM	
364.019		- Ugradnja umetka 364.019 na spojevima krila FT-0727 s prečkom FT-0735 - Installation of insert 364.019 on the joints of the FT-0727 sash with the FT-0735 crossbar	EPDM	
364.020		- Ugradnja umetka 364.020 na spojevima krila FT-0728 s prečkom FT-0737 - Installation of insert 364.020 on the joints of the FT-0728 sash with the FT-0737 crossbar	EPDM	
361.029		- Gumeni umetak u pragu između krila i prečke (niski prag) - Rubber insert in the threshold between the sash and the crossbar (low threshold)	TPE	




Dodaci Accessories

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
220.025		- Svrdlo za proširenje rupe sa Ø6.4 mm na Ø8 mm - Drill bit for expanding the hole from Ø6.4 mm to Ø8 mm	Čelik Steel	
220.041		-Grupa glodala za obradu profila prečki FT-0730,FT-0731F,FT-0735 i FT-0737F prema profilu rama FT-0722 - Termo 120 plus -Group of milling cutters for processing the FT-0730,FT-0731F,FT-0735 i FT-0737F crossbar profile towards to the FT-0722 frame profile - Termo 120 plus	Čelik Steel	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
433.003	Vijak 3.5x13 DIN 7981			
433.005	Vijak 3.5x19 DIN 7981			
433.007	Vijak 3.5x25 DIN 7981			
433.019	Vijak 3.9x22 DIN 7981			
433.021	Vijak 3.9x32 DIN 7981			
433.048	Vijak 4.8x45 DIN 7981			
433.049	Vijak 4.8x50 DIN 7981			
433.091	Vijak 3.5x13 DIN 7982			
433.092	Vijak 3.5x16 DIN 7982			
433.094	Vijak 3.5x22 DIN 7982			
433.095	Vijak 3.5x25 DIN 7982			
433.108	Vijak 3.9x25 DIN 7982			
433.116	Vijak 4.2x13 DIN 7982			
433.120	Vijak 4.2x25 DIN 7982			
433.121	Vijak 4.2x32 DIN 7982			


Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.013		- Izolacijska ispuna s ljepljivom trakom (43x12) (spužvasta ispuna po opsegu stakla) - Insulation foam with adhesive tape (43x12) (foam insulation around the glass)	XPE	
340.042		- Izolacijski umetak na ramu T120 plus - Insulation insert on the T120 plus frame	XPS	
340.044		- Izolacijski umetak na spoju dva krila - Insulation insert at the junction of two wings	XPS	
340.045		- Izolacijski umetak na spoju dva krila - Insulation insert at the junction of two wings	XPS	
340.333		- XPS barijera za komoru 70.3x14.5 - Za profil: FT-0722F (Termo 120) - XPS barrier for chamber 70.3x14.5 - For profile: FT-0722F (Termo 120)	XPS	
340.335		-XPS barijera za komoru 5.1x16 -Za profil: FT-0722F (Termo 120) -XPS barrier for chamber 5.1x16 -For profile: FT-0722F (Termo 120)	XPS	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.341		-XPS barijera za komoru 11.3x17 - Za profil: FT-0725 (Termo 120) -XPS barrier for chamber 11.3x17 -For profile: FT-0725 (Termo 120)	XPS	
340.343		-XPS barijera za komoru 7.9x57.1 - Za profil: FT-0725 (Termo 120) -XPS barrier for chamber 7.9x57.1 - For profile: FT-0725 (Termo 120)	XPS	
340.540		-XPS barijera - Za profil: FT-0727 (Termo 120) -XPS barrier - For profile: FT-0727 (Termo 120)	XPS	
340.496		Termo ispuna za komoru između krila FT-0727 i maske F-1793 Thermal filling for the chamber between the wing FT-0727 and the mask F-1793	XPS	
340.506		Termo ispuna za komoru 34 x 46 mm, L=2400 mm XPS za spoj krila FT-0725F i profila FT-0733F Thermal filling for chamber 34 x 46 mm, L=2400 mm XPS for connection of sash FT-0725F and profile FT-0733F	XPS	
340.507		Termo ispuna za komoru 32.5 x 27.2 mm, L=2400 mm XPS za spoj krila FT-0727 i profila FT-0733F Thermal insulation for the chamber 32.5 x 27.2 mm, L=2400 mm XPS for the connection of the FT-0727 sash and the FT-0733F profile	XPS	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
340.533		- Termo ispuna za komoru: 33.5x25.6, L=2400 mm Koristi se u profilu FT-0725F Uvlači se u gornju vodoravnicu prije sastavljanja krila zbog poboljšanja termike - Thermal filling for the chamber: 33.5x25.6, L=2400 mm Used in the FT-0725F profile Inserts into the upper horizontal before assembling the sash to improve thermal insulation	XPS	
340.534		- Termo ispuna za komoru: 26.8x20.8 L=2400 mm Koristi se u profilu FT-0727 Uvlači se u gornju vodoravnicu prije sastavljanja krila zbog poboljšanja termike - Thermal insulation for the chamber: 26.8x20.8 L=2400 mm Used in the FT-0727 profile Inserts into the upper horizontal before assembling the sash to improve thermal insulation	XPS	
348.001		- Izolacijska ispuna Nomatec Ø13 mm (spužvasta ispuna po opsegu stakla) - Nomatec insulation filling Ø13 mm (sponge filling around the perimeter of the glass)	XPE	

Obrada i montaža

Processing and montage

SPAJANJE PROFILA KUTNICIMA POD KUTEM OD 90°
JOINING PROFILES WITH CORNER BRACKETS UNDER 90° ANGLE

POSTUPAK SPAJANJA PROFILA:

1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Premazati sve površine koje se spajaju ljepilom za metal
/npr. "Henkel" - Teroson MS 939 /.
3. Ljepilo za metal ubrizgati u komore za kutnik (po opsegu komore)
4. Profile s kutnicima izravnati i spojiti
5. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.

NAPOMENA:







Ovaj postupak spajanja profila primjenjiv je za sve Feal-ove kutnike i njima odgovarajuće komore. Lijepljenjem rezova i kutnika ljepilima za metal, osigurava se potrebna zrako- i vodonepropusnost spoja kao i dodatna mehanička čvrstoća spoja.


PROCEDURE FOR JOINING PROFILES:








1. Clean and degrease all surfaces to be joined - cuts with a suitable agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. Coat all surfaces to be joined with metal adhesive glue
/e.g. "Henkel" - Teroson MS 939 /.
3. Inject metal adhesive glue into the corner joint chamber (around the perimeter of the chamber)
4. Align and connect the profiles with corner joints
5. Clean the part of the adhesive that leaks between the cuts with a cleaning and degreasing agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.




NOTE:

This profile joining procedure is applicable to all Feal corner joints and their corresponding chambers. By gluing the cuts and corner joints with metal adhesives, the necessary air and water tightness of the joint is ensured as well as additional mechanical strength of the joint.















DRILLING A Ø8 HOLE FOR THE 710.504 CORNER JOINT:
1. Ø6.4 mm HOLE IN THE CENTER OF THE CHAMBER IS PIERCED BY PUNCH
2. USING THE EXPANDING DRILL (220.025) EXPAND THE Ø6.4 HOLE TO Ø8 mm







BUŠENJE RUPE Ø8 ZA KUTNIK 710.504:
1. RUPU PROMJERA Ø6.4 mm PROBIJA ŠTANCA U SREDINI KOMORE
2. POMOĆU SVRDLA ZA PROŠIRIVANJE (220.025) RUPU Ø6.4
PROŠIRITI NA Ø8 mm






Obrada krila FT-0727 za spajanje
pomoću kutnika
Processing of wings FT-0727 for
connecting with corner joint




Svrdo za proširenje rupe na Ø8 mm
Drill bit for expanding the hole to Ø8 mm



Obrada krila FT-0727 i FT-0728 za spajanje pomoću kutnika
Processing of wings FT-0727 and FT-0728 for connecting with corner joint







Obrada donje i gornje vodoravnice krila FT-0727 za spoj s vertikalom krila FT-0728 te maskom F-1793

Processing of the lower and upper horizontal wing FT-0727 for connection with the vertical wing FT-0728 and mask F-1793




1. korak pilanje gornje i donje vodoravnice pod 90° za 34.4 mm





1. step sawing the upper and lower horizontal at 90° for 34.4 mm






2. korak obrada gornje i donje vodoravnice krila za spoj sa maskom F-1793


2. step processing the upper and lower horizontal edges of the wings for connection with the mask F-1793











POSTUPAK SPAJANJA PROFILA :

1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Premazati sve površine koje se spajaju ljepilom za metal
/npr. "Henkel" - Teroson MS 939 /.
3. Profile s veznicima izravnati i spojiti
4. Nakon spajanja profila, sve spojeve profila ispuniti ljepilom za metal
/npr. "Henkel" - Teroson MS 939 /.
5. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.

NAPOMENA:


Lijepljenjem rezova, kao i svih spojeva profila sa ljepilima za metal, osigurava se potrebna zrako i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.

PROCEDURE FOR JOINING PROFILES:



1. Clean and degrease all surfaces- cuts to be joined with an appropriate agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. Coat all surfaces to be joined with metal adhesive
/e.g. "Henkel" - Teroson MS 939 /.
3. Align and connect profiles with connectors
4. After joining profiles, fill all profile joints with metal adhesive
/e.g. "Henkel" - Teroson MS 939 /.
5. Clean the part of the adhesive that leaks between the cuts with a cleaning and degreasing agent
/e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.

NOTE:

Gluing the cuts, as well as all profile joints with metal adhesives, ensures the necessary air and water tightness of the joint as well as additional mechanical strength of the joint.






- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F (connection with screws 3.9x32 DIN 7981)



FT-0730F




/art. 220.041




433.021
Vijak 3.9x32 DIN
7981

433.021 _____
Vijak 3.9x32 DIN 7981



nakon montaže vijka
silikonirati otvor







- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F i niskog praga (F-1377, F-1378 i F-1739) (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F and low threshold (F-1377, F-1378 and F-1739) (connection with screws 3.9x32 DIN 7981)




FT-0730F










433.021
Vijak 3.9x32
DIN
7981








- Obrada al profila prečke FT-0731F prema profilu rama FT-0722F (spajanje veznikom 710.066)
- Processing of al mullion profile FT-0731F towards frame profile FT-0722F (connection with joint 710.066)








- Obrada al profila prečke FT-0731F prema profilu krila FT-0725F (spajanje veznikom 710.066)
- Processing of al mullion profile FT-0731F towards sash profile FT-0725F (connection with joint 710.066)






- Obrada al profila prečke FT-0735F prema profilu rama FT-0722F (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0735F towards frame profile FT-0722F (connection with screws 3.9x32 DIN 7981)






- Obrada al profila prečke FT-0730F prema profilu rama FT-0722F i niskog praga (F-1377, F-1378 i F-1739) (spajanje vijcima 3.9x32 DIN 7981)
- Processing of al mullion profile FT-0730F towards frame profile FT-0722F and low threshold (F-1377, F-1378 and F-1739) (connection with screws 3.9x32 DIN 7981)





FT-0735F

art. 220.041





433.021
Vijak 3.9x32
DIN
7981










- Obrada al profila prečke FT-0736F prema profilu rama FT-0722F (spajanje vijcima 3.5x32 DIN 7981)
- Processing of al mullion profile FT-0736F towards frame profile FT-0722F (connection with screws 3.5x32 DIN 7981)







- Obrada al profila gornje i donje vodoravnice rama FT-0722F prema profilu prečke FT-0736F (spajanje vijcima 3.5x32 DIN 7981) (zrcalno obraditi gornju i donju vodoravnicu rama)
- Processing of the al profile of the upper and lower horizontal frame FT-0722F according to the crossbar profile FT-0736F (joining with screws 3.5x32 DIN 7981) (mirror process the upper and lower horizontal lines)







- Prikaz obrada al profila rama FT-0722F i FT-0736F te njihovo spajanje (spajanje vijcima 3.5x32 DIN 7981)
- Presentation of the processing of the frame profiles FT-0722F and FT-0736F and their connection (connection with screws 3.5x32 DIN 7981)







- Obrada al profila prečke FT-0737F prema profilu rama FT-0722F (spajanje vijcima 4.2x32 DIN 7981)
- Processing of al mullion profile FT-0737F towards frame profile FT-0722F (connection with screws 4.2x32 DIN 7981)




OBRADA PROFILA FT-0725F ZA RUČKU 108.001, Hautau PROFILE PROCESSING FT-0725F FOR HANDLE 108.001, Hautau




OBRADA PROFILA FT-0727 ZA RUČKU 108.010 i 108.011, Hautau PROFILE PROCESSING FT-0727 FOR HANDLE 108.010 i 108.011, Hautau








Obrada al. profila F-1528 i pvc profila 374.075
(za profil krila FT-0725F)
mjera pilanja $H(F-1528)=H_{krila}$

Processing al. profile F-1528 and PVC profile 374.075
(for wing profile FT-0725F)
sawing measure $H(F-1528)=H_{wing}$





F-1528
1-1








Obrada al. profila F-1528 (ZA NISKI PRAG) i pvc profila 374.075
(za profil krila FT-0725F)
mjera pilanja $H(F-1528)=Hkrila$

Processing al. profile F-1528 (FOR LOW THRESHOLD) and pvc
profile 374.075 (for wing profile FT-0725F)
sawing measure $H(F-1528)=Hwing$






F-1528
1-1







Obrada al. profila F-1528 i pvc profila 374.075
(za profil prečke FT-0730F)
mjera pilanja $H(F-1528)=MH-56$

Processing al. profile F-1528 and PVC profile 374.075
(for crossbar profile FT-0730F)
sawing measure $H(F-1528)=MH-56$






Obrada al. profila F-1528 i pvc profila 374.075
(za profil prečke FT-0730F) -NISKI PRAG
mjera pilanja H(F-1528)=MH-40.3
Processing al. profile F-1528 and PVC profile
374.075
(for crossbar profile FT-0730F) -LOW
THRESHOLD
sawing measure H(F-1528)=MH-40.3




Obrada al. profila F-1528 i pvc profila 374.088
(za profil krila FT-0727)
mjera pilanja $H(F-1528)=H_{krila}$


Processing al. profile F-1528 and PVC profile 374.088
(for wing profile FT-0727)
sawing measure $H(F-1528)=H_{wing}$




Obrada al. profila F-1528 (ZA NISKI PRAG) i pvc profila 374.088
(za profil krila FT-0727)
mjera pilanja $H(F-1528)=H_{krila}$

Processing al. profile F-1528 (FOR LOW THRESHOLD) and pvc
profile 374.088 (for wing profile FT-0727)
sawing measure $H(F-1528)=H_{wing}$












Obrada al. profila F-1528 i pvc profila 374.088
(za profil prečke FT-0735F) -NISKI PRAG
mjera pilanja H(F-1528)=MH-40.5





Processing al. profile F-1528 and PVC profile 374.088
(for crossbar profile FT-0735F) -LOW THRESHOLD
sawing measure H(F-1528)=MH-40.5








Obrada al. profila F-1793 i pvc profila 374.121
(za profil krila FT-0728)
mjera pilanja $H(F-1793)=H_{krila}$

Processing al. profile F-1793 and PVC profile 374.121
(for wing profile FT-0728)
sawing measure $H(F-1793)=H_{wing}$





F-1793
1-1










Obrada al. profila F-1793 i pvc profila 374.121
(za profil prečke FT-0737F)
mjera pilanja H(F-1793)=MH-56



Processing al. profile F-1793 and PVC profile 374.121
(for crossbar profile FT-0737F)
sawing measure H(F-1793)=MH-56




























SPAJANJE PROFILA PRAGA SA PROFILOM RAMA POMOĆU UMETKA JOINING THE THRESHOLD PROFILE WITH THE FRAME PROFILE USING AN INSERT



POSTUPAK SPAJANJA PROFILA :

1. Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
2. Na profilu praga premazati sve površine koje se spajaju ljepljivom za metal
/npr. "Henkel" - Teroson MS 939 /.
- 2.1. Ljepilo za metal ubrizgati u komore profila praga na mjestima gdje ulazi umetak (po opsegu komore)
3. Profil praga i umetak izravnati i spojiti.
4. Profil praga sa spojenim umetkom izravnati i spojiti sa profilom rama.
5. Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepljivom za metal
/npr. "Henkel" - Teroson MS 939 /.
6. Dio ljepljiva koji iscure između rezova očistiti sredstvom za čišćenje i odmašćivanje
/npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.

NAPOMENA:


Lijepljenjem rezova, kao i svih spojeva profila sa ljepljivima za metal, osigurava se potrebna zrako i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.


PROCEDURE OF PROFILE MERGE:


1. Clean and degrease all surfaces that are connected - cuts with a suitable agent
/eg "Henkel" - Teroson VR 20 or Teroson FL+ /.
2. On the threshold profile, coat all surfaces that are joined with metal glue /eg "Henkel" - Teroson MS 939 /.
- 2.1. Inject the metal glue into the chambers of the threshold profile on places where the insert enters (according to the circumference of the chamber)
3. Align and connect the threshold profile and the insert.
4. Straighten and connect the threshold profile with the connected insert with frame profile.
5. After connecting the profile, fill all the joints of the profile and the insert with metal glue /eg "Henkel" - Teroson MS 939 /.
6. Clean the part of the glue that leaks between the cuts with a cleaning and degreasing agent
/eg "Henkel" - Teroson VR 20 or Teroson FL+ /.


REMARK:






By gluing cuts, as well as all profile joints with adhesives for metal, the necessary is ensured air and water tightness of the joint as well as additional mechanical strength of the joint.





















obrada FT-0733F
kada su podizno klizna vrata
processing FT-0733F
when the doors are lift and slide








* OBRADUJE SE SAMO ZA SHEMU
(dva srednja krila podizno klizna
bokovi fiksni-Termo 120 plus)

* PROCESSED FOR SCHEME ONLY
(two lift and slide middle wings with side fixed
field - Termo 120 plus)







obrađu FT-0733F
kada su podizno klizna vrata
processing FT-0733F
when the doors are lift and slide






* OBRADUJE SE SAMO ZA SHEMU
(dva srednja krila podizno klizna
bokovi fiksni-Termo 120 plus)


* PROCESSED FOR SCHEME ONLY
(two lift and slide middle wings with side fixed
field - Termo 120 plus)




















Ugradnja umetka s četkicom 340.517 na spojevima dva krila započinjemo obradom pvc-a 378.001 koji se uvlači na gornju vodoravnicu rama, nakon kojeg može uslijediti sama ugradnja umetka, ovakva vrsta ugradnje odnosi se samo na sheme prikazane iznad.

The installation of the insert with a brush 340.517 at the joints of the two wings begins with the processing of PVC 378.001, which is inserted into the upper horizontal line of the frame, which can be followed by the installation of the insert itself, this type of installation applies only to the schemes shown above.









433.106 - vijak 3,9x19 mm
DIN 7981 Inox A2

Ugradnja umetka s četkicom 340.515 na spojevima dva krila



The installation of the insert with a brush 340.515 at the joints of the two wings






Ugradnja umetka 360.014 na spojevima dva krila


The installation of the insert 360.014 at the joints of the two wings






Ugradnja umetka s četkicom 340.041 na spojevima krila s prečkom

Installation of insert with brush 340.041 on the joints of the sash with the crossbar





Ugradnja umetka s četkicom 340.521 na spojevima krila s prečkom

Installation of insert with brush 340.521 on the joints of the sash with the crossbar



433.104 - vijak 3,9x13 mm
DIN 7981 Inox A2




340.521




FT-0722F






Ugradnja umetka 364.018 na spojevima krila FT-0725F s prečkom FT-0730F

364.018




Ugradnja umetka 364.019 na spojevima krila FT-0727 s prečkom FT-0735

364.019



Ugradnja umetka 364.020 na spojevima krila FT-0728 s prečkom FT-0737


364.020



Installation of insert 364.018 on the joints of the sash FT-0725F with the crossbar FT-0730F

Installation of insert 364.019 on the joints of the sash FT-0727 with the crossbar FT-0735


Installation of insert 364.020 on the joints of the sash FT-0728 with the crossbar FT-0737












364.018
364.019
364.020

FT-0722F

126







ukoliko brava podizno kliznog
i kliznog mehanizma onemogućava ugradnju
usmjerivača krila potrebno je
skratiti na vrhu. (100 mm od vrha krila
potrebno za ugradnju usmjerivača)
if the lift&slide and slide mechanism lock prevents
mounting wing router, it is required to shorten it
at the top. (100 mm from the tip of the wing
required for router mounting)

373.061 usmjerivač za krilo FT-0727
373.060 usmjerivač za krila FT-0725F

-2 kom. po krilu

-mogućnost ugradnje nakon postavljanja krila
u ram

-koristiti za klizna i podizno klizna vrata


373.061 wing router FT-0727


373.060 wing router FT-0725F

-2 pcs. on the wing

-possibility of installation after inserting the wings
in frame

-use for sliding and lift-sliding doors





F-1528

F-1381

FT-0730F

344.055

374.075

F-1377

F-1378

FT-0730F

F-1528

347.004

F-1381



344.055


F-1377

F-1378

spoj između maske prečke i praga ispuniti
dvokomponentnim ljepilom tipa:
Würth 2K-PUR - 0892 135

fill the joint between the crossbar mask and the threshold with two-component glue type: Wurth 2K-PUR - 0892 135







1. Po umjetnjem obodu vanjskosti klijeplo bez prekidna primijeniti neutralno silikonsko ljeplivo (npr. Teroson MS 939)
 2. U komoru za kutnu spojnitsu umetnuti umetak
 3. Spojit profile s kutnim spojniscima koji će i zajedno pozicionirati umetak na željeno mjesto
- Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption.
- Insert the insert into the corner joint chamber
- Connect the profiles with corner connectors which will also position the insert in the desired location.

- na krajevima i sredini spojeva krila silikonirati cca.10mm
Apply silicone approx. 10mm at the ends and middle of
the wing joints

- ⊗ silikonirati na sredini u utoru za vodilicu cca. 100 mm
⊗ silicone in the middle of the guide groove approx.
100 mm



- 100 mm
- Ø rupa Ø6 na sredini na vanjskoj komori rama za pupanje silikonu komore (odvajanje komora)
- Ø hole Ø6 in the middle of the outer chamber of the frame for filling the chamber with silicone (separation of the chambers)


- na sredini između pvc umetka i rama (cca 10 mm)
holes Ø6 in the middle of the PVC insert with chamber
filling in the middle between the PVC insert and the
frame (approx. 10 mm)



- 1..... žlijeb 32x7 za kapezu za klapnom 370.070

- 1..... groove 32x7 for
2..... rupa Ø15 mm
2..... hole Ø15 mm
3..... rupa Ø12 mm
3..... hole Ø12 mm
4..... žiljeb 40x4
4..... groove 40x4












1. Po unutarnjem obodu vanjske komore bez prekida primijeniti neutralno silikonsko ljepilo (npr. Teroson MS 939)
 2. U komoru za kutnu spojinu umetnuti umetak
 3. Spojiti profile s kutnim spojinicama koji će i ujedno pozicionirati umetak na željeno mjesto
1. Apply neutral silicone adhesive (e.g. Teroson MS 939) along the inner perimeter of the outer chamber without interruption
 2. Insert the insert into the corner joint chamber
 3. Connect the profiles with corner joints, which will also position the insert in the desired location





100









1. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330

- kotačiće povezati spojnicom
- mjera pilanja spojnice je Lkr-640
- ugradnja pvc podmetača

1. INSTALLATION OF THE WHEELS OF THE LIFT-SLIDE MECHANISM HS-330


- connect the wheels with a connecting bar
- the connecting bar sawing lenght is Lkr-640
- installation of PVC pads

1. OKOV HS 330- npr. Shema A (jedno krilo p.k.+jedno fiksno)

- krilo FT-0725F
- širina krila (Lkr)720-3235 mm
- visina krila (Hkr).....1200-2700 mm
- težina krila.....max.330 kg
- osa brave.....27.5 mm
- osa ručke.....1006 mm

1. HARDWARE HS 330 - e.g. Scheme A (one l.s. wing + one fixed)

- wing FT-0725F
- wing width (Lkr)720-3235 mm
- wing height (Hkr).....1200-2700 mm
- wing weight.....max. 330 kg
- axis of the lock.....27.5 mm
- axis of the handle.....1006 mm




2. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330 U KRILO

- ubaciti spojene kotačiće u krilo i fiksiranje

2. INSTALLATION OF THE HS-330 LIFT-SLIDE MECHANISM WHEELS INTO THE SASH

- insert the connected wheels into the sash and fix them




3. UGRADNJA KOTAČIĆA PODIZNO KLIZNOG MEHANIZMA HS-330 U KRILO

- fiksiranje kotačića i ugradnja odmarača krila

3. INSTALLATION OF THE HS-330 LIFT-SLIDE MECHANISM WHEELS INTO THE SASH

- fixing the wheels and installing the sash rest




1. UGRADNJA BRAVE PODIZNO KLIZNOG MEHANIZMA HS-330

- skratiti bravu ovisno o visini krila
- mjera pilanja spojnice je Hkr-108
- ugradnja pvc podmetača
- ugradnja nastavka za krila veća od 2700 mm
- ugradnja brave u krilo

1. INSTALLATION OF THE LOCK FOR THE LIFT-SLIDE MECHANISM HS-330

- shorten the lock depending on the height of the sash
- the sawing size of the joint is Hkr-108
- installation of PVC pads
- installation of an extension for sashes larger than 2700 mm
- installation of the lock in the sash



1. UGRADNJA BRAVE PODIZNO KLIZNOG


MEHANIZMA HS-330

- pričvrstiti bravu vijcima 4.8x55 (upuštena glava)
- ugradnja ručke i prihvatnika

1. INSTALLATION OF THE LOCK OF THE LIFT-SLIDE MECHANISM



HS-330

- fasten the lock with screws 4.8x55 (countersunk head)
- installation of the handle and striker





NAPOMENA: UKOLIKO SE KORISTI KLIZNI OKOV 149.039 OBRADA JE ISTA.
(KRILO MOŽE BITI TEŽINE 330 kg)



NOTE: IF SLIDING HARDWARE 149.039 IS USED, THE PROCESSING IS THE
SAME. (THE SASH CAN WEIGH 330 kg)





Z3= FB-69




Z3= FB-69



Z3= FB-107



Z3a= FB-69
Z3b= FB-107



FB-širina krila


● pozicija usporivača (dio na ramu)....149.032

FB-sash width


● slower position (part on the frame)....149.032

MONTAŽA OPRUGE ZA LAGANO POKRETANJE RUČKE PODIZNO KLIZNOG MEHANIZMA INSTALLING THE SPRING FOR SOFT MOVEMENT OF THE LIFT-SLIDE MECHANISM HANDLE

Opruga za težine krila
Spring for wing weights
≤ 200 kg




Opruga za težine krila
Spring for wing weights
> 200 kg




- A..... Postaviti bravu u dignuti položaj (otključano) (A.1/A.2).
- B..... Postaviti zatik u određeni položaj na bravi (već postoji rupa na bravi)
- C..... Postaviti oprugu unutar brave
- D..... Povuci kraj zatezne opruge preko zuba na bravi (pomoću odvijača) (D.1/D.2).
- E..... Ispravno namontirana opruga

- A..... Place the lock in the raised position (unlocked) (A.1/A.2).
- B..... Place the pin in a specific position on the lock (there is already a hole on the lock)
- C..... Position tension spring within the espag.
- D..... Pull the end of the tension spring over the teeth on the lock (using a screwdriver) (D.1/D.2).
- E..... Correctly mounted spring




Izrezivanje termo štapića (poliamida) radi kompeziranja širenja profila Cutting of thermo rods (polyamide) to compensate for profile expansion



FT-0725F


Ista obrada primjenjuje se i za malo krilo FT-0727
The same processing is applied to the small sash FT-0727




Pozicija izrezivanja termo štapića (poliamida) na krilu ≈ 150 mm


Thermo rod cut position (polyamide) on the wing ≈ 150 mm

Izrezati termo štapiće (poliamide) cca.150 mm
Cut thermal rods (polyamides) approx. 150 mm







Naljepiti jednostrano ljepljivu traku na mjestu reza termo štapića (poliamida)
Stick single-sided adhesive tape on the cut point of the thermo rod (polyamide)






Dilatacija pvc profila: 378.001 PVC profile expansion joint: 378.001






Ugradnja profila: FT-0734F



1

- Sve površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Sve površine koje se spajaju (dodirne površine rama i pvc profila) premazati /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Ljepilo također ubrizgati u komore između pvc profila i rama cca.10-15 mm
- Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepilom za metal /npr. "Henkel" - Teroson MS 939 /.
- Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje /npr. "Henkel" - Teroson VR 20 ili Teroson FL+ /.
- Clean and degrease all joining surfaces - cuts with an appropriate agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.
- Coat all joining surfaces (contact surfaces of the frame and PVC profile) /e.g."Henkel" - Teroson VR 20 or Teroson FL+ /.
- Also inject the glue into the chambers between the PVC profile and the frame approx. 10-15 mm
- After joining the profiles, fill all joints of the profile and the insert with metal glue /e.g."Henkel" - Teroson MS 939 /.
- Clean the part of the glue that leaks between the cuts with a cleaning and degreasing agent /e.g. "Henkel" - Teroson VR 20 or Teroson FL+ /.


3
silikonirati spoj između al umetka (FT-0734F) i rama po cijeloj dužini kao i spoj sa verikalnim pvc profilom u rami.
silicone the joint between the aluminum insert (FT-0734F) and the frame along its entire length as well as the joint with the vertical PVC profile in the frame.




2

- gumeni umetak se skрати ili pomakne za cca.10-15 mm da ostane zazor između umetka i profila da u slučaju da pređu kapljewine preko umetka idu ispod profila (FT-0734F) i dalje u ram i vani.
- the rubber insert is shortened or moved by approx. 10-15 mm to leave a gap between the insert and the profile so that in case liquids get over the insert, they go under the profile (FT-0734F) and further into the frame and outside.

Rezne liste Cutting lists



KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0725F
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0725F



PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/2+3.7	45-45
FT-0725F	krilo	sash	4	MH-84.5	45-45
F-1528	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-660	staklo lajsna	glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna	glass bead	4	Hkr-201.2	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.075	pvc na spoju dva krila	pvc at the joint of two sashes	2	Hkr	90-90
OKOVI					
HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	2	1 pak.(5 kom)	
	305466 Hautau kod	305466 Hautau code			
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		
BRTVE					
GASKETS					
318.001	brtva prema staklu	gasket towards glass	8	Hkr	
318.001	brtva prema staklu	gasket towards glass	8	Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
344.113	brtva na spoju krila	sash joint gasket	2	Hkr	
340.044	izolacijski umetak	insulating insert	2	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		2ML+4MH	
340.533	xps gornje horizontale krila	upper horizontal wings xps	2	Lkr-120	
STAKLO					
GLASS					
44 mm			2	Lkr-177.2 x Hkr-177.2	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...


* koristi se za Termo 120 klizno


** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* used for Termo 120 sliding

** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA TROKRILNA VRATA SA KRILOM
FT-0725F
SLIDE AND LIFT-SLIDE THREE SASH DOOR WITH SASH
FT-0725F






PROFILI PROFILES		kom pcs	mjera measure	pilanje cutting
FT-0721F	ram	2	ML	45-45
FT-0721F	ram	2	MH	45-45
FT-0725F	krilo	6	ML/3+32.3	45-45
FT-0725F	krilo	6	MH-84.5	45-45
F-1528	lajsna	4	Hkr	90-90
F-1231	maska vanjska	1	ML-44.4	90-90
Z40-660	staklo lajsna	6	Lkr-157.2	90-90
Z40-660	staklo lajsna	6	Hkr-201.2	90-90
F-1676	držač točkića	6	Lkr-50	90-90
F-1112	vodilica	3	ML-104	90-90
378.001	pvc po obodu rama	4	ML-40.5	45-45
378.001	pvc po obodu rama	4	MH-40.5	45-45
374.075	pvc na spoju dva krila	4	Hkr	90-90
OKOVI HARDWARE				
730.013	kutnik rama	8		
710.445	kutnik krila	12		
710.504	kutnik krila	12		
710.011	kutnik krila	24		
730.001	pomoćni kutnik krila	8		
373.060	usmjerivač krila	6		
375.018	čep profila maske F-1231	1 par		
375.016	čep maske krila	8		
375.020	ublaživač udara krila	4		
370.070	čep za odvod vode	2		
374.052	pvc podmetač kotača	6	L=200mm	
374.060*	pvc podmetač brave	2	Hkr	
374.060**	pvc podmetač brave	3	Hkr	
149.049*	pvc podmetač brave 4mm	2	1 pak.(5 kom)	
149.049**	305466 Hautau kod pvc podmetač brave 4mm	3	1 pak.(5 kom)	
	305466 Hautau kod			
340.517	umetak sa četkicom gornji	2		
340.515*	umetak sa četkicom donji	2		
360.014**	gumeni umetak	2		
BRTVE GASKETS				
318.001	brtva prema staklu	12	Hkr	
318.001	brtva prema staklu	12	Lkr	
347.012	brtva na spoju krila	8	Hkr	
348.052	brtva u ramu		3ML+6MH	
347.003*	četkasta brtva krila		12Lkr+4Hkr	
347.012**	brtva krila		12Lkr+4Hkr	
344.113	brtva na spoju krila	4	Hkr	
340.044*	izolacijski umetak	4	Hkr	
340.044**	izolacijski umetak	3	Hkr	
340.013	izoterm plamaframe		2ML+6MH	
340.533	xps gornje horizontalne krila	3	Lkr-120	
STAKLO GLASS				
44 mm		3	Lkr-177.2 x Hkr-177.2	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01... - Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno
** koristi se za Termo 120 podizno klizno

* used for Termo 120 sliding
** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA ČETVEROKRILNA VRATA
SA KRILOM FT-0725F
SLIDE AND LIFT-SLIDE FOUR SASH DOOR WITH SASH
FT-0725F



PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	8	ML/4+22.9	45-45
FT-0725F	krilo	sash	8	MH-84.5	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-660	staklo lajsna	glass bead	8	Lkr-157.2	90-90
Z40-660	staklo lajsna	glass bead	8	Hkr-201.2	90-90
F-1676	držač točkića	boogies holder	8	Lkr-50	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.075	pvc na spoju dva krila	pvc at the joint of two sashes	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.445	kutnik krila	sash corner bracket	16		
710.504	kutnik krila	sash corner bracket	16		
710.011	kutnik krila	sash corner bracket	32		
730.001	pomoćni kutnik krila	supprt sash corner bracket	16		
373.060	usmjerivač krila	sash guide	8		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	8		
375.020	ublaživač udara krila	sash hit bumper	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	8	L=200mm	
374.060*	pvc podmetač brave	pvc lock pad	3	Hkr	
374.060**	pvc podmetač brave	pvc lock pad	4	Hkr	
149.049*	pvc podmetač brave 4mm	pvc lock pad 4mm	3	1 pak.(5 kom)	
	305466 Hautau kod	305466 Hautau code			
149.049**	pvc podmetač brave 4mm	pvc lock pad 4mm	4	1 pak.(5 kom)	
	305466 Hautau kod	305466 Hautau code			
340.517	umetak sa četkicom gornji	upper insert with brush	2		
340.515*	umetak sa četkicom donji	lower insert with brush	2		
360.014**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
318.001	brtva prema staklu	gasket towards glass	16	Hkr	
318.001	brtva prema staklu	gasket towards glass	16	Lkr	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		16Lkr+4Hkr	
347.012**	brtva krila	sash gasket		16Lkr+4Hkr	
344.113	brtva na spoju krila	sash joint gasket	4	Hkr	
340.044	izolacijski umetak	insulating insert	4	Hkr	
340.506*	izolacijski umetak	insulating insert	1	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe		2ML+8MH	
340.533	xps gornje horizontale krila	upper horizontal wings xps	4	Lkr-120	
STAKLO GLASS					
44 mm			4	Lkr-177.2 x Hkr-177.2	



- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01... - Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno

* used for Termo 120 sliding


** koristi se za Termo 120 podizno klizno

** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0727
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0727



PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	4	ML/2+7.7	45-45
FT-0727	krilo	sash	4	MH-84.5	45-45
F-1528	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	4	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashes	2	Hkr	90-90

OKOVI

HARDWARE

730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		

BRTVE

GASKETS

328.002	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
344.113	brtva na spoju krila	sash joint gasket	2	Hkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+4MH	
340.534	xps gornje horizontale krila	upper horizontal wings xps	2	Lkr-85	

GLASS

28 mm 2 Lkr-130 x Hkr-130



- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01... - Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno

* used for Termo 120 sliding


** koristi se za Termo 120 podizno klizno

** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA TROKRILNA VRATA SA KRILOM
FT-0727
SLIDE AND LIFT-SLIDE THREE SASH DOOR WITH SASH
FT-0727



PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0721F	ram	frame	2	ML	45-45
FT-0721F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	6	ML/3+17.7	45-45
FT-0727	krilo	sash	6	MH-84.5	45-45
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	6	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	6	Hkr-160	90-90
F-1112	vodilica	guide profile	3	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	4	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	4	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashes	4	Hkr	90-90

OKOVI HARDWARE

730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	24		
710.600	kutnik krila	sash corner bracket	24		
731.010	kutnik krila	sash corner bracket	12		
730.001	pomoćni kutnik krila	supprt sash corner bracket	12		
730.007	pomoćni kutnik krila	supprt sash corner bracket	24		
373.061	usmjerivač krila	sash guide	6		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	6		
375.020	ublaživač udara krila	sash hit bumper	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	6	L=200mm	
374.117*	pvc podmetač brave	pvc lock pad	2	Hkr	
374.117**	pvc podmetač brave	pvc lock pad	3	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	3		
340.515*	umetak sa četkicom donji	lower insert with brush	3		
360.014**	gumeni umetak	rubber insert	3		

BRTVE GASKETS

328.002	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	6	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		3ML+6MH	
347.003*	četkasta brtva krila	sash brush gasket		12Lkr+4Hkr	
347.012**	brtva krila	sash gasket		12Lkr+4Hkr	
344.113	brtva na spoju krila	sash joint gasket	4	Hkr	
340.496*	izolacijski umetak	insulating insert	4	Hkr	
340.496**	izolacijski umetak	insulating insert	3	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+6MH	
340.534	xps gornje horisnotale krila	upper horizontal wings xps	3	Lkr-85	

STAKLO GLASS



28 mm 3 Lkr-130 x Hkr-130
- Okov za klizne i podizno-klizne sisteme izabrati iz - Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* koristi se za Termo 120 klizno

* used for Termo 120 sliding

** koristi se za Termo 120 podizno klizno

** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA ČETVEROKRILNA VRATA
SA KRILOM FT-0727
SLIDE AND LIFT-SLIDE FOUR SASH DOOR WITH SASH
FT-0727



PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	8	ML/4+11.6	45-45
FT-0727	krilo	sash	8	MH-84.5	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	lajsna	bead	4	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	8	Lkr-116	90-90
Z40-665	staklo lajsna	glass bead	8	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.088	pvc na spoju dva krila	pvc at the joint of two sashes	4	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	32		
710.600	kutnik krila	sash corner bracket	32		
731.010	kutnik krila	sash corner bracket	16		
730.017	pomoćni kutnik krila	supprt sash corner bracket	32		
373.061	usmjerivač krila	sash guide	8		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	8		
375.020	ublaživač udara krila	sash hit bumper	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	8	L=200mm	
374.117*	pvc podmetač brave	pvc lock pad	3	Hkr	
374.117**	pvc podmetač brave	pvc lock pad	4	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	2		
340.515*	umetak sa četkicom donji	lower insert with brush	2		
360.014**	gumeni umetak	rubber insert	2		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	8	Hkr+Lkr	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju krila	sash joint gasket	8	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		16Lkr+4Hkr	
347.012**	brtva krila	sash gasket		16Lkr+4Hkr	
344.113	brtva na spoju krila	sash joint gasket	4	Hkr	
340.496	izolacijski umetak	insulating insert	4	Hkr	
340.507*	izolacijski umetak	insulating insert	1	Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+8MH	
340.534	xps gornje horizontale krila	upper horizontal wings xps	4	Lkr-85	
STAKLO GLASS					
28 mm			4	Lkr-30 x Hkr-130	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...



* koristi se za Termo 120 klizno


** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...


* used for Termo 120 sliding

** used for Termo 120 lifting and sliding





KLIZNA I PODIZNO-KLIZNA DVOKRILNA VRATA SA KRILOM FT-0727 +
FT-0728 SA USKIM SREDNJIM VERTIKALNIM POJASOM
SLIDE AND LIFT-SLIDE TWO SASH DOOR WITH SASH FT-0727 +
FT-0728 WITH NARROW MEDIUM VERTICAL ZONE



PROFILI FILES			kom pcs	mjera measure	pilanje cutting
FT-0720F	ram	frame	2	ML	45-45
FT-0720F	ram	frame	2	MH	45-45
FT-0727	krilo-vodoravnice	sash-horizontal	4	ML/2+13#	45-45
FT-0727	krilo	sash	2	MH-84.5	45-45
FT-0728	krilo	sash	2	Hkr-68.8	45-45
F-1793	lajsna	bead	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-44.4	90-90
Z40-665	staklo lajsna	glass bead	4	Lkr-81.6	90-90
Z40-665	staklo lajsna	glass bead	4	Hkr-160	90-90
F-1112	vodilica	guide profile	2	ML-104	90-90
378.001	pvc po obodu rama	pvc around the frame	2	ML-40.5	45-45
378.001	pvc po obodu rama	pvc around the frame	2	MH-40.5	45-45
374.121	pvc na spoju dva krila	pvc at the joint of two sashes	2	Hkr	90-90
OKOVI HARDWARE					
730.013	kutnik rama	frame corner bracket	8		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.517	umetak sa četkicom gornji	upper insert with brush	1		
340.515*	umetak sa četkicom donji	lower insert with brush	1		
360.014**	gumeni umetak	rubber insert	1		
BRTVE GASKETS					
328.002	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
311.003	brtva prema staklu	gasket towards glass	4	Hkr+Lkr	
347.012	brtva na spoju krila	sash joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		2ML+4MH	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
348.001	ispuna po opsegu stakla	filling around the glass		2ML+4MH	
340.534	xps gornje horizontalne krila	upper horizontal wings xps	2	Lkr-85	
STAKLO GLASS					
28 mm			2	Lkr-95.6 x Hkr-130	

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...

* koristi se za Termo 120 klizno

** koristi se za Termo 120 podizno klizno



pogledati obradu u katalogu stranica 406.11.008


- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* used for Termo 120 sliding

** used for Termo 120 lifting and sliding

see processing in catalog page 406.11.008





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz from catalog page 403.08.01...

kataloga str.403.08.01...

* koristi se za Termo 120

** koristi se za Termo 120

podizno klizno

* used for Termo 120

sliding

** used for Termo 120 lifting

and sliding

PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	2	ML/2+4.1	45-45
FT-0725F	krilo	sash	2	MH-82	45-45
FT-0730F	prečka	mullion	1	MH-46	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	Lkr-88.2	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	1	MH-56	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	4		
710.504	kutnik krila	sash corner bracket	4		
710.011	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	4		
373.060	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1	par	
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	1	Hkr	
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	1	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.018**	gumeni umetak	rubber insert	1		


BRTVE GASKETS

318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
318.001	brtva prema staklu(fiksno)	gasket towards glass(fixed)	4	MH+ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr	
347.012**	brtva krila	sash gasket		4Lkr+2Hkr	
344.113	brtva na spoju	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		2Lkr+MH	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.044	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH	
340.533	xps gornje horizontale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

44 mm(krilo)	1	Lst x Hst
44 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz from catalog page 403.08.01...

kataloga str.403.08.01...

* used for Termo 120

* koristi se za Termo 120

sliding

klizno

** used for Termo 120 lifting

** koristi se za Termo 120

and sliding

PROFILI PROFILES

FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/4+4.1	45-45
FT-0725F	krilo	sash	4	MH-82	45-45
FT-0730F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	4	Lprečke-39.5	90-90
F-1445	vertikalna maska rama	vertical frame mask	2	MH-106.6	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	ML-(2Lprečke+157.2)	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	2	MH-56	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	4	
710.478	kutnik rama	frame corner bracket	4	
710.445	kutnik krila	sash corner bracket	8	
710.504	kutnik krila	sash corner bracket	8	
710.011	kutnik krila	sash corner bracket	16	
730.001	pomoćni kutnik krila	supprt sash corner bracket	8	
373.060	usmjerivač krila	sash guide	4	
375.018	čep profila maske F-1231	mask profile cap	1	par
375.016	čep maske krila	sash mask cap	4	
375.020	ublaživač udara krila	sash hit bumper	4	
370.070	čep za odvod vode	water drain plug	2	
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm
374.060	pvc podmetač brave	pvc lock pad	2	Hkr
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	2	1 pak.(5 kom)
	305466 Hautau kod	305466 Hautau code		
340.041	umetak sa četkicom gornji	upper insert with brush	2	
340.521*	umetak sa četkicom donji	lower insert with brush	2	
364.018**	gumeni umetak	rubber insert	2	


BRTVE GASKETS

318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	8	Hkr+Lkr
318.001	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/2
347.012	brtva na spoju	sash joint gasket	8	Hkr
347.004	četkica maski	mask brush		2Hkr+4Lkr
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr
347.012**	brtva krila	sash gasket		8Lkr+4Hkr
344.113	brtva na spoju	joint gasket	4	Hkr
348.052	brtva u ramu	frame gasket		ML+2MH
344.015	brtva u ramu	frame gasket		4Lkr+2MH
340.042	izolacijski umetak	insulating insert	4	Lkr
340.044	izolacijski umetak	insulating insert	2	Hkr
340.045	izolacijski umetak	insulating insert	2	Hkr
340.013	izoterm plamaframe	isotherm plamaframe		4Hkr+4Lkr+2MH+2ML/2
340.533	xps gornje horizontale krila	upper horizontal wings xps	2	Lkr-120

STAKLO GLASS

44 mm(krilo)	2	Lst x Hst
44 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz from catalog page 403.08.01...

kataloga str.403.08.01...

* koristi se za Termo 120

klizno

** koristi se za Termo 120

podizno klizno

* used for Termo 120

sliding

** used for Termo 120 lifting

and sliding

kom mjera pilanje
pcs measure cutting

PROFILI PROFILES

FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	4	ML/4+41.85	45-45
FT-0725F	krilo	sash	4	MH-82	45-45
FT-0730F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML-2Lpreč.-23.1	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-100	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.075	pvc prečke	mullion pvc	2	MH-56	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	8		
710.504	kutnik krila	sash corner bracket	8		
710.011	kutnik krila	sash corner bracket	16		
730.001	pomoćni kutnik krila	supprt sash corner bracket	8		
373.060	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumper	4		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.060*	pvc podmetač brave	pvc lock pad	1	Hkr	
374.060**	pvc podmetač brave	pvc lock pad	2	Hkr	
149.049*	pvc podmetač brave 4mm	pvc lock pad 4mm	1	1 pak.(5 kom)	
	305466 Hautau kod	305466 Hautau code			
149.049**	pvc podmetač brave 4mm	pvc lock pad 4mm	2	1 pak.(5 kom)	
	305466 Hautau kod	305466 Hautau code			
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.018**	gumeni umetak	rubber insert	2		


BRTVE GASKETS

318.001	brtva prema staklu	gasket towards glass	16	(Hkr+Lkr)+(MH+ML/2)	
347.011	brtva na spoju krila	sash joint gasket	2	Hkr	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
344.113	brtva na spoju	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket	4	Lkr	
340.042	izolacijski umetak	insulating insert	4	Lkr	
340.044*	izolacijski umetak	insulating insert	3	Hkr	
340.044**	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr+Lprečke+MH	
340.533	xps gornje horizontalne krila	upper horizontal wings xps	2	Lkr-120	

STAKLO GLASS

44 mm(krilo)		2	Lst x Hst		
44 mm(fiksno)		2	Lst.fiksnog x Hst.fiksnog		





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM
SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD
- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz kataloga str.403.08.01... from catalog page 403.08.01...

* koristi se za Termo 120 klizno sliding used for Termo 120
** koristi se za Termo 120 podizno klizno used for Termo 120 lifting and sliding

PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0725F	krilo	sash	2	ML/3+36.6	45-45
FT-0725F	krilo	sash	2	MH-82	45-45
FT-0730F	prečka	mullion	1	MH-46	90-90
FT-0736F	prečka	mullion	1	MH-47	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/3-56.1	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela1	fixed part glass bead	2	Lprečke1-106.6	90-90
Z40-660	staklo lajsna fiksnog dijela1	fixed part glass bead	2	MH-100	90-90
Z40-660	staklo lajsna fiksnog dijela2	fixed part glass bead	2	Lprečke2-53	90-90
Z40-660	staklo lajsna fiksnog dijela2	fixed part glass bead	2	MH-100	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1112	vodilica	guide profile	1	2ML/3-104	90-90
374.075	pvc prečke	mullion pvc	1	MH-56	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.445	kutnik krila	sash corner bracket	4		
710.504	kutnik krila	sash corner bracket	4		
710.011	kutnik krila	sash corner bracket	8		
730.001	pomoćni kutnik krila	supprt sash corner bracket	4		
373.060	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1	par	
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.052	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.060	pvc podmetač brave	pvc lock pad	1	Hkr	
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	1	1 pak.(5 kom)	
340.041	umetak sa četkicom gornji	305466 Hautau code upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.018**	gumeni umetak	rubber insert	1		
373.077	umetak za prečku	mullion insert	1	par	


BRTVE GASKETS

318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
318.001	brtva prema staklu(fiksnog 1)	gasket towards glass(fixed 1)	4	MH+ML/3	
318.001	brtva prema staklu(fiksnog 2)	gasket towards glass(fixed 2)	4	MH+ML/3	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush	2	ML/3-56	
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr	
347.012**	brtva krila	sash gasket		4Lkr+2Hkr	
344.113	brtva na spoju	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+ML/3+3MH	
344.015	brtva u ramu	frame gasket	2	ML/3-56	
358.015	brtva u prečki	mullion gasket	1	MH	
344.104	brtva u prečki	mullion gasket	1	MH	
340.044	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr	
340.013	izoterm plamaframe	isotherm plamaframe	6	ML/3+MH	
340.533	xps gornje horizontale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

44 mm(krilo)	1	(Lkr-177.2) x Hst
44 mm(fiksnog1)	1	(Lprečke1-126,8) x Hst.fiksnog
44 mm(fiksnog2)	1	(Lprečke2-73,2) x Hst.fiksnog





PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

PROFILI PROFILES

FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0725F	krilo	sash	2	ML/2+4.1	45-45
FT-0725F	krilo	sash	2	MH-55	45-45
FT-0730F	prečka	mullion	1	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	1	MH-40.3	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-84	90-90
F-1380	vertikalna maska rama	vertical frame mask	1	MH-65.1	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-108.9	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	2	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-106.8	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	1	Lprečke-150.6	90-90
F-1676	držač točkića	boogies holder	2	Lkr-50	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.075	pvc prečke	mullion pvc	1	MH-40.3	90-90
374.075	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	2	
710.478	kutnik rama	frame corner bracket	2	
710.445	kutnik krila	sash corner bracket	4	
710.504	kutnik krila	sash corner bracket	4	
710.011	kutnik krila	sash corner bracket	8	
730.001	pomoćni kutnik krila	supprt sash corner bracket	4	
373.060	usmjerivač krila	sash guide	2	
375.018	čep profila maske F-1231	mask profile cap	1	par
375.016	čep maske krila	sash mask cap	1	
375.067	čep maske krila	sash mask cap	1	
375.020	ublaživač udara krila	sash hit bumper	2	
375.065	čep praga	threshold insert	1	par
374.068	pvc podmetač kotača	pvc wheel pad	2	L=200mm
374.060	pvc podmetač brave	pvc lock pad	1	Hkr
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	1	1 pak.(5 kom)
	305466 Hautau kod	305466 Hautau code		
340.041	umetak sa četkicom gornji	upper insert with brush	1	
361.029	gumeni umetak	rubber insert	1	


BRTVE GASKETS

318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr
318.001	brtva prema staklu(fiskno)	gasket towards glass(fixed)	4	MH+ML/2
347.012	brtva na spoju	sash joint gasket	4	Hkr
347.004	četkica maski	mask brush		Hkr+2Lkr
347.012	brtva krila	sash gasket		2Lkr+2Hkr
344.113	brtva na spoju	joint gasket	2	Hkr
348.052	brtva u ramu	frame gasket		ML+2MH
344.015	brtva u ramu	frame gasket		Lkr+MH
344.055	brtva maske praga	threshold mask gasket		Lkr
348.054	brtva krila	sash gasket	2	Lkr
340.042	izolacijski umetak	insulating insert	1	Lkr
340.044	izolacijski umetak	insulating insert	1	Hkr-115
340.045	izolacijski umetak	insulating insert	1	Hkr-40.5
340.013	izoterm plamaframe	isotherm plamaframe	1	(Lkr-157.6)+(Hkr-157)
340.013	izoterm plamaframe	isotherm plamaframe	1	(Lpreč.-106.6)+(MH-40.3)
340.533	xps gornje horizontalne krila	upper horizontal wings xps	1	Lkr-120

STAKLO GLASS

44 mm(krilo)	1	Lst x Hst
44 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





PODIZNO-KLIZNA VRATA SA KRILOM FT-0725F I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0725F AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01... - Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

PROFILI PROFILES			kom pcs	mjera measure	planje cutting
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0725F	krilo	sash	4	ML/4+41.85	45-45
FT-0725F	krilo	sash	4	MH-55	45-45
FT-0730F	prečka	mullion	2	MH-35.3	90-90
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
F-1528	maska prečke	mullion mask profile	2	MH-40.3	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML-2Lpreč.-23	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-108.9	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Lkr-157.2	90-90
Z40-660	staklo lajsna krila	sash glass bead	4	Hkr-201.2	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-106.8	90-90
Z40-660	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-100	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	2	Lprečke-150.6	90-90
F-1676	držač točkića	boogies holder	4	Lkr-50	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.075	pvc prečke	mullion pvc	2	MH-40.3	90-90
374.075	pvc krila	sash pvc	2	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	2	
710.478	kutnik rama	frame corner bracket	2	
710.445	kutnik krila	sash corner bracket	8	
710.504	kutnik krila	sash corner bracket	8	
710.011	kutnik krila	sash corner bracket	16	
730.001	pomoćni kutnik krila	supprt sash corner bracket	8	
373.060	usmjerivač krila	sash guide	4	
375.018	čep profila maske F-1231	mask profile cap	1 par	
375.016	čep maske krila	sash mask cap	2	
375.067	čep maske krila	sash mask cap	2	
375.020	ublaživač udara krila	sash hit bumper	4	
375.065	čep praga	threshold insert	1 par	
374.068	pvc podmetač kotača	pvc wheel pad	4	L=200mm
374.060	pvc podmetač brave	pvc lock pad	2	Hkr
149.049	pvc podmetač brave 4mm	pvc lock pad 4mm	2	1 pak.(5 kom)
	305466 Hautau kod	305466 Hautau code		
340.041	umetak sa četkicom gornji	upper insert with brush	2	
361.029	gumeni umetak	rubber insert	2	


BRTVE GASKETS

318.001	brtva prema staklu(krilo)	gasket towards glass(sash)	8	Hkr+Lkr
318.001	brtva prema staklu(fiskno)	gasket towards glass(fixed)	8	MH+ML/4
347.011	brtva na spoju krila	sash joint gasket	2	Hkr
347.012	brtva na spoju	sash joint gasket	8	Hkr
347.004	četkica maski	mask brush		2ML/4
347.012	brtva krila	sash gasket		4Lkr
344.113	brtva na spoju	joint gasket	4	Hkr
348.052	brtva u ramu	frame gasket		ML+2MH
344.015	brtva u ramu	frame gasket		2ML/4
344.055	brtva maske praga	threshold mask gasket		2ML/4
348.054	brtva krila	sash gasket	4	Lkr
340.042	izolacijski umetak	insulating insert	2	Lkr
340.044	izolacijski umetak	insulating insert	2	Hkr-115
340.045	izolacijski umetak	insulating insert	2	Hkr-40.5
340.013	izoterm plamaframe	isotherm plamaframe	2	(Lkr-157)+(Hkr-157)
340.013	izoterm plamaframe	isotherm plamaframe	2	(Lpreč.-106.6)+(MH-40.3)
340.533	xps gornje horizontalne krila	upper horizontal wings xps	2	Lkr-120

STAKLO GLASS

44 mm(krilo)	2	Lst x Hst
44 mm(fiksno)	2	Lst.fiksnoq x Hst.fiksnoq





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne sisteme izabrati iz kataloga str.403.08.01...

* koristi se za Termo 120 klizno

** koristi se za Termo 120 podizno klizno

- Hardware for slide and lift-slide systems to choose from catalog page 403.08.01...

* used for Termo 120

sliding
used for Termo 120 lifting and sliding

PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	2	ML/2-7.3	45-45
FT-0727	krilo	sash	2	MH-82	45-45
FT-0735F	prečka	mullion	1	MH-46	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	Lkr-67.35	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.088	pvc prečke	mullion pvc	1	MH-56	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	pomoćni kutnik krila	supprt sash corner bracket	4		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1	par	
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	1	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.019**	gumeni umetak	rubber insert	1		


BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
328.002	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
311.003	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr	
347.012**	brtva krila	sash gasket		4Lkr+2Hkr	
344.113	brtva na spoju	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		2Lkr+MH	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.496	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH	
340.534	xps gornje horizontale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

28 mm(krilo)	1	Lst x Hst
28 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz from catalog page 403.08.01...

kataloga str.403.08.01...

* koristi se za Termo 120

** koristi se za Termo 120

podizno klizno

* used for Termo 120

sliding

** used for Termo 120 lifting

and sliding

PROFILI PROFILES

FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	4	ML/4-7.3	45-45
FT-0727	krilo	sash	4	MH-82	45-45
FT-0735F	prečka	mullion	2	MH-46	90-90
F-1528	maska prečke	mullion mask profile	2	MH-56	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	4	Lprečke-39.5	90-90
F-1445	vertikalna maska rama	vertical frame mask	2	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	ML-(2Lprečke+116)	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.088	pvc prečke	mullion pvc	2	MH-56	90-90
374.088	pvc krila	sash pvc	2	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1	par	
375.016	čep maske krila	sash mask cap	4		
375.020	ublaživač udara krila	sash hit bumper	4		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
340.521*	umetak sa četkicom donji	lower insert with brush	2		
364.019**	gumeni umetak	rubber insert	2		


BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
328.002	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
311.003	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush		2Hkr+4Lkr	
347.003*	četkasta brtva krila	sash brush gasket		8Lkr+4Hkr	
347.012**	brtva krila	sash gasket		8Lkr+4Hkr	
344.113	brtva na spoju	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		4Lprečke+2MH	
340.042	izolacijski umetak	insulating insert	4	Lkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr+ML/4+MH/2	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	2	Lkr-120	

STAKLO GLASS

28 mm(krilo)	2	Lst x Hst
28 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose
sisteme izabrati iz from catalog page 403.08.01...

kataloga str.403.08.01...

* koristi se za Termo 120

klizno

** koristi se za Termo 120

podizno klizno

* used for Termo 120

sliding

** used for Termo 120 lifting

and sliding

kom mjera pilanje

pcs measure cutting

FT-0722F ram frame 2 ML 45-45

FT-0722F ram frame 2 MH 45-45

FT-0727 krilo sash 4 ML/4+30.85 45-45

FT-0727 krilo sash 4 MH-82 45-45

FT-0735F prečka mullion 2 MH-46 90-90

F-1528 maska prečke mullion mask profile 2 MH-56 90-90

FT-0733F profil dodatka krila addition sash profile 1 Hkr 90-90

F-1528 maska krila sash mask profile 2 Hkr 90-90

F-1231 maska vanjska external mask profile 1 ML-48 90-90

F-1444 horizontalna maska rama horizontal frame mask 2 ML-2Lpreč.-23 90-90

Z40-665 staklo lajsna krila sash glass bead 4 Lkr-116 90-90

Z40-665 staklo lajsna krila sash glass bead 4 Hkr-160 90-90

Z40-665 staklo lajsna fiksnog dijela fixed part glass bead 4 Lprečke-86 90-90

Z40-665 staklo lajsna fiksnog dijela fixed part glass bead 4 MH-100 90-90

F-1112 vodilica guide profile 1 ML-104 90-90

374.088 pvc prečke mullion pvc 2 MH-56 90-90

374.088 pvc krila sash pvc 2 Hkr 90-90

OKOVI HARDWARE

730.008 kutnik rama frame corner bracket 4

710.478 kutnik rama frame corner bracket 4

710.599 kutnik krila sash corner bracket 16

710.600 kutnik krila sash corner bracket 16

731.010 pomoćni kutnik krila supprt sash corner bracket 8

730.017 pomoćni kutnik krila supprt sash corner bracket 16

373.061 usmjerivač krila sash guide 4

375.018 čep profila maske F-1231 mask profile cap 1 par

375.016 čep maske krila sash mask cap 4

375.020 ublaživač udara krila sash hit bumper 4

370.070 čep za odvod vode water drain plug 2

374.116 pvc podmetač kotača pvc wheel pad 4 L=200mm

374.117* pvc podmetač brave pvc lock pad 1 Hkr

374.117** pvc podmetač brave pvc lock pad 2 Hkr

340.041 umetak sa četkicom gornji upper insert with brush 2

340.521* umetak sa četkicom donji lower insert with brush 2

364.019** gumeni umetak rubber insert 2

BRTVE GASKETS

328.002 brtva prema staklu(krilo) gasket towards glass(sash) 4 Hkr+Lkr

311.003 brtva prema staklu(krilo) gasket towards glass(sash) 4 Hkr+Lkr

328.002 brtva prema staklu(fiksno) gasket towards glass(fixed) 4 MH+ML/4

311.003 brtva prema staklu(fiksno) gasket towards glass(fixed) 4 MH+ML/4

347.011 brtva na spoju sash joint gasket 2 Hkr

347.012 brtva na spoju sash joint gasket 8 Hkr

347.004 četkica maski mask brush 2 ML/2

347.003* četkasta brtva krila sash brush gasket 8Lkr

347.012** brtva krila sash gasket 8Lkr

344.113 brtva na spoju joint gasket 4 Hkr

348.052 brtva u ramu frame gasket ML+2MH

344.015 brtva u ramu frame gasket 2 ML/2

340.042 izolacijski umetak insulating insert 2 ML/2-91.4

340.496 izolacijski umetak insulating insert 2 Hkr

340.507* izolacijski umetak insulating insert 1 Hkr

340.045 izolacijski umetak insulating insert 2 Hkr

348.001 izoterm plamaframe isotherm plamaframe 4 Lkr+Hkr+Lprečke+MH

340.534 xps gornje horisnotale krila upper horizontal wings xps 2 Lkr-120

STAKLO GLASS

28 mm(krilo) 2 Lst x Hst

28 mm(fiksno) 2 Lst.fiksnog x Hst.fiksnog

Lkr=ML/4+30.85 Lst=Lkr-130

Lkr=ML/4+30.85 Lst=Lkr-130

FT-0722F FT-0727 FT-0733F FT-0727 FT-0727



F-1528 F-1528 F-1528 F-1528


Z40-665 Z40-665 Z40-665 Z40-665

Z40-665 Z40-665 Z40-665 Z40-665

Lst.fiksnog=Lprečke -97 Lprečke=ML/4+34.2

ML=





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne - Hardware for slide and lift-slide systems to choose

sisteme izabrati iz

kataloga str.403.08.01...

* from catalog page 403.08.01...

* koristi se za Termo 120

* used for Termo 120

klizno

sliding

** koristi se za Termo 120

** used for Termo 120 lifting

podizno klizno

and sliding

PROFILI PROFILES

			pcs	measure	cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo	sash	2	ML/3+25.2	45-45
FT-0727	krilo	sash	2	MH-82	45-45
FT-0735F	prečka	mullion	1	MH-46	90-90
FT-0736F	prečka	mullion	1	MH-47	90-90
F-1528	maska prečke	mullion mask profile	1	MH-56	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/3-45.7	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela1	fixed part glass bead	2	Lprečke1-86	90-90
Z40-665	staklo lajsna fiksnog dijela1	fixed part glass bead	2	MH-100	90-90
Z40-665	staklo lajsna fiksnog dijela2	fixed part glass bead	2	Lprečke2-53	90-90
Z40-665	staklo lajsna fiksnog dijela2	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	2ML/3-66.2	90-90
374.088	pvc prečke	mullion pvc	1	MH-56	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE



730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	pomoćni kutnik krila	supprt sash corner bracket	4		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	1	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.019**	gumeni umetak	rubber insert	1		
373.077	umetak za prečku	mullion insert	1 par		


BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
328.002	brtva prema staklu(fiksnog 1)	gasket towards glass(fixed 1)	2	MH+ML/3	
311.003	brtva prema staklu(fiksnog 1)	gasket towards glass(fixed 1)	2	MH+ML/3	
328.002	brtva prema staklu(fiksnog 2)	gasket towards glass(fixed 1)	2	MH+ML/3	
311.003	brtva prema staklu(fiksnog 2)	gasket towards glass(fixed 1)	2	MH+ML/3	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush	2	ML/3-45.7	
347.003*	četkasta brtva krila	sash brush gasket	4	4Lkr+2Hkr	
347.012**	brtva krila	sash gasket	4	4Lkr+2Hkr	
344.113	brtva na spoju	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket	2	ML+ML/3+3MH	
344.015	brtva u ramu	frame gasket	2	ML/3-45.7	
358.015	brtva u prečki	mullion gasket	1	MH	
344.104	brtva u prečki	mullion gasket	1	MH	
340.042	izolacijski umetak	insulating insert	2	ML/3-45.7	
340.045	izolacijski umetak	insulating insert	1	Hkr	
340.496	izolacijski umetak	insulating insert	1	Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	6	ML/3+MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

28 mm(krilo)	1	(Lkr-130) x Hst.krila
28 mm(fiksnog1)	1	(Lprečke1-97) x Hst.fiksnog
28 mm(fiksnog2)	1	(Lprečke2-67) x Hst.fiksnog





KLIZNA I PODIZNO-KLIZNA VRATA SA KRILOM FT-0727+FT-0728 I INTEGRIRANIM FIKSNIM POLJEM

SLIDE AND LIFT-SLIDE DOOR WITH SASH FT-0727+FT-0728 AND INTEGRATED FIXED FIELD

- Okov za klizne i podizno-klizne

- Hardware for slide and lift-slide systems to choose

sisteme izabrati iz

from catalog page 403.08.01...

kataloga str.403.08.01...

* used for Termo 120 sliding

* koristi se za Termo 120

** used for Termo 120 lifting and sliding

klizno

see processing in catalog

** koristi se za Termo 120

podizno klizno

pogledati obradu u katalogu

stranica 406.11.008

PROFILI PROFILES

			kom	mjera	pilanje
			pcs	measure	cutting
FT-0722F	ram	frame	2	ML	45-45
FT-0722F	ram	frame	2	MH	45-45
FT-0727	krilo-vodoravnice	sash-horizontal	2	ML/2+13.5#	45-45
FT-0727	krilo	sash	1	MH-82	45-45
FT-0728	krilo	sash	1	Hkr-68.8	45-45
FT-0737F	prečka	mullion	1	MH-46	90-90
F-1793	maska prečke	mullion mask profile	1	MH-56	90-90
F-1793	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1444	horizontalna maska rama	horizontal frame mask	2	ML/2-53	90-90
F-1445	vertikalna maska rama	vertical frame mask	1	MH-106.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-81.6	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-51.6	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-100	90-90
F-1112	vodilica	guide profile	1	ML-104	90-90
374.121	pvc prečke	mullion pvc	1	MH-56	90-90
374.121	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	4		
710.478	kutnik rama	frame corner bracket	4		
710.599	kutnik krila	sash corner bracket	4		
710.600	kutnik krila	sash corner bracket	8		
731.010	pomoćni kutnik krila	supprt sash corner bracket	4		
730.017	pomoćni kutnik krila	supprt sash corner bracket	4		
373.061	usmjerivač krila	sash guide	1		
375.018	čep profila maske F-1231	mask profile cap	1	par	
375.016	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	2		
370.070	čep za odvod vode	water drain plug	2		
374.116	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	1	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
340.521*	umetak sa četkicom donji	lower insert with brush	1		
364.020**	gumeni umetak	rubber insert	1		


BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
328.002	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
311.003	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.003*	četkasta brtva krila	sash brush gasket		4Lkr+2Hkr	
347.012**	brtva krila	sash gasket		4Lkr+2Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		2Lkr+MH	
340.042	izolacijski umetak	insulating insert	2	Lkr	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr+Lprečke+MH	
340.534	xps gornje horizontale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

28 mm(krilo)	1	Lst x Hst
28 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog





PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati
iz kataloga str.403.08.01...

- Hardware for slide and lift-slide systems to choose
from catalog page 403.08.01...

PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0727	krilo	sash	2	ML/2-5.4	45-45
FT-0727	krilo	sash	2	MH-55	45-45
FT-0735F	prečka	mullion	1	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	1	MH-40.3	90-90
F-1528	maska krila	sash mask profile	1	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-73.7	90-90
F-1380	vertikalna maska rama	vertical frame mask	1	MH-65.1	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-98.5	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	2	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	2	MH-84.3	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	1	Lprečke-130	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.088	pvc prečke	mullion pvc	1	MH-40.3	90-90
374.088	pvc krila	sash pvc	1	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.599	kutnik krila	sash corner bracket	8		
710.600	kutnik krila	sash corner bracket	8		
731.010	pomoćni kutnik krila	supprt sash corner bracket	4		
730.017	pomoćni kutnik krila	supprt sash corner bracket	8		
373.061	usmjerivač krila	sash guide	2		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	1		
375.067	čep maske krila	sash mask cap	1		
375.020	ublaživač udara krila	sash hit bumper	2		
375.065	čep praga	threshold insert	1 par		
374.118	pvc podmetač kotača	pvc wheel pad	2	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	1	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	1		
361.029	gumeni umetak	rubber insert	1		


BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	2	Hkr+Lkr	
328.002	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/4	
311.003	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	MH+ML/2	
311.004	brtva prema staklu(fiksno)	gasket towards glass(fixed)	1	ML/2	
347.012	brtva na spoju	sash joint gasket	4	Hkr	
347.004	četkica maski	mask brush		Hkr+2Lkr	
347.012	brtva krila	sash gasket		2Lkr+2Hkr	
344.113	brtva na spoju	joint gasket	2	Hkr	
348.052	brtva u ramu	frame gasket		ML+2MH	
344.015	brtva u ramu	frame gasket		Lkr+MH	
344.055	brtva maske praga	threshold mask gasket		Lkr	
348.054	brtva krila	sash gasket	2	Lkr	
340.042	izolacijski umetak	insulating insert	1	Lkr	
340.496	izolacijski umetak	insulating insert	1	Hkr	
340.045	izolacijski umetak	insulating insert	1	Hkr-40.5	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lkr+Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	2	Lprečke+MH	
340.534	xps gornje horiznotale krila	upper horizontal wings xps	1	Lkr-120	

STAKLO GLASS

28 mm(krilo)	1	Lst x Hst	
28 mm(fiksno)	1	Lst.fiksnog x Hst.fiksnog	





PODIZNO-KLIZNA VRATA SA KRILOM FT-0727 I INTEGRIRANIM FIKSNIM POLJEM (NISKI PRAG)
LIFT-SLIDE DOOR WITH SASH FT-0727 AND INTEGRATED FIXED FIELD (LOW THRESHOLD)

- Okov za klizne i podizno-klizne sisteme izabrati - Hardware for slide and lift-slide systems to choose
iz kataloga str.403.08.01... from catalog page 403.08.01...

PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0722F	ram	frame	1	ML	45-45
FT-0722F	ram	frame	2	MH	45-90
FT-0727	krilo	sash	4	ML/4+30.85	45-45
FT-0727	krilo	sash	4	MH-55	45-45
FT-0733F	profil dodatka krila	addition sash profile	1	Hkr	90-90
FT-0735F	prečka	mullion	2	MH-35.3	90-90
F-1528	maska prečke	mullion mask profile	2	MH-40.3	90-90
F-1528	maska krila	sash mask profile	2	Hkr	90-90
F-1231	maska vanjska	external mask profile	1	ML-48	90-90
F-1380	horizontalna maska rama	horizontal frame mask	1	ML/2-91.4	90-90
F-1381	horizontalna maska praga	horizontal threshold mask	1	ML/2-91.4	90-90
F-1377	profil praga	threshold profile	1	ML-62	90-90
F-1378	umetak praga	threshold insert	1	ML-62	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Lkr-116	90-90
Z40-665	staklo lajsna krila	sash glass bead	4	Hkr-160	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	Lprečke-86	90-90
Z40-665	staklo lajsna fiksnog dijela	fixed part glass bead	4	MH-84.3	90-90
Z40-660	staklo lajsna fiks. dijela praga	threshold fix. part glass bead	2	Lprečke-130	90-90
F-1379	vodilica	guide profile	1	ML-87.4	90-90
374.088	pvc prečke	mullion pvc	2	MH-40.3	90-90
374.088	pvc krila	sash pvc	2	Hkr	90-90

OKOVI HARDWARE


730.008	kutnik rama	frame corner bracket	2		
710.478	kutnik rama	frame corner bracket	2		
710.599	kutnik krila	sash corner bracket	16		
710.600	kutnik krila	sash corner bracket	16		
731.010	pomoćni kutnik krila	supprt sash corner bracket	8		
730.017	pomoćni kutnik krila	supprt sash corner bracket	16		
373.061	usmjerivač krila	sash guide	4		
375.018	čep profila maske F-1231	mask profile cap	1 par		
375.016	čep maske krila	sash mask cap	2		
375.067	čep maske krila	sash mask cap	2		
375.020	ublaživač udara krila	sash hit bumper	4		
375.065	čep praga	threshold insert	1 par		
374.118	pvc podmetač kotača	pvc wheel pad	4	L=200mm	
374.117	pvc podmetač brave	pvc lock pad	2	Hkr	
340.041	umetak sa četkicom gornji	upper insert with brush	2		
361.029	gumeni umetak	rubber insert	2		

BRTVE GASKETS

328.002	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
311.003	brtva prema staklu(krilo)	gasket towards glass(sash)	4	Hkr+Lkr	
328.002	brtva prema staklu(fiksno)	gasket towards glass(fixed)	4	MH+ML/4	
311.003	brtva prema staklu(fiksno)	gasket towards glass(fixed)	4	MH+ML/2	
311.004	brtva prema staklu(fiksno)	gasket towards glass(fixed)	2	ML/2	
347.012	brtva na spoju	sash joint gasket	8	Hkr	
347.004	četkica maski	mask brush	2	Lkr	
347.012	brtva krila	sash gasket	4	Lkr	
344.113	brtva na spoju	joint gasket	4	Hkr	
348.052	brtva u ramu	frame gasket	2	ML+2MH	
344.015	brtva u ramu	frame gasket	2	ML/2	
344.055	brtva maske praga	threshold mask gasket	2	ML/2	
348.054	brtva krila	sash gasket	4	Lkr	
347.011	brtva na spoju	sash joint gasket	2	Hkr	
340.042	izolacijski umetak	insulating insert	2	Lkr	
340.496	izolacijski umetak	insulating insert	2	Hkr	
340.045	izolacijski umetak	insulating insert	2	Hkr-40.5	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lkr+Hkr	
348.001	izoterm plamaframe	isotherm plamaframe	4	Lprečke+MH	
340.534	xps gornje horizontalne krila	upper horizontal wings xps	2	Lkr-120	

STAKLO GLASS

28 mm(krilo)	2	Lst x Hst	
28 mm(fiksno)	2	Lst.fiksnog x Hst.fiksnog	



FEAL



Skenirajte QR kod i registrirajte
se na partner.feal.ba

*Scan the QR code and register
on partner.feal.ba*

TERMO 120

Knjiga B / *Book B*

Travanj 2025. / April 2025

FEAL d.o.o.
Trnska cesta 146
88220 Široki Brijeg
Bosna i Hercegovina
Tel. +387 39 704-269; 705-807; 705-636
Fax. +387 39 704-358
info@feal.ba
www.feal.ba