


FEAL



TERMO 60

PROZORI I VRATA
WINDOWS AND DOORS







Knjiga B / *Book B*





SADRŽAJ CONTENT







06	VEZNI ELEMENTI	600.06.001-010
06	CONNECTION ELEMENTS	600.06.001-010
07	PVC ELEMENTI	600.07.001-006
07	PVC ELEMENTS	600.07.001-006
08	MEHANIZMI	600.08.001-074
08	MECHANISMS	600.08.001-074
09	BRTVILA	600.09.001-006
09	GASKETS	600.09.001-006
10	DODACI	600.10.001-008
10	ACCESSORIES	600.10.001-008
11	OBRADA I MONTAŽA	600.11.001-312
11	PROCESSING AND MONTAGE	600.11.001-312
12	REZNE LISTE	600.12.001-022
12	CUTTING LISTS	600.12.001-022






Vezni elementi





Connection elements







Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
710.449	 <p>L=25mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.6x15.2 - Za profile: FT-0601 i F-0602 - Corner bracket for chamber 25.6x15.2 - For profiles: FT-0601 i FT-0602 	Al.	
710.455	 <p>L=12.2 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 12.4x16.5 - Za profile: FT-0602 - Corner bracket for chamber 12.4x16.5 - For profiles: FT-0602 	Al.	
710.441	 <p>L=5.5mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 5.8x12.9 - Za profile: FT-0611, FT-0612, FT-0620, FT-0616, FT-0617 , FT-0618 - Corner bracket for chamber 5.8x12.9 - For profiles: FT-0611, FT-0612, FT-0620, FT-0616, FT-0617 , FT-0618 	Al.	
710.456	 <p>L=5.4 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 5.8x16.5 - Za profile: FT-0613, FT-0615, FT-0650, - Corner bracket for chamber 5.8x12.9 - For profiles: FT-0613, FT-0615, FT-0650, 	Al.	
725.031	 <p>L=7.8 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 8.4x16.5 - Za profile: FT-0614 - Corner bracket for chamber 8.4x16.5 - For profiles: FT-0614 	Al.	
710.475	 <p>L=25 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.6x15.2 - Za profile: FT-0601, FT-0602, FT-0611, FT-0612, FT-0620 - Corner bracket for chamber 25.6x15.2 - Za profile: FT-0601, FT-0602, FT-0611, FT-0612, FT-0620 	Al.	


Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
725.032	 <p>L=6 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 6.4x16.5 - Za profile: FT-0605 - Corner bracket for chamber 6.4x16.5 - For profiles: FT-0605 	Al.	
710.483	 <p>L=24.8 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.3x8.6 - Za profile: FT-0616, FT-0617, FT-0618 - Corner bracket for chamber 25.3x8.6 - For profiles: FT-0616, FT-0617, FT-0618 	Al.	
710.511	 <p>L=25 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.4x15.2 - Za profile: FT-0611, FT-0612, FT-0620 - Corner bracket for chamber 25.4x15.2 - For profiles: FT-0611, FT-0612, FT-0620 	Al.	
710.508	 <p>L=24.8 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.3x8.6 - Za profile: FT-0616, FT-0617, FT-0618 - Corner bracket for chamber 25.3x8.6 - For profiles: FT-0616, FT-0617, FT-0618 	Al.	


Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
725.128	 <p>L=8 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 8.4x13 - Za profile: FT-0607 - Corner bracket for chamber 8.4x13 - For profiles: FT-0607 	Al.	
725.701	 <p>L=23.7 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 24.3x19 - Za profile: FT-0607 - Corner bracket for chamber 24.3x19 - For profiles: FT-0607 	Al.	
725.702	 <p>L=23.7 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 24.3x19 - Za profile: FT-0607 - Corner bracket for chamber 24.3x19 - For profiles: FT-0607 	Al.	
725.709	 <p>L=17 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 17.5x10.6 - Za profile: FT-0608 - Corner bracket for chamber 17.5x10.6 - For profiles: FT-0608 	Al.	
725.710	 <p>L=17 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 17.5x10.6 - Za profile: FT-0608 - Corner bracket for chamber 17.5x10.6 - For profiles: FT-0608 	Al.	
725.705	 <p>L=8 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 8.5x25.2 - Za profile: FT-0608 - Corner bracket for chamber 17.5x10.6 - For profiles: FT-0608 	Al.	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
710.063	 <p>L=24.9 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.2x46.6 (FT-0613) - Stara oznaka 746.003 - Corner bracket for chamber 25.2x46.6 (FT-0613) - Former code 746.003 	Al.	
710.048	 <p>L=4.2 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 4.4x22.5 - Stara oznaka 722.001 - Corner bracket for chamber 4.4x22.5 - Former code 722.001 	Al.	
710.143	 <p>L=25.1 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.6x35.2 - Stara oznaka K-0795/E - Corner bracket for chamber 25.6x35.2 - Former code K-0795/E 	Al.	
710.059	 <p>L=28.5 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 29x35,5 - Stara oznaka K-0795 - Corner bracket for chamber 29x35.5 - Former code K-0795 	Al.	
710.072	 <p>L=28.5 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 29x35,5 - Stara oznaka K-0795 - Corner bracket for chamber 29x35.5 - Former code K-0795 	Al.	
710.142	 <p>L=25.1 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.6x35.2 - Corner bracket for chamber 25.6x35.2 	Al.	





Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
710.064	 <p>L=24.9 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.2x46.6 (FT-0613) - Corner bracket for chamber 25.2x46.6 (FT-0613) 	Al.	
710.161	 <p>L=24.6mm</p> <p>M8x13</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.2x35.6 - Nesimetrična - Corner bracket for chamber 25.2x35.6 - Asymmetric 	Al.	
710.099	 <p>L=28,5mm</p> <p>M8x13</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 29x35.5 - Nesimetrična - Corner bracket for chamber 29x35.5 - Asymmetric 	Al.	
710.176	 <p>L=5.2 mm</p>	<ul style="list-style-type: none"> - Kutna spojnica za komoru 5.6 x25,2 (FT-0619) - Corner bracket for chamber 5.6x25.2 (FT-0619) 	Al.	







Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
730.006		<ul style="list-style-type: none"> - Kutna spojnica za komoru 25.6x15.2 - Stara oznaka 6001 - Corner bracket for chamber 25.6x15.2 - Former code 6001 	Zamak #3	
730.009		<ul style="list-style-type: none"> - Kutna spojnica za komoru 29x35.5 - Stara oznaka: 4004 ,2001 - Corner bracket for bracket 29x35.5 - Former code: 4004 ,2001 	Zamak #3	
730.004		<ul style="list-style-type: none"> - Kutna spojnica za komoru 7.2x27.5 - Stara oznaka K45-01 - Corner bracket for chamber 7.2x27.5 - Former code K45-01 	Zamak	
730.005		<ul style="list-style-type: none"> - Kutna spojnica za komoru 4x27.5 - Stara oznaka: K65-01 - Corner bracket for chamber 4x27.5 - Former code: K65-01 	Zamak #3	
731.010		<ul style="list-style-type: none"> - Kutna spojnica za komoru 1.6x19.2 - Stara oznaka 2019/500 - Corner bracket for chamber 1.6x19.2 - Former code 2019/500 	Zamak #3	
730.001		<ul style="list-style-type: none"> - Kutna spojnica za komoru 1.7x4.7 - Stara oznaka: G112 - Corner bracket for chamber 1.7x4.7 - Former code: G112 	Inox	







Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
730.002		<ul style="list-style-type: none">- Kutna spojnica za komoru 1.7x4.7- Stara oznaka: G112/A- Corner bracket for chamber 1.7x4.7- Former code: G112/A	Inox	

Oznaka Code	Izgled-presjek View- cross section	Opis Description	Materijal Material	Napomena Remark
710.066	 <p>M8x13 inbus M6x10</p>	<ul style="list-style-type: none"> - Veznik (L=14.7mm) - Stara oznaka E-200 - Connector (L=14.7mm) - Former code E-200 	Al.	







Pvc elementi
Pvc elements







OZNAKA CODE	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Description
365.004		<ul style="list-style-type: none"> - Umetak profila za okretanje FT-0631-otv. unutra - Stara oznaka 401.007 - Turning insert for profile FT-0631-inside opening - Former code 401.007 	Tvrda guma Hard rubber	
365.064		<ul style="list-style-type: none"> -Umetak za profil FT-0635 - otvaranje unutra -Insert for profile FT-0635 - outside opening 	Tvrda guma Hard rubber	
363.017		<ul style="list-style-type: none"> - Umetak za profil FT-0632 - otvaranje vani - Insert for profile FT-0632 - outside opening 	Tvrda guma Hard rubber	
365.051		<ul style="list-style-type: none"> - Umetak profila FT-0633 (pvc) - Umetak profila FT-0633 (pvc) 	Tvrda guma Hard rubber	

OZNAKA CODE	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Description
365.008		<ul style="list-style-type: none"> - Umetak za profil FT-0643-otvaranje unutra - Stara oznaka 401.015 - Lijevi i desni - Insert for profile FT-0643-inside opening - Former code 401.015 - Left and right 	Tvrda guma Hard rubber	
363.062		<ul style="list-style-type: none"> -Umetak za profila FT-0648 -Insert for profile FT-0648 	Tvrda guma Hard rubber	
373.036		<ul style="list-style-type: none"> -Umetak za profil F-1402 -Insert for profile F-1402 	PVC	
373.028		<ul style="list-style-type: none"> - Umetak za profil FT-0624 - Umetak za profil FT-0624 	PVC	
373.002		<ul style="list-style-type: none"> - Umetak za profil okapnice Z40-657 - Stara oznaka PRO 23 - Insert for drip profile Z40-657 - Former code PRO 23 	PVC	
373.003		<ul style="list-style-type: none"> - Maska za drenažni otvor - Stara oznaka: 2328 - Mask cap for drainage hole - Former code: 2328 	PVC	


OZNAKA CODE	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Description
370.000 370.001 370.002		- Podmetači za staklo 3 mm 370.000 - Glass pads 5 mm 370.001 7 mm 370.002	PVC	
370.023		-PVC čep za maskiranje rupe Ø10 mm -Stara oznaka: pvc maskirni čep -PVC cap for drilled hole Ø10 mm -Former code: pvc maskirni čep	PVC	
370.024		-PVC čep za maskiranje rupe Ø12 mm -Stara oznaka: pvc maskirni čep -PVC cap for drilled hole Ø12 mm -Former code: pvc maskirni čep	PVC	
374.037		- Profil za ugradnju - Stara oznaka PI-110 - Profile for installation - Former code PI-110	PVC	
360.009		- Sustav odvodnje kapljevina Monodrain - Drainage system Monodrain		
373.054		- Gornji čep okomice francuskog balkona - Upper cover cap of french balcony profile	PVC	

Mehanizmi Mechanisms


Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka <i>EURO ŽLIJEB</i> - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge <i>EURO GROOVE</i> - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		
111.002.01 02 03		<ul style="list-style-type: none"> - Trodjelna šarka <i>EURO ŽLIJEB</i> - Stara oznaka E-120 - Boje: 01- bijela; 02 - siva;03 - crna - Three-part hinge <i>EURO GROOVE</i> - Former code E-120 - Color: 01- white; 02 - gray;03 - black 		
111.003.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-vani <i>EURO ŽLIJEB</i> - Stara oznaka EV-110 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge-outside <i>EURO GROOVE</i> - Former code EV-110 - Color: 01- white; 02 - gray;03 - black 		
111.004.01 02 03		<ul style="list-style-type: none"> - Trodjelna šarka-vani <i>EURO ŽLIJEB</i> - Stara oznaka EV-130 - Boje: 01- bijela; 02 - siva;03 - crna - Three-part hinge-outside <i>EURO GROOVE</i> - Former code EV-130 - Color: 01- white; 02 - gray;03 - black 		
114.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-<i>EURO ŽLIJEB</i> - Oznaka proizvođača Stublina: 2006.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge-<i>EURO GROOVE</i> - Manufacturer code Stublina: 2006.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 		
113.003.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-<i>EURO ŽLIJEB</i> - Oznaka proizvođača alu-b: VENUS - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge-<i>EURO GROOVE</i> - Manufacturer code alu-b: VENUS - Color: 01- white; 02 - gray;03 - black 		




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
114.004.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-<i>EURO ŽLIJEB</i> - Oznaka proizvođača Stublina: 2024.00 - Two-part hinge-<i>EURO GROOVE</i> - Manufacturer code Stublina: 2024.00 		
114.005.01 02 03		<ul style="list-style-type: none"> - Trodijelna šarka-<i>EURO ŽLIJEB</i> - Oznaka proizvođača Stublina: 2129.00 - Three-part hinge-<i>EURO GROOVE</i> - Manufacturer code Stublina: 2129.00 		
114.006.01 02 03		<ul style="list-style-type: none"> - Trodijelna šarka-<i>EURO ŽLIJEB</i> - Oznaka proizvođača Stublina: 2124.00 - Three-part hinge-<i>EURO GROOVE</i> - Manufacturer code Stublina: 2124.00 		
113.009.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka OSNO 70 - Stara oznaka: Max3D 68 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge OSNO 70 - Former code: Max3D 68 - Color: 01- white; 02 - gray;03 - black 	Al. Čelik Steel	
113.011.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka OSNO 96 - Stara oznaka: Max3D 94 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge OSNO 96 - Former code: Max3D 94 - Color: 01- white; 02 - gray;03 - black 	Al. Čelik Steel	
113.012		<ul style="list-style-type: none"> - Set za TERMO 65 - Stara oznaka: Set za TERMO 65 - Set for TERMO 65 - Former code: Set for TERMO 65 		






AL 2000 OTKLOPNO-ZAOKRETNI MEHANIZAM - EUGEN NOTTER AL 2000 TILT-TURN MECHANISM - EUGEN NOTTER




Fb: Širina krila Sash width: 380 - 1600 mm
Fh: Visina krila Sash height: 600 - 2400mm
Nosivost max. Load max. 100 Kg






Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
133.050		<ul style="list-style-type: none"> - Pogonski mehanizam Eugen Notter (AL 2000), za ručku (LA 84/104mm) - Oznaka proizvođača Notter: 225 403 00 - Drive gear Eugen Notter (AL 2000), for handle (LA 84/104mm) - Manufacturer code Notter: 225 403 00 		
133.054		<ul style="list-style-type: none"> - Škare Gr.200 za širinu krila: Fb= 380mm - 500mm - Oznaka proizvođača Notter: 222 050 00 - Friction stays Gr.200 for sash width: Fb= 380mm - 500mm - Manufacturer code Notter: 222 050 00 		
133.055		<ul style="list-style-type: none"> - Škare Gr.270 za širinu krila: Fb= 501mm - 900mm - Oznaka proizvođača Notter: 222 052 00 - Friction stays Gr.270 for sash width: Fb= 501mm - 900mm - Manufacturer code Notter: 222 052 00 		
133.056		<ul style="list-style-type: none"> - Škare Gr.500 za širinu krila: Fb= 901mm - 1600mm - Oznaka proizvođača Notter: 222 055 00 - Friction stays Gr.500 for sash width: Fb= 901mm - 1600mm - Manufacturer code Notter: 222 055 00 		
133.051.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 100 kg - Oznaka proizvođača Notter: 263 415 03 - bijela 263 415 06 - siva 263 415 05 - crna - Boje: 01- bijela; 02 - siva;03 - crna - Hinges weight load under 100 kg - Manufacturer code Notter: 263 415 03 - white 263 415 06 - gray 263 415 05 - black - Color: 01- white; 02 - gray;03 - black 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
133.069.01 02 03		<ul style="list-style-type: none"> - Ručka; (LA 84/104mm) - Oznaka proizvođača Notter: 080 351 03 - bijela 080 351 06 - siva 080 351 05 - crna - Boje: 01- bijela; 02 - siva;03 - crna - Handle; (LA 84/104mm) - Manufacturer code Notter: 080 351 03 - white 080 351 06 - gray 080 351 05 - black - Color: 01- white; 02 - gray;03 - black 		
133.057		<ul style="list-style-type: none"> - Dodatni set ključanja po visini - Oznaka proizvođača Notter: 025 075 00 - Additional set for vertical locking - Manufacturer code Notter: 025 075 00 		
133.058		<ul style="list-style-type: none"> - Dodatni set ključanja po širini - Oznaka proizvođača Notter: 025 078 00 - Additional set for horizontal locking - Manufacturer code Notter: 025 078 00 		
133.059		<ul style="list-style-type: none"> - Dodatne škare za krila većih dimenzija širina krila: Fb= 1300mm - 1600mm - Oznaka proizvođača Notter: 034 111 00 - Additional friction stays for sash with larger sizes sash width: Fb= 1300mm - 1600mm - Manufacturer code Notter: 034 111 00 		
133.060		<ul style="list-style-type: none"> - Graničnik otvaranja krila za širinu krila: 450mm - 900mm - Oznaka proizvođača Notter: 080 092 00 - Window restrictor for sash width: Fb= 450mm - 900mm - Manufacturer code Notter: 080 092 00 		
133.061		<ul style="list-style-type: none"> - Graničnik otvaranja krila za širinu krila: 901mm - 1600mm - Oznaka proizvođača Notter: 080 093 00 - Window restrictor for sash width: Fb= 901mm - 1600mm - Manufacturer code Notter: 080 093 00 		



Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
133.062		<ul style="list-style-type: none"> - Kočnica - Oznaka proizvođača Notter: 080 099 00 - Stopper - Manufacturer code Notter: 080 099 00 		
133.072		<ul style="list-style-type: none"> - Dodatno ključanje po širini i visini - Oznaka proizvođača Notter: 025 143 00 - Additional horizontal and vertical locking - Manufacturer code Notter: 025 143 00 		






AL 2000 OKOV ZA FIKSIRANJE POMOĆNOG KRILA - EUGEN NOTTER
AL 2000 LOCKING MECHANISM FOR AUXILIARY SASH - EUGEN NOTTER




- **133.081** Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo)
- Oznaka proizvođača Notter: 025 601 00
- **133.081** Locking mechanism for auxiliary sash in two points (mechanism in the sash)
- Manufacturer code Notter: 025 601 00

- **133.068** Okov za fiksiranje pomoćnog krila u više točaka; (montiranje okova u krilo)
- Oznaka proizvođača Notter: 025 602 00
- **133.068** Locking mechanism for auxiliary sash - multiple points ; (mechanism in the sash)
- Manufacturer code Notter: 025 602 00




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
133.081		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo) - Oznaka proizvođača Notter: 025 601 00 - Locking mechanism for auxiliary sash in two points (mechanism in the sash) - Manufacturer code Notter: 025 601 00 		
133.068		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u više točaka; (montiranje okova u krilo) - Oznaka proizvođača Notter: 025 602 00 - Locking mechanism for auxiliary sash - multiple points ; (mechanism in the sash) - Manufacturer code Notter: 025 602 00 		
133.051.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 100 kg - Oznaka proizvođača Notter: 263 415 03 - bijela 263 415 06 - siva 263 415 05 - crna - Boje: 01- bijela; 02 - siva;03 - crna - Hinges weight load under 100 kg - Manufacturer code Notter: 263 415 03 - white 263 415 06 - gray 263 415 05 - black - Color: 01- white; 02 - gray;03 - black 		
133.066.01 02 03		<ul style="list-style-type: none"> - Dodatna šarka pomoćnog krila (do 100 kg) - Oznaka proizvođača Notter: 263 206 03 - bijela 263 206 06 - siva 263 206 05 - crna - Boje: 01- bijela; 02 - siva;03 - crna - Additional hinge auxiliary sash (under 100 kg) - Manufacturer code Notter: 263 206 03 - white 263 206 06 - gray 263 206 05 - black - Color: 01- white; 02 - gray;03 - black 		
133.067		<ul style="list-style-type: none"> - Dodatno (pasivno) ključanje - Oznaka proizvođača Notter: 025 771 00 - Additional (passive) locking - Manufacturer code Notter: 025 771 00 		
133.072		<ul style="list-style-type: none"> - Dodatno ključanje po širini i visini - Oznaka proizvođača Notter: 025 143 00 - Additional horizontal and vertical locking - Manufacturer code Notter: 025 143 00 		

OTKLOPNO-ZAOKRETNI MEHANIZAM - STUBLINA (art.4135.00) TILT-TURN MECHANISM - STUBLINA (art.4135.00)



G=80kg
7 točaka ključanja
7 locking points
Nosivost max. 100 Kg / 130 Kg
Load max. 100 Kg / 130 Kg
Fb= Širina krila / Sash width



*) boja / color:
01 bijela / white
02 siva / gray
03 crna / black

Osnovni okov: Basic hardware:

- 134.026 osnovni set: pogonski mehanizam sa ravnom ručkom, škarama (134.015) i šarkama. *)
basic set: drive gear with flat handle, friction stays (134.015) and hinges
- 134.014 škarice 134.014 / 134.016 **)
- 134.016 friction stays 134.014 / 134.016 **)

**) Napomena / Remark:






- Škarice 134.015 (za širinu krila Fb=535-1200mm) se nalaze u osnovnom setu.
- Škarice za veće ili manje širine krila od 535-1200mm se posebno biraju
- Friction stays 134.015 (for sash width Fb=535-1200mm) are in the basic set.
- Friction stays for larger or smaller widths from 535-1200mm are specially selected



Dodatni okov: Additional hardware:





- 134.002 dodatni set ključanja po širini i visini
additional set for horizontal and vertical locking
- 134.003 dodatne škarice za krila većih dimenzija
additional friction stays for sash with larger sizes
- 134.004 dodatno ključanje
additional locking
- 134.005
- 134.024 dodatni umetak gornje šarke za nosivost do 130kg
additional upper hinge insert for weight load up to 130kg
- klizač
slide profile

Na krajevima pogonskih letvi izbušiti otvore po dimenzijama prema detalju:
On the ends of driving rails drill holes according to the detail dimensions:

Ako se koriste adapteri na krajevima pogonskih letvi izbušiti otvore po dimenzijama prema detalju:
If the adaptors are used, on the ends of driving rails drill holes according to the detail dimensions:



Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
134.026.01 02 03		<ul style="list-style-type: none"> - Osnovni set: Otklopno-zaokretni mehanizam - Oznaka proizvođača Stublina: 4135.00 - Boje: 01- bijela; 02 - siva;03 - crna - Škare (134.015) za širinu krila od 535-1200 mm (ručka ravna; donja šarka ima podešavanje u dvije osi) - Basic set: Tilt and turn mechanism -(dry kip) - Manufacturer code Stublina: 4135.00 - Color: 01- white; 02 - gray;03 - black - Friction stays (134.015) for sash width from 535 to 1200 mm. (flat handle; lower hinge has two-axial adjustment) 		Razlika između ova dva navedena osnovna seta je samo u ručki. 134.026 - osnovni set sa ravnom ručkom; 134.025 - osnovni set sa zaobljenom ručkom. Difference between these two basic sets is only in the handle. 134.026 - basic set with flat handle; 134.025 - basic set with rounded handle.
134.025.01 02 03		<ul style="list-style-type: none"> - Osnovni set: Otklopno-zaokretni mehanizam - Oznaka proizvođača Stublina: 4035.00 - Boje: 01- bijela; 02 - siva;03 - crna - Škare (134.015) za širinu krila od 535-1200 mm (ručka zaobljena; donja šarka ima podešavanje u dvije osi) - Tilt and turn mechanism -(dry kip) - Manufacturer code Stublina: 4035.00 - Color: 01- white; 02 - gray;03 - black - Friction stays (134.015) for sash width from 535 to 1200 mm. (rounded handle; lower hinge has two-axial adjustment) 		
134.014		<ul style="list-style-type: none"> - Škare za širinu krila od 445-535mm - Oznaka proizvođača Stublina: 4030.01 - Friction stays for sash width from 445 to 535mm - Manufacturer code Stublina: 4030.01 		
134.016		<ul style="list-style-type: none"> - Škare za širinu krila od 1200-1400mm - Oznaka proizvođača Stublina: 4030.05 - Friction stays for sash width from 1200 to 1400mm - Manufacturer code Stublina: 4030.05 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
134.002		<ul style="list-style-type: none"> - Dodatni set ključanja po širini i visini - Oznaka proizvođača Stublina: 4010.40 - Additional set for horizontal and vertical locking - Manufacturer code Stublina: 4010.40 	AISI Zamak	
134.003		<ul style="list-style-type: none"> - Pomoćne (dodatne) škare za krila većih dimenzija (za širine L=1200-1600mm) - Oznaka proizvođača Stublina: 4010.50 - Auxiliary (extra) friction stays for sash with larger sizes (for width L=1200 to 1600mm) - Manufacturer code Stublina: 4010.50 		
134.004		<ul style="list-style-type: none"> - Dodatno ključanje-prihvatnik tuljca - Oznaka proizvođača Stublina: 4010.03 - Eccentric pin guide for additional locking - Manufacturer code Stublina: 4010.03 		
134.005		<ul style="list-style-type: none"> - Dodatno ključanje-tuljac - Oznaka proizvođača Stublina: 4010.27 - Eccentric pin for additional locking - Manufacturer code Stublina: 4010.27 		
134.024		<ul style="list-style-type: none"> - Dodatni umetak gornje šarke za nosivost do 130kg - Oznaka proizvođača Stublina: 4018.30.50U - Additional upper hinge insert for weight load up to 130kg - Manufacturer code Stublina: 4018.30.50U 		



- Tabela prikaz osnovnog seta u zavisnosti od širine krila i tipu ručke: Otklopno-zaokretni mehanizam
 - Table view basic set depending upon sash width and hand type Tilt and turn mechanism -(dry kip)

Oznaka osnovnog seta Code basic set	Tip ručke Handle type	Škare za širinu krila Friction stays for sash width	Oznaka proizvođača Stublina Manufacturer code Stublina
134.026.01 -bijela /white .02 -siva /gray .03 -crna /black	ravna ručka flat handle	535-1200 mm	4135.00.310 4135.00.315 4135.00.313
134.030.01 -bijela /white .02 -siva /gray .03 -crna /black	ravna ručka flat handle	445-535 mm	4136.00.310 4136.00.315 4136.00.313
134.031.01 -bijela /white .02 -siva /gray .03 -crna /black	ravna ručka flat handle	1200-1400 mm	4137.00.310 4137.00.315 4137.00.313
134.032.01 -bijela /white .02 -siva /gray .03 -crna /black	ravna ručka flat handle	375-535 mm	4138.00.310 4138.00.315 4138.00.313
134.025.01 -bijela /white .02 -siva /gray .03 -crna /black	zaobljena ručka rounded handle	535-1200 mm	4035.00.310 4035.00.315 4035.00.313
134.033.01 -bijela /white .02 -siva /gray .03 -crna /black	zaobljena ručka rounded handle	445-535 mm	4036.00.310 4036.00.315 4036.00.313
134.034.01 -bijela /white .02 -siva /gray .03 -crna /black	zaobljena ručka rounded handle	1200-1400 mm	4037.00.310 4037.00.315 4037.00.313
134.035.01 -bijela /white .02 -siva /gray .03 -crna /black	zaobljena ručka rounded handle	375-535 mm	4038.00.310 4038.00.315 4038.00.313

Napomena / Remark:




donja šarka kod svih gore navedenih osnovni setova ima podešavanje u dvije osi
 lower hinge in all above listed basic sets has two-axial adjustment

OKOV ZA FIKSIRANJE POMOĆNOG KRILA - STUBLINA LOCKING MECHANISM FOR AUXILIARY SASH - STUBLINA




FT-0631



- **134.001** Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u kombatutu)
- Oznaka proizvođača Stublina: 4001.00
- **134.001** Locking mechanism for auxiliary sash in two points (mechanism in the flying mullion)
- Manufacturer code Stublina: 4001.00





FT-0635

- **134.017** Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo)
- Oznaka proizvođača Stublina: 4005.00
- **134.017** Locking mechanism for auxiliary sash in two points (mechanism in the sash)
- Manufacturer code Stublina: 4005.00






Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
134.001		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u kombatutu) - Oznaka proizvođača Stublina: 4001.00 - Locking mechanism for auxiliary sash in two points (mechanism in the flaying mullion) - Manufacturer code Stublina: 4001.00 		
134.017		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo) - Oznaka proizvođača Stublina: 4005.00 - Locking mechanism for auxiliary sash in two points (mechanism in the sash) - Manufacturer code Stublina: 4005.00 		
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka EURO ŽLIJEB - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge EURO GROOVE - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		
134.023		<ul style="list-style-type: none"> - Dodatno (pasivno) ključanje - Oznaka proizvođača Stublina: 4045.00 - Additional (passive) locking - Manufacturer code Stublina: 4045.00 		


OKOV ZA FIKSIRANJE POMOĆNOG KRILA - STUBLINA LOCKING MECHANISM FOR AUXILIARY SASH - STUBLINA



- **134.036** Okov za fiksiranje pomoćnog krila u više točaka (montiranje okova u krilo)
- Oznaka proizvođača Stublina: 4005.40
- **134.036** Locking mechanism for auxiliary sash in multiple points (mechanism in the sash)
- Manufacturer code Stublina: 4005.40



- H - visina krila /sash height
- L - širina krila /sash width
- Hm - položaj pogonskog mehanizma
position of the drive gear
- Hh - položaj pogonske ručke
position of the drive handle









$$C = Hm - 110 + 2X$$

$$B = H - Hm - 110 + 2X$$

$$D = L/2 - 192 + 2X$$


$$E = L/2 - 192 + 2X$$



FEAL Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
134.036		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u više točaka (montiranje okova u krilo) - Oznaka proizvođača Stublina: 4005.40 - Locking mechanism for auxiliary sash in multiple points (mechanism in the sash) - Manufacturer code Stublina: 4005.40 		
134.023		<ul style="list-style-type: none"> -Dodatno (pasivno) ključanje - Oznaka proizvođača Stublina: 4045.00 - Additional (passive) locking - Manufacturer code Stublina: 4045.00 		
134.037.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 100 kg - Donja šarka ima podešavanje u dvije osi - Oznaka proizvođača Stublina: 4035.30.310 -bijela 4035.30.315 -siva 4035.30.313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Hinges weight load under 100 kg - Lower hinge has two-axial adjustment - Manufacturer code Stublina: 4035.30.310 - white 4035.30.315 - gray 4035.30.313 - black - Color: 01- white; 02 - gray;03 - black 		
134.038		<ul style="list-style-type: none"> - Dodatni element (škare za okretno otvaranje) za šarke 4035.30.xxx - (samo za gornju šarku) - Oznaka proizvođača Stublina: 4047.00 - Additional element (friction stays for turn opening) for hinges 4035.30.xxx - (only for the top hinge) - Manufacturer code Stublina: 4047.00 		
134.024		<ul style="list-style-type: none"> - Dodatni umetak gornje šarke za nosivost do 130kg - Oznaka proizvođača Stublina: 4018.30.50U - Additional upper hinge insert for weight load up to 130kg - Manufacturer code Stublina: 4018.30.50U 		

OTKLOPNO-ZAOKRETNI MEHANIZAM - GIESSE FUTURA 3D (130 micro) STANDARD TILT-TURN MECHANISM - GIESSE FUTURA 3D (130 micro) STANDARD

Nosivost max. 130 Kg (FUTURA 3D 130 micro)
Load max. 130 Kg (FUTURA 3D 130 micro)








Fb= Širina krila /Sash width
Fh= Visina krila /Sash height




*) boja / color:
01 bijela / white
02 siva / gray
03 crna / black

Okov: Hardware:




- 135.015 ■ pogonski mehanizam (za ručku art.01094xxx)
drive gear (for handle art.01094xxx)
- 135.012 ■ škare T1, T2
135.013 ■ friction stays T1, T2
- 135.016 ■ šarke nosivosti do 130 kg, *)
hinges weight load under 130 kg,
- 105.005 ■ ručka art.01094xxx *)
handles art.01094xxx
- 135.021 ■ dodatni set ključanja po širini i visini
additional set for horizontal and vertical locking
- 135.014 ■ dodatne škare za krila većih dimenzija
additional friction stays for sash with larger sizes
- klizač
slide profile




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.015		<ul style="list-style-type: none"> - Pogonski mehanizam za FUTURA 3D 130 micro mehanizam (...ručka 01094xxx) - Oznaka proizvođača Giesse: 04704000 - Drive gear for FUTURA 3D 130 micro mechanism (... handle 01094xxx) - Manufacturer code Giesse: 04704000 		
135.012		<ul style="list-style-type: none"> - Škare T1 za širinu krila: Fb= 410mm - 700mm - Oznaka proizvođača Giesse: 04284000 - Friction stays T1 for sash width: Fb= 410mm - 700mm - Manufacturer code Giesse: 04284000 		
135.013		<ul style="list-style-type: none"> - Škare T2 za širinu krila: Fb= 570mm - 1800mm - Oznaka proizvođača Giesse: 04285000 - Friction stays T2 for sash width: Fb= 570mm - 1800mm - Manufacturer code Giesse: 04285000 		
135.016.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 130 kg - Oznaka proizvođača Giesse: 04711410 - bijela 04711376 - siva 04711500 - crna - Boje: 01- bijela; 02 - siva; 03 - crna - Hinges weight load under 130 kg - Manufacturer code Giesse: 04711410 - white 04711376 - gray 04711500 - black - Color: 01- white; 02 - gray; 03 - black 		
105.005.01 02 03		<ul style="list-style-type: none"> - Ručka; (LA 86/104mm), FUTURA 3D (130 micro) - Oznaka proizvođača Giesse: 01094410 -bijela 01094376 -siva 01094500 -crna - Boje: 01- bijela; 02 - siva; 03 - crna - Handle; (LA 86/104mm), FUTURA 3D (130 micro) - Manufacturer code Giesse: 01094410 -white 01094376 -gray 01094500 -black - Colors: 01- white; 02 - gray; 03 - black 		
135.021		<ul style="list-style-type: none"> - Dodatni set ključanja po širini i visini za krilo preko L>1000 mm i H>1200mm - Oznaka proizvođača Giesse: 04770000 - additional set for horizontal and vertical locking for a sash over L>1000 mm and H>1200 mm - Manufacturer code Giesse: 04770000 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.014		<ul style="list-style-type: none"> - Dodatne škare za krilo preko 1000 mm - Oznaka proizvođača Giesse: 04301000 - Additional friction stays for a sash over 1000 mm - Manufacturer code Giesse: 04301000 		
135.029		<ul style="list-style-type: none"> - Zapinjač - Oznaka proizvođača Giesse: 04030000 - Locking bolt - Manufacturer code Giesse: 04030000 		
143.042		<ul style="list-style-type: none"> - Pihvatnik zapinjača - Oznaka proizvođača Giesse: 01347000 - Locking bolt acceptor - Manufacturer code Giesse: 01347000 		


OKOV ZA FIKSIRANJE POMOĆNOG KRILA - GIESSE LOCKING MECHANISM FOR AUXILIARY SASH - GIESSE






- **143.047** Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo)
- Oznaka proizvođača Giesse: 02178000
- **143.047** Locking mechanism for auxiliary sash in two points (mechanism in the sash)
- Manufacturer code Giesse: 02178000





- **143.048** Okov za fiksiranje pomoćnog krila u više točaka; (montiranje okova u krilo)
- Oznaka proizvođača Giesse: 02179000
- **143.048** Locking mechanism for auxiliary sash - multiple points ; (mechanism in the sash)
- Manufacturer code Giesse: 02179000







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
143.047		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u krilo) - Oznaka proizvođača Giese: 02178000 - Locking mechanism for auxiliary sash in two points (mechanism in the sash) - Manufacturer code Giese: 02178000 		
143.048		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u više točaka (montiranje okova u krilo) - Oznaka proizvođača Giese: 02179000 - Locking mechanism for auxiliary sash in two points (mechanism in the sash) - Manufacturer code Giese: 02179000 		
135.016.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 130 kg - Oznaka proizvođača Giese: 04711410 - bijela 04711376 - siva 04711500 - crna - Boje: 01- bijela; 02 - siva; 03 - crna - Hinges weight load under 130 kg - Manufacturer code Giese: 04711410 - white 04711376 - gray 04711500 - black - Color: 01- white; 02 - gray; 03 - black 		
135.041		<ul style="list-style-type: none"> - Dodatni element za šarke 04711xxx (samo za gornju šarku) - Oznaka proizvođača Giese: 04728000 - Additional element for hinges 04711xxx (only for the top hinge) - Manufacturer code Giese: 04728000 		
143.045		<ul style="list-style-type: none"> - Dodatni element (pasivno ključ.) pomoćnog krila - Oznaka proizvođača Giese: 01350K - Additional element (passive lock.) of the auxiliary sash - Manufacturer code Giese: 01350K 		

OKOV ZA FIKSIRANJE POMOĆNOG KRILA - GIESSE LOCKING MECHANISM FOR AUXILIARY SASH - GIESSE




- **143.043** Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u kombatutu)
- Oznaka proizvođača Giesse: 02191K
- **143.043** Locking mechanism for auxiliary sash in two points (mechanism in the flaying mullion)
- Manufacturer code Giesse: 02191K




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
143.043		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u dvije točke (montiranje okova u kombatutu) - Oznaka proizvođača Giese: 02191K - Locking mechanism for auxiliary sash in two points (mechanism in flaying mullion) - Manufacturer code Giese: 02191K 		
143.046		<ul style="list-style-type: none"> - Pripjat zapinjača - Oznaka proizvođača Giese: 01348K - Locking bolt acceptor - Manufacturer code Giese: 01348K 		
135.016.01 02 03		<ul style="list-style-type: none"> - Šarke nosivosti do 130 kg - Oznaka proizvođača Giese: 04711410 - bijela 04711376 - siva 04711500 - crna - Boje: 01- bijela; 02 - siva; 03 - crna - Hinges weight load under 130 kg - Manufacturer code Giese: 04711410 - white 04711376 - gray 04711500 - black - Color: 01- white; 02 - gray; 03 - black 		
135.041		<ul style="list-style-type: none"> - Dodatni element za šarke 04711xxx (samo za gornju šarku) - Oznaka proizvođača Giese: 04728000 - Additional element for hinges 04711xxx (only for the top hinge) - Manufacturer code Giese: 04728000 		
143.045		<ul style="list-style-type: none"> - Dodatni element (pasivno ključ.) pomoćnog krila - Oznaka proizvođača Giese: 01350K - Additional element (passive lock.) of the auxiliary sash - Manufacturer code Giese: 01350K 		
143.050		<ul style="list-style-type: none"> - Priključna šipka za radni mehanizam - Oznaka proizvođača Giese: 02187 - Connection rod for the operating mechanism - Manufacturer code Giese: 02187 		

SKRIVENI OTKLOPNO-ZAOKRETNI MEHANIZAM - GIESSE CHIC 3D 100 STANDARD HIDDEN TILT-TURN MECHANISM - GIESSE CHIC 3D 100 STANDARD





Nosivost max. 100 Kg (CHIC 3D 100) / 130 Kg (CHIC 3D 130)
Load max. 100 Kg (CHIC 3D 100) / 130 Kg (CHIC 3D 130)













*) boja / color:
01 bijela / white
02 siva / gray
03 crna / black




Okov: Hardware:

- 135.030  pogonski mehanizam (za ručku art.3961xxx)
drive gear (for handle art.3961xxx)
- 135.031  šarke i škarke nosivosti do 100 kg,
135.032  hinges and friction stays weight load under 100 kg,
- 105.008  ručka art.3961xxx *)
hinges art.3961xxx
- 135.021  dodatni set ključanja po širini i visini
additional set for horizontal and vertical locking
- 135.014  dodatne škarke za krila većih dimenzija
additional friction stays for sash with larger sizes
-  klizač
slide profile




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.030		<ul style="list-style-type: none"> - Pogonski mehanizam za Ultra mehanizam (...ručka 03961xxx) - Oznaka proizvođača Giesse: 0395200001 - Drive gear for Ultra mechanism (... handle 03961xxx) - Manufacturer code Giesse: 0395200001 		
105.008.01 02 03		<ul style="list-style-type: none"> - Ručka bez rozete, za Ultra mehanizam - Oznaka proizvođača Giesse: 03961410 -bijela 03961376 -siva 03961500 -crna - Boje: 01- bijela; 02 - siva; 03 - crna - Handle without rosette, for Ultra mechanism - Manufacturer code Giesse: 03961410 -white 03961376 -gray 03961500 -black - Colors: 01- white; 02 - gray; 03 - black 		
135.031		<ul style="list-style-type: none"> - Šarka+škara T1, desna za krilo 472-700 mm - Oznaka proizvođača Giesse: 043550001 - Otvaranje krila do 180° - Za nosivost do 100kg - Hinge+friction stays T1, right for sash 472-700 mm - Manufacturer code Giesse: 043550001 - Sash opening up 180° - For weight load up to 100kg 		
135.032		<ul style="list-style-type: none"> - Šarka+škara T2, desna za krilo 600-1500mm - Oznaka proizvođača Giesse: 043560001 - Otvaranje krila do 180° - Za nosivost do 100kg - Hinge+friction stays T2, right for sash 600-1500mm - Manufacturer code Giesse: 043560001 - Sash opening up 180° - For weight load up to 100kg 		
135.033		<ul style="list-style-type: none"> - Šarka+škara T1, lijeva za krilo 472-700 mm - Oznaka proizvođača Giesse: 043550002 - Otvaranje krila do 180° - Za nosivost do 100kg - Hinge+friction stays T1, left for sash 472-700 mm - Manufacturer code Giesse: 043550002 - Sash opening up 180° - For weight load up to 100kg 		
135.034		<ul style="list-style-type: none"> - Šarka+škara T2, lijeva za krilo 600-1500mm - Oznaka proizvođača Giesse: 043560002 - Otvaranje krila do 180° - Za nosivost do 100kg - Hinge+friction stays T2, left for sash 600-1500mm - Manufacturer code Giesse: 043560002 - Sash opening up 180° - For weight load up to 100kg 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.037		<ul style="list-style-type: none"> - Šarka+škara T1, desna za krilo 472-700 mm - Oznaka proizvođača Giese: 044250001 - Otvaranje krila do 180° - Za nosivost do 130kg - Hinge+friction stays T1, right for sash 472-700 mm - Manufacturer code Giese: 043550001 - Sash opening up 180° - For weight load up to 130kg 		
135.038		<ul style="list-style-type: none"> - Šarka+škara T2, desna za krilo 600-1600mm - Oznaka proizvođača Giese: 044260001 - Otvaranje krila do 180° - Za nosivost do 130kg - Hinge+friction stays T2, right for sash 600-1600mm - Manufacturer code Giese: 044260001 - Sash opening up 180° - For weight load up to 130kg 		
135.039		<ul style="list-style-type: none"> - Šarka+škara T1, lijeva za krilo 472-700 mm - Oznaka proizvođača Giese: 044250002 - Otvaranje krila do 180° - Za nosivost do 130kg - Hinge+friction stays T1, left for sash 472-700 mm - Manufacturer code Giese: 044250002 - Sash opening up 180° - For weight load up to 130kg 		
135.040		<ul style="list-style-type: none"> - Šarka+škara T2, lijeva za krilo 600-1600mm - Oznaka proizvođača Giese: 044260002 - Otvaranje krila do 180° - Za nosivost do 130kg - Hinge+friction stays T2, left for sash 600-1600mm - Manufacturer code Giese: 044260002 - Sash opening up 180° - For weight load up to 130kg 		
135.021		<ul style="list-style-type: none"> - Dodatni set ključanja po širini i visini za krilo preko H>1200 mm - Oznaka proizvođača Giese: 04770000 - additional set for horizontal and vertical locking for a sash over H>1200 mm - Manufacturer code Giese: 04770000 		
135.014		<ul style="list-style-type: none"> - Dodatne škare za krilo preko 1000 mm - Oznaka proizvođača Giese: 04301000 - Additional friction stays for a sash over 1000 mm - Manufacturer code Giese: 04301000 		


Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.023		<ul style="list-style-type: none"> - Dodatna ruka za ograničavanje otvaranja krila, za L>500, od 25° do 120° - Oznaka proizvođača Giesse: 06000000 - Additional arm to limit sash opening, for L>500, from 25° to 120° - Manufacturer code Giesse: 06000000 		
135.035		<ul style="list-style-type: none"> - Dodatni element za škaru, za krila po visini manja od 1200 a po širini veća od 1000 mm - Oznaka proizvođača Giesse: 04357000 - Additional element for friction stays, for sash at a height of less than 1200 and widths greater than 1000 mm - Manufacturer code Giesse: 04357000 		
135.036		<ul style="list-style-type: none"> - Šablon za pozicioniranje škara - Oznaka proizvođača Giesse: 03535 - Template for positioning friction stays - Manufacturer code Giesse: 03535 		
135.029		<ul style="list-style-type: none"> - Zapinjač - Oznaka proizvođača Giesse: 04030000 - Locking bolt - Manufacturer code Giesse: 04030000 		
143.042		<ul style="list-style-type: none"> - Prihvatnik zapinjača - Oznaka proizvođača Giesse: 01347000 - Locking bolt acceptor - Manufacturer code Giesse: 01347000 		

SKRIVENI OKOV ZA FIKSIRANJE POMOĆNOG KRILA - GIESSE CHIC 3D
HIDDEN LOCKING MECHANISM FOR AXILIARY SASH - GIESSE CHIC 3D




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
115.011		<ul style="list-style-type: none"> - Skrivene šarke za pomoćno krilo - lijevi - Oznaka proizvođača Giesse: 043540002 - Za nosivost do 100kg - Hidden Hinges for the auxiliary sash - left - Manufacturer code Giesse: 043540002 - For weight load up to 100kg 		
115.012		<ul style="list-style-type: none"> - Skrivene šarke za pomoćno krilo - desni - Oznaka proizvođača Giesse: 043540001 - Za nosivost do 100kg - Hidden hinges for the auxiliary sash - right - Manufacturer code Giesse: 043540001 - For weight load up to 100kg 		
115.013		<ul style="list-style-type: none"> - Skrivene šarke za pomoćno krilo - lijevi - Oznaka proizvođača Giesse: 044240002 - Za nosivost do 130kg - Hidden Hinges for the auxiliary sash - left - Manufacturer code Giesse: 044240002 - For weight load up to 130kg 		
115.014		<ul style="list-style-type: none"> - Skrivene šarke za pomoćno krilo - desni - Oznaka proizvođača Giesse: 044240001 - Za nosivost do 130kg - Hidden hinges for the auxiliary sash - right - Manufacturer code Giesse: 044240001 - For weight load up to 130kg 		
143.044		<ul style="list-style-type: none"> - Dodatni element (pasivno ključ.) pomoćnog krila (za h=1200-1800 -1 kom, a preko 1800 -2 kom) - Oznaka proizvođača Giesse: 04358000 - Additional element (passive locking) of the auxiliary sash (for h=1200-1800 -1 kom, and over 1800 -2 kom) - Manufacturer code Giesse: 04358000 		



Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
143.048		<ul style="list-style-type: none"> - Okov za fiksiranje pomoćnog krila u više točaka (montiranje okova u krilo) - Oznaka proizvođača Giesse: 02179000 - Locking mechanism for auxiliary sash in two points (mechanism in the sash) - Manufacturer code Giesse: 02179000 		





UNI JET C (GU) -okov 16/9 (pvc)-za jednokrnlni prozor
 UNI JET C (GU) -okov 16/9 (pvc)-za jednokrnlni prozor




UNI JET C (GU) -okov 16/9 (pvc)-za dvokrilni prozor
UNI JET C (GU) -okov 16/9 (pvc)-za dvokrilni prozor





Okov pomoćnog krila se ugrađuje u žlijeb kombatute.
Okov pomoćnog krila se ugrađuje u žlijeb kombatute.







OKOV ZA ZAOKRETNO OTVARANJE TURN OPENING MECHANISM




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
104.011.01 02 03		<ul style="list-style-type: none"> - Ručka za prozor - Oznaka proizvođača Stublina: 1102.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Window handle - Manufacturer code Stublina: 1102.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 	AISI Zamak	
144.044		<ul style="list-style-type: none"> - Set zapinjača sa prihvatom - Oznaka proizvođača Stublina: 4009.30 - Set locking bolts with acceptor - Manufacturer code Stublina: 4009.30 		
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka EURO ŽLIJEB - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge EURO GROOVE - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		

OTKLOPNI MEHANIZAM (VENTUS) SA BRAVICOM ZA ZATVARANJE TILT MECHANISM (VENTUS) WITH LOCK FOR CLOSING




Oznaka Code		Opis Description	Materijal Material	Napomena Remark
124.005.01 02 03		<ul style="list-style-type: none"> - Bravica za zatvaranje otklopnog prozora - Oznaka proizvođača Stublina: 1014.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Lock for closing tilt window - Manufacturer code Stublina: 1014.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 		
131.002		<ul style="list-style-type: none"> - Škare za otklopni prozor - Stara oznaka: E-350 - Friction stays for hung-vent window - Former code: E-350 		
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka EURO ŽLIJEB - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge EURO GROOVE - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		

OTKLOPNI MEHANIZAM (VENTUS) SA RUČKOM TILT MECHANISM (VENTUS) WITH HANDLE




Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
104.011.01 02 03		<ul style="list-style-type: none"> - Ručka za prozor - Oznaka proizvođača Stublina: 1102.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Window handle - Manufacturer code Stublina: 1102.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 	AISI Zamak	
131.002		<ul style="list-style-type: none"> - Škare za otklopni provoz - Stara oznaka: E-350 - Friction stays for hung-vent window - Former code: E-350 		
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka EURO ŽLIJEB - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge EURO GROOVE - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		
144.044		<ul style="list-style-type: none"> - Set zapinjača sa prihvatom - Oznaka proizvođača Stublina: 4009.30 - Set locking bolts with acceptor - Manufacturer code Stublina: 4009.30 		

134.006.xx- OTKLOPNI MEHANIZAM (VENTUS) SA RUČKOM ZA VISINU - STUBLINA (art.4020.00)
 134.006.xx- TILT MECHANISM (VENTUS) WITH HANDLE FOR HEIGHT - STUBLINA (art.4020.00)





Napomena:

- Otvore na štoku za ugradnju pogonoske ručice 4020.30, kutnog okova 4020.09 mehanizama otvarača 4020.20 bušiti na Ø3mm.
- Otvore na krilu za ugradnju kutnog nosača držača krila 4020.05 bušiti na Ø5.2mm




Remark:

- Openings on frame for installation of driving handle 4020.30 of corner hardware 4020.09 opening mechanism 4020.20 drill for Ø3mm
- Openings on sash for installation of corner bracket plate holder 4020.05 drill for Ø5.2mm





(4020.30)






Legenda / Legend:

Mehanizam otvarača / Opening mechanism.....Mo
 Širina krila / Sash width.....ŠK







OTKLOPNI MEHANIZAM (VENTUS) SA RUČKOM ZA VISINU TILT MECHANISM (VENTUS) WITH HANDLE FOR HEIGHT




Oznaka Code		Opis Description	Materijal Material	Napomena Remark
134.006.01 02 03		<ul style="list-style-type: none"> - Ventus set širina krila do 1200 mm - Oznaka proizvođača Stublina: 4020.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Ventus set - sash width up to 1200 mm - Manufacturer code Stublina: 4020.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 		
111.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka EURO ŽLIJEB - Stara oznaka E-100 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge EURO GROOVE - Former code E-100 - Color: 01- white; 02 - gray;03 - black 		



OTKLOPNI MEHANIZAM (VENTUS) SA RUČKOM NA OKOMICI TILT MECHANISM (VENTUS) WITH THE HANDLE ON THE SIDE




OTKLOPNI MEHANIZAM (VENTUS) SA RUČKOM NA OKOMICI TILT MECHANISM (VENTUS) WITH THE HANDLE ON THE SIDE







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.042		<ul style="list-style-type: none"> - Pogonski mehanizam za otklopni prozor- (ventus) sa ručkom na vertikali (...ručka 01094xxx) - Oznaka proizvođača Giese: 01175000 - Drive gear for tilt window (ventus) with the handle on the side (... handle 01094xxx) - Manufacturer code Giese: 01175000 		
115.015.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka - Oznaka proizvođača Giese: 00600410 -bijela 00600376 -siva 00600500 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge - Manufacturer code Giese: 00600410 -white 00600376 -gray 00600500 -black - Color: 01- white; 02 - gray;03 - black 		
105.005.01 02 03		<ul style="list-style-type: none"> - Ručka; (LA 86/104mm), FUTURA 3D (130 micro) - Oznaka proizvođača Giese: 01094410 -bijela 01094376 -siva 01094500 -crna - Boje: 01- bijela; 02 - siva; 03 - crna - Handle; (LA 86/104mm), FUTURA 3D (130 micro) - Manufacturer code Giese: 01094410 -bijela 01094376 -siva 01094500 -crna - Colors: 01- white; 02 - gray; 03 - black 		
143.049		<ul style="list-style-type: none"> - Blokada zaokretnog otvaranja (...za ručku 01094xxx) - Oznaka proizvođača Giese: 02235 - Turn opening block - Manufacturer code Stublina: 02235 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
135.029		<ul style="list-style-type: none"> - Zapinjač - Oznaka proizvođača Giesse: 04030000 - Locking bolt - Manufacturer code Giesse: 04030000 		
143.042		<ul style="list-style-type: none"> - Pihvatnik zapinjača - Oznaka proizvođača Giesse: 01347000 - Locking bolt acceptor - Manufacturer code Giesse: 01347000 		


JEDNOKRILNA VRATA, OTVARANJE UNUTRA ONE-SASH DOOR, INWARDS OPENING



Oznaka Code		Opis Description	Materijal Material	Napomena Remark
113.009.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka OSNO 70 - Oznaka proizvođača ALU-B: Max3D 70 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge OSNO 70 - Manufacturer code ALU-B: Max3D 70 - Color: 01- white; 02 - gray;03 - black 	Al. Čelik Steel	
113.012		<ul style="list-style-type: none"> - Set za TERMOM 65 - Set za dvodijelnu šarku (Max3D xx) - Oznaka proizvođača ALU-B: Set za TERMOM 60 - Set for TERMOM 60 - Set for two-part hinge (Max3D xx) - Manufacturer code ALU-B: Set for TERMOM 60 		
113.013		<ul style="list-style-type: none"> - Set za TERMOM 50 - Set za dvodijelnu šarku (Max3D xx) - Oznaka proizvođača ALU-B: Set za Termom 50 - Set for TERMOM 50 - Set for two-part hinge (Max3D xx) - Manufacturer code ALU-B: Set for Termom 50 		
114.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-EURO ŽLIJEB - Oznaka proizvođača Stublina: 2006.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge-EURO GROOVE - Manufacturer code Stublina: 2006.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
104.009.01 02 03		<ul style="list-style-type: none"> - Ručka za vrata (duljina šipa 8x8 : L=160mm) - Oznaka proizvođača Stublina: 1132.20.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Door handle.....(length of pin 8x8 : L=160mm) - Manufacturer code Stublina: 1132.20.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 	AlSi Žamak	
124.001		<ul style="list-style-type: none"> - Brava 35 mm sa jezičkom - Oznaka proizvođača Stublina: 3022 - Lock 35 mm with latchbolt - Manufacturer code Stublina: 3022 	Inox Čelik	
124.003		<ul style="list-style-type: none"> - Prihvatnik jezička brave (šild) - Oznaka proizvođača Stublina: 3016.00 - Lock latchbolt acceptor (safety panel) - Manufacturer code Stublina: 3016.00 	Prokrom Čelik	
124.032.01 02 03		<ul style="list-style-type: none"> - Štitnik cilindra za bravu (par) - Oznaka proizvođača Stublina: 1031.04.410 -bijela 415 -siva 413 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Lock cylinder protector (two-sided) - Manufacturer code Stublina: 1031.04.410 -white 415 -gray 413 -black - Color: 01- white; 02 - gray;03 - black 	Zn Čelik	
124.013		<ul style="list-style-type: none"> - Uložak (cilindar) za bravu 35mm - Oznaka proizvođača Stublina: 5070.00.520 (dužina cilindra 102 mm (31+71)) - Lock insert (cylinder) 35mm - Manufacturer code Stublina: 2070.00.520 (length cylinder 102mm (31+71)) 	Niklovano	



OKOV ZA FIKSIRANJE POMOĆNOG KRILA VRATA LOCKING MECHANISM FOR AUXILIARY SASH DOOR



Oznaka Code		Opis Description	Materijal Material	Napomena Remark
113.009.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka OSNO 70 - Oznaka proizvođača ALU-B: Max3D 70 - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge OSNO 70 - Manufacturer code ALU-B: Max3D 70 - Color: 01- white; 02 - gray;03 - black 	Al. Čelik Steel	
113.012		<ul style="list-style-type: none"> - Set za TERMOS 65 - Set za dvodijelnu šarku (Max3D xx) - Oznaka proizvođača ALU-B: Set za TERMOS 60 - Set for TERMOS 60 - Set for two-part hinge (Max3D xx) - Manufacturer code ALU-B: Set for TERMOS 60 		
113.013		<ul style="list-style-type: none"> - Set za TERMOS 50 - Set za dvodijelnu šarku (Max3D xx) - Oznaka proizvođača ALU-B: Set za Termos 50 - Set for TERMOS 50 - Set for two-part hinge (Max3D xx) - Manufacturer code ALU-B: Set for Termos 50 		
114.001.01 02 03		<ul style="list-style-type: none"> - Dvodijelna šarka-EURO ŽLIJEB - Oznaka proizvođača Stublina: 2006.00.310 -bijela 315 -siva 313 -crna - Boje: 01- bijela; 02 - siva;03 - crna - Two-part hinge-EURO GROOVE - Manufacturer code Stublina: 2006.00.310 -white 315 -gray 313 -black - Color: 01- white; 02 - gray;03 - black 		

Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
124.003		<ul style="list-style-type: none"> - Pihvatnik jezička brave (šild) - Oznaka proizvođača Stublina: 3016.00 - Lock latchbolt acceptor (safety panel) - Manufacturer code Stublina: 3016.00 	Prokrom Čelik	
144.000		<ul style="list-style-type: none"> - Zapinjač-krakun za vrata - Oznaka proizvođača Stublina: 3006.00 - Door latch - Manufacturer code Stublina: 3006.00 		

SIGURNOSNA BRAVA 35mm SA TRI MJESTA KLJUČANJA - G-U SECURITY (MR2) SAFETY LOCK 35mm WITH 3 LOCKING POINT - G-U SECURITY (MR2)



1) 122.052

- Brava G-U Security sa masivnim zasunima (MR2)
- oznaka proizvođača G-U: 6-31542-14-0-8
- Multipoint lock with massive bolts G-U Security (MR2)
- manufacturer code G-U: 6-31542-14-0-8

Dubina Depth	Potisna ploča Push plate	Visina ručke (A) Height height (A)	Rastojanje (E) Distance (E)	Četvrtka Quarter	Visina brave (B) Lock height (B)	(C)	(D)	Oznaka proizvođača Manufacturer code
35	24x2.5	1020	92	□ 8	2285	760	730	6-31542-14-0-8

2) 122.053

- Prihvatna pločica (ravna) 22x3mm
- oznaka proizvođača G-U: 6-40059-02-0-8
- Striking plate (flat) 22x3mm
- manufacturer code G-U: 6-40059-02-0-8

3) 122.054

- Prihvatni lim (ravni) 22x3mm,
- oznaka proizvođača G-U: 6-39257-01-L-8 (Lijeva);
6-39257-01-R-8 (Desna)
- Striking plate (flat) 22x3mm,
- manufacturer code G-U: 6-39257-01-L-8 (Left);
6-39257-01-R-8 (Right)



4) 122.055

- Elektro otvarač vrata GU ET8 AES (9-24V-AC/DC), 60N 100%E
- oznaka proizvođača G-U: 6-38473-02-0-1
(Elektro otvarač se koristi po želji)
- Electrical door opener GU ET8 AES (9-24V-AC/DC), 60N 100%E
- manufacturer code G-U: 6-38473-02-0-1
(Electrical door opener is optional)

5) 122.030

- Kučiče zasuna brave (62mm)
- oznaka proizvođača G-U: 9-48553-03-0-6
(Element po želji)
- Latch bolt casement (62mm).
- manufacturer code G-U: 9-48553-03-0-6
(Optional part)

KLJUČANJE POMOĆNOG KRILA KOD DVOKRILNIH VRATA LOCKING OF AUXILARY LEAF ON DOUBLE DOOR



1) 122.057

- Brvica za ključanje pomoćnog krila u ramu i pragu
- oznaka proizvođača G-U: B_1899_0201_BD01
- Lock for the auxilary leaf in the frame and threshold
- manufacturer code G-U: B_1899_0201_BD01

2) 521.313

- Usmjerivač osovine
- Shaft positioner


3) 521.314

- Pločica u ramu i pragu za ključanje pomoćnog krila
- Insert plate in the frame and threshold for the locking of auxilary leaf

4) 521.315

- Osovinica Ø8 mm; L=2000 mm
- Shaft Ø8mm; L=2000 mm







RUKOHVAT ZA VRATA (OBOSTRANO) DOOR PULL HANDLE (BOTH SIDES)














1. Art. **100.019**..... kom 1
 Artikel sadržava:
 -nosač rukohvata, vanjski art.391.182 kom 2
 -nosač rukohvata, unutarnji art.391.181 kom 2
 -čep za profil rukohvata art. 375.075 kom 4
 -vijak imbus M6x10 DIN 914 art.431.342 kom 2
 -vijak imbus M5x4 DIN 913 art.431.805 kom 4
2. Art. **391.175**
 -inox osovina (L=89 mm)..... kom 2
3. Profil rukohvata vrata **F-0829**..... kom 2
 Profil F-0829 se pila na mjeru - prema zahtjevu kupca a isporučuje se u standardnoj mjeri - 6500 mm
1. Art. **100.019**..... pcs 1
 Elements of products:
 -handrail carrier, outside art.391.182 pcs 2
 -handrail carrier, inside art.391.181 pcs 2
 -plug for profile of handrail art. 375.075 pcs 4
 -screw M6x10 DIN 914 art.431.342 pcs 2
 -screw M5x4 DIN 913 art.431.805 pcs 4
2. Art. **391.177**
 inox shaft (L=94 mm)..... pcs 2
3. Handrail profile of door **F-0829** pcs 2
 The profile OF-0829 is cutted at dimension- according to request of customer and delivering in standard dimension-6500 mm



Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
100.019 01 02 03		- Nosač rukohvata F-0829 - Boje: 01- bijela; 02 - siva;03 - crna - Carrier handrail F-0829 - Color: 01- white; 02 - gray;03 - black		
391.175		- Inox osovina (L=89 mm) - Inox shaft (L=89 mm)	Inox Inox	

Brtila Gaskets







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
331.002		-Srednja brtva -Middle gasket	EPDM	61
321.001		-Brtva u krilu -Stara oznaka (Z106) -Sash gasket -Former code (Z106)	EPDM	61
321.006		-Brtva u krilu -Stara oznaka (Z106) -Sash gasket -Former code (Z106)	EPDM	61
311.001		-Brtva prema staklu /unutarnja/ -Stara oznaka (921) -Gasket towards glass /interior/ -Former code (921)	EPDM	71
311.002		-Brtva prema staklu /unutarnja/ -Stara oznaka (918) -Gasket towards glass /interior/ -Former code (918)	EPDM	71
321.002		-Brtva prema staklu /vanjska/ -Stara oznaka (Z111) -Gasket towards glass /exterior/ -Former code (Z111)	EPDM	61





Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
321.003		-Brtva prema staklu /vanjska/ -Stara oznaka (Z113) -Gasket to the glass /exterior/ -Former code (Z113)	EPDM	61
311.003		-Brtva prema staklu /unutarnja,nosi 3-4 mm/ -Gasket towards glass /interior,carries 3-4 mm/	EPDM	71
311.004		-Brtva prema staklu /unutarnja,nosi 5-6 mm/ -Gasket towards glass /interior,carries 5-6 mm/	EPDM	71
311.005		-Brtva prema staklu /unutarnja,nosi 7-8 mm/ -Gasket towards glass /interior,carries 7-8 mm/	EPDM	71
311.014	UP-2	X=2 mm		Brtva prema staklu(unutarnja) Gasket towards glass (interior)
311.007	UP-5	X=5 mm		
311.008	UP-6	X=6 mm		
311.009	UP-7	X=7 mm		
311.010	UP-8	X=8 mm		
	Stara oznaka Former code			







Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
314.001		<ul style="list-style-type: none"> -Brtva u ramu-smanjuje ulazak kapljevina u prozor -Stara oznaka Z-10 -Gasket in frame-reduces the entry of liquid into the window -Former code Z-10 	TPE	65
345.002		<ul style="list-style-type: none"> - Kutni umetak centralne brtve 331.002 - L=50x50 - Stara oznaka 344.002 - Angle insert for gasket 331.002 - L=50x50 - Former code 344.002 	EPDM	65
521.001		<ul style="list-style-type: none"> -Držač četkaste brtve L=2500 mm -Stara oznaka Z 801 -Brush gasket holder L=2500 mm -Former code Z 801 		
347.001		<ul style="list-style-type: none"> -Četkasta brtva L=2500 mm -Stara oznaka Z 802 -Brush gasket L=2500 mm -Former code Z 802 	Al.	
347.008		<ul style="list-style-type: none"> - Četkasta brtva za MF-45 (13 mm) - Brush gasket for MF-45 (13 mm) 		
344.056		<ul style="list-style-type: none"> Brtva za profil FT-0619 Gasket for profile FT-0619 		



Oznaka Code	Izgled-presjek View-cross section	Opis Description	Materijal Material	Napomena Remark
340.055		- Brtva praga - -Threshold gasket	Elastron	
344.083		-Brtva za profil FT-0288H -Gasket for profile FT-0288H	TPE	
344.001		- Brtva za profil F-1123 - Stara oznaka V65-113 - Gasket for profile F-1123 - Former code V65-113	TPE	65
344.042		- Brtva prema pragu -Gasket towards the threshold	TPE	65

Dodaci Accessories

CODE	Izgled-presjek View - cross-section	Opis Description	Materijal Material	Nap. Remark
301.006.01 02 03		- Set za bočni čep klupice -Aluminium window sill side caps	PVC TPE Al.	
301.009.01 02 03		- Set za bočni čep klupice -Aluminium window sill side caps	PVC TPE Al.	
301.010.01 02 03		- Set za bočni čep klupice (za klupicu 360mm) -Aluminium window sill side caps (for window sill 360mm)	PVC TPE Al.	
240.001		- Kliješta za kutne spojnice - Stara oznaka: kliješta - 83064 - Manual crimping tool - Former code: crimper - 83064		
240.001.00.01		- Noževi za kliješta kutnih spojnica - Stara oznaka: kliješta - Knives for crimper corner joint - Former code: crimper		
210.001		- Štanca za otklopno zaokretne sisteme prozora i vrata - Stara oznaka: Štanca S1 - Punching machine for tilt-turn systems of windows and doors: - Former code: Punch S1		


CODE	Izgled-presjek View - cross-section	Opis Description	Materijal Material	Nap. Remark
220.002		<ul style="list-style-type: none"> - Set glodala za obradu prečke prema profilu krila i okvira - Stara oznaka 550.003 -Set of milling cutters for processing window mullions towards sash and frame profile - Former code 550.003 	Čelik Steel	
220.018		<ul style="list-style-type: none"> - Set glodala za obradu prečke FT-0626, FT-0627 i FT-0628 prema profilu FT-0619 -Set of milling cutters for processing window mullions FT-0626, FT-0627 and FT-0628 towards profile FT-0619 	Čelik Steel	
220.019		<ul style="list-style-type: none"> - Set glodala za obradu prečke FT-0626, FT-0627 i FT-0628 prema profilu FT-0620 i FT-0650 - Set of milling cutters for processing window mullions FT-0626, FT-0627 and FT-0628 towards profile FT-0620 and FT-0650 	Čelik Steel	
220.036		<ul style="list-style-type: none"> - Set glodala za obradu prečki prema profilu krila FT-0614 -Set of milling cutters for processing window mullions towards sash FT-0614 	Čelik Steel	

CODE	Izgled-presjek View - cross-section	Opis Description	Materijal Material	Nap. Remark
340.013		-Ispuna po opsegu stakla -Izoterm plamaframe -Insulation around the glass -Isoterm plamaframe	XPE	
348.002		-Ispuna po opsegu stakla sa ljepljivom trakom- Izoterm plamaframe -Insulation around the glass with adhesive tape- Isoterm plamaframe	XPE	
521.287		- Umetak za profil ojačanja prečke (za profile NP-4183 i NP-4184) - End insert for window crossbar reinforcement (for profiles NP-4183 and NP-4184)	Al.	
521.288		- Umetak za profil ojačanja prečke (za profile F-1634 i NP-4184) - End insert for window crossbar reinforcement (for profiles F-1634 and NP-4184)	Al.	
391.148		-Aluminijska nosiva pločica francuskog balkona lijeva, 50 mm x 54 mm x 8 mm -French balcony aluminium glass support left 50 mm x 54 mm x 8 mm	Al.	
391.149		-Aluminijska nosiva pločica francuskog balkona desna, 50 mm x 54 mm x 8 mm -French balcony aluminium glass support right 50 mm x 54 mm x 8 mm	Al.	

CODE	Izgled-presjek View - cross-section	Opis Description	Materijal Material	Nap. Remark
521.313		-Usmjerivač osovinice -Shaft positioner	Al.	
521.314		-Pločica u ramu i pragu za ključanje pomoćnog krila vrata -Insert plate in the frame and threshold for the locking of auxiliary and for lock the auxiliary door leaf	Al.	
521.315		-Osovinica Ø8 mm, L=2000 mm -Shaft Ø8 mm, L=2500 mm	Al.	

SET ZA BOČNI ČEP PROZORSKE KLUPICE 301.006
SET FOR SIDE CAP OF WINDOW SILL 301.006

- 1. - Osnovni profil
- 2. - PVC prihvatnik klupice
- 3. - Vanjski čep-prihvatnik klupice i profila
- 1. - Basic profile
- 2. - PVC window sill acceptor
- 3. - Outside cap - sill and profile acceptor



čep klupice 301.006
window sill cap 301.006

- 1 - Set za bočni čep klupice 301.006
- 2 - Set za bočni čep klupice 301.009
- 3 - Set za bočni čep klupice 301.010


-Setovi bočnih čepova 301.006 i 301.009 su u veličini profila klupice F-0680/J (280 mm)
-Za manje klupice se radi skraćivanje čepa prema mjerama u uputstvu artikla
-Set za bočni čep 301.010 - (360 mm)
-Izbor boje čepova prema RAL-karti

- 1 - Set for side cap of window sill 301.006
- 2 - Set for side cap of window sill 301.009
- 3 - Set for side cap of window sill 301.010

-Side cap set 301.006 i 301.009 are in size of window sill profile F-0680/J (280 mm)


-For smaller window sills side caps are shorten according to article dimensions
-Set for side cap 301.010 - (360 mm)
-Selection of cap colour according to RAL-map

- 1 - Set klupice 301.006
- 2. - Čep do otvora-prihvatnik klupice i profila
- 1 - Window sill set 301.006
- 2. - Cap next to the opening - Window sill and profile acceptor




čep klupice u sklopu
window sill cap in assembly



SET ZA BOČNI ČEP PROZORSKE KLUPICE 301.009
SET FOR SIDE CAP OF WINDOW SILL 301.009



čep klupice 301.009
window sill cap 301.009




čep klupice u sklopu

Oznaka Code	Opis Description	Izgled-presjek View-cross section	Materijal Material	Napomena Remark
433.003	vijak 3.5x13 DIN 7981 screw 3.5x13 DIN 7981		Inox A2	
433.007	vijak 3.5x25 DIN 7981 screw 3.5x25 DIN 7981		Inox A2	
433.017	vijak 3.9x16 DIN 7981 screw 3.9x16 DIN 7981		Inox A2	
433.042	vijak 4.8x16 DIN 7981 screw 4.8x16 DIN 7981		Inox A2	
433.043	vijak 4.8x19 DIN 7981 screw 4.8x25 DIN 7981		Inox A2	
433.046	vijak 4.8x32 DIN 7981 screw 4.8x32 DIN 7981		Inox A2	
433.047	vijak 4.8x38 DIN 7981 screw 4.8x38 DIN 7981		Inox A2	
433.134	vijak 4.8x38 DIN 7982 screw 4.8x38 DIN 7982		Inox A2	
430.159	tipl (fischer F8 M72) tipl (fischer F8 M72)		Inox A2	

Obrada i montaža

Processing and montage

SPAJANJE PROFILA KUTNIM SPOJNICAMA CONNECTING PROFILE WITH CORNER BRACKETS



POSTUPAK SPAJANJA PROFILA:

1. Površine koje se spajaju očistiti i odmastiti odgovarajućim sredstvom (npr. Teroson VR 20 ili FL+)
2. Premazati površine koje se spajaju ljepljivom (npr. Teroson MS 939).
3. Ljepilo ubrizgati u komore za kutnik (po opsegu komore)
4. Profile s kutnikom izravnati i spojiti
5. Dio ljepljive koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje (npr. Teroson VR 20 ili FL+).

NAPOMENA:

Ovaj postupak spajanja profila primjenjiv je za sve Feal-ove kutnike i njima odgovarajuće komore. Lijepljenjem rezova i kutnika ljepljivima za metal, osigurava se potrebna zrako- i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.


PROFILE CONNECTION PROCEDURE:

1. Clean and degrease all connecting surfaces with suitable products (e.g. Teroson VR 20 or FL+).
2. Smear connecting surfaces with metal glue (e.g. Teroson MS 939).
3. Inject metal glue into chambers for the corner bracket (on chamber edges)
4. Level profiles with corner brackets and connect
5. Leaked glue that comes from the joints remove with cleaning and degreasing products (e.g. Teroson VR 20 ili FL+ /).

NOTE:

This profile connection procedure is applicable for all Feal corner brackets and their appropriate chambers. By gluing the profile and corner brackets with a metal glue, necessary air and water tightness of the joint as well as additional mechanical properties is ensured

SPAJANJE PROFILA VEZNICIMA CONNECTING OF PROFILES BY USING CONNECTING ELEMENT -(T-BRACKET)



POSTUPAK SPAJANJA PROFILA

1. Površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom (npr. Teroson VR 20 ili FL+)
2. Premazati površine koje se spajaju-rezove ljepilom za metal (npr. Teroson MS 939).
3. Profile s veznicima izravnati i spojiti
4. Nakon spajanja profila, sve žljebove ispuniti ljepilom za metal (npr. Teroson MS 939 (Henkel))
5. Dio ljepila koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje (npr. Teroson VR 20 ili FL+).

NAPOMENA:

Lijepljenjem rezova, kao i svih spojeva profila sa ljepilima za metal, osigurava se potrebna zrako i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.


PROFILE CONNECTION PROCEDURE:

1. Clean and degrease all connecting surfaces with suitable products (e.g. Teroson VR 20 ili FL+).
2. Smear connecting surfaces with metal glue (e.g. Teroson MS 939).
3. Level profiles with connecting element (T-bracket) and connect
4. After joining the profile, all profile joints must be filled with metal glue (e.g. Teroson MS 939).
5. Leaked glue that comes from the joints remove with cleaning and degreasing products (e.g. Teroson VR 20 ili Teroson FL+).

NOTE:

By gluing the profile, as well as all profile joints with a metal glue, necessary air and water tightness of the joint as well as additional mechanical properties is ensured.

SPAJANJE PROFILA PRAGA SA PROFILOM RAMA POMOĆU UMETKA CONNECTING THE THRESHOLD PROFILE WITH FRAME PROFILE USING END INSERT



POSTUPAK SPAJANJA PROFILA

1. Površine koje se spajaju-rezove očistiti i odmastiti odgovarajućim sredstvom (npr.Teroson VR 20 ili FL+)
2. Na profilu praga premazati površine koje se spajaju ljepljivom za metal (npr. Teroson MS 939).
- 2.1. Ljepilo za metal ubrizgati u komore profila praga na mjestima gdje ulazi umetak (po opsegu komore)
3. Profil praga i umetak izravnati i spojiti
4. Profil praga sa spojenim umetkom izravnati i spojiti sa profilom rama
5. Nakon spajanja profila, sve spojeve profila i umetka ispuniti ljepljivom za metal (npr. Teroson MS 939)
6. Dio ljepljive koji iscuri između rezova očistiti sredstvom za čišćenje i odmašćivanje (npr.Teroson VR 20 ili FL+).

NAPOMENA:

Lijepljenjem rezova, kao i svih spojeva profila sa ljepljivima za metal, osigurava se potrebna zrak i vodonepropusnosti spoja kao i dodatna mehanička čvrstoća spoja.

PROFILE CONNECTION PROCEDURE:

1. Clean and degrease all connecting surfaces with suitable products (e.g. *Teroson VR 20* or *Teroson FL+*).
2. On threshold profile smear all connecting surfaces with metal glue (e.g. *Teroson MS 939*).
- 2.1. Inject metal glue into chambers of the profile for the insert (on chamber edges).
3. Level threshold profile with insert and connect them
4. Level threshold profile with the connected insert with the frame and connect them
5. **After joining the profiles, all profile connections must be filled with metal glue** (e.g. *Teroson MS 939*).
6. Leaked glue that comes from the joints remove with cleaning and degreasing products (e.g. *Teroson VR 20* or *Teroson FL+*).

NOTE:

By gluing the profile, as well as all profile joints with a metal glue, necessary air and water tightness of the joint as well as additional mechanical properties is ensured.


PREPORUKA:


- Usljed elastičnosti, dilatacije te drugih utjecaja često dolazi do povlačenja (skupljanja) brtve prema staklu u žlijebu, što dovodi do prodora vode u profil.
- Preporučuje se lijepljenje kraja brtve ljepilima za metal i EPDM (npr.trenutno ljepilo Loctite 4090)-prema skici.
- Odnosi se na sve brtve koje se uvlače u žlijeb.

RECOMMENDATION:

Due to elasticity, dilatation and other impacts gasket retraction towards the glass is possible, which can lead to water penetration in the profile .

It is recommended to glue the gasket ends with adhesives for metal and EPDM (eg. Loctite 4090- according to the drawing) This applies to all the gaskets with groove placement.





UPORABA BRTVE 314.001

-Radi smanjenja ulaska padalina u prostor rama preporučuje se uporaba brtve 314.001 (stara oznaka Z-10).

-Brtvu 314.001 umetnuti po opsegu prozora.

U gornjem pojasu brtva se prekida radi omogućavanja ventilacije prozora.

-Korištenje brtve 314.001 zahtjeva uporabu kutnika 730.001 umjesto kutnika 730.002.



USE OF GASKET 314.001

-To reduce the flow of precipitation into the frame area, it is recommended to use gasket 314.001 (old mark Z-10).

-Insert gasket 314.001 by the window circumference.

In the upper belt, the gasket breaks to allow window ventilation.

-Using gasket 314.001 requires the use of angle 730.001 instead of angle 730.002.



ODVOD KAPLJEVINA IZ OTVARAJUĆEG PROZORA


Kapljevine koje uđu u krilo prozora između brtve i ispune vode se kroz otvor na brtvi i profilu krila prema vani. Dio kapljevina iz krila i kapljevine s vana ulaze u predviđeni prostor u profilu rama te ga napuštaju kroz otvore u profilu koji se maskiraju čepom 373.003.

Napomena: Otvore na profilu rama uvijek držati prohodnim.

WINDOW DRAINAGE

Liquids that enter the portion of window between gasket and filling are guided through opening on gasket and sash profile towards outside. Portion of liquids from sash and liquids from outside enter the appropriated space in profile and leave it through openings on profile that are masked with cap 373.003.

Remark: Openings on profile should be always passasble.



ODVOD KAPLJEVINA IZ FIKSNOG PROZORA

Kapljevine koje uđu u fiksni prozor između brtve i ispune vode se kroz otvor na brtvi i profilu rama prema vani.

Otvori se maskiraju čepom 373.003.


Napomena: Otvore na profilu rama uvijek držati prohodnim.



WINDOW DRAINAGE

Liquids that enter the fixed window between gasket and filling are led through opening on gasket and the frame profile outwards.

The openings are masked by a plug 373.003.




Remark: Openings on profile should be always passasble.





LIJEPLJENJE CENTRALNE BRTVE ZA PODLOGU
U uvjetima veće izloženosti prozora padalinama ,radi mogućeg prodora kapljevina, preporučuje se lijepljenje centralne brtve 331.004 za podlogu, neutralnim ljepilom (npr. "Henkel" - *Teroson MS 939*), prema crtežu.

GLUEING OF CENTRAL GASKET TO BACKGROUND
In conditions of larger precipitation, for preventing possible liquid breach, it is recommended to glue the central gasket 331.004 to background with glue (e.g. "Henkel" - *Teroson MS 939*), as shown on the drawing.




LIJEPLJENJE ISPUNE ZA PODLOGU

U uvjetima veće izloženosti prozora padalinama ,radi mogućeg prodora kapljevina, preporučuje se lijepljenje ispune 348.002 za podlogu, neutralnim ljepilom (npr. "Henkel" - *Teroson MS 939*),prema crtežu.



GLUEING OF FILLING

In conditions of larger percipitation, for preventing possible liquid breach, it is recommended to glue filling 314.013 with glue (e.g."Henkel" - *Teroson MS 939*),as shown to the drawing.





OBRADA NA PROFILU RAMA FT-0601 ZA ODVOD KAPLJEVINA PROCESSING OF FRAME PROFILE FT-0601 FOR WATER DRAINAGE

- obrada donjeg pojasa rama /štancanjem/
Alat: Štanca S1
- 373.003- pvc maska za drenažni otvor
- processing of frame lower zone /metal punching/
Tool: Metal punching machine S1
- 373.003- pvc mask for drainage hole






OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:





OBRADA NA PROFILU RAMA FT-0601 ZA ODVOD KAPLJEVINA PROCESSING OF FRAME PROFILE FT-0601 FOR WATER DRAINAGE

- obrada donjeg pojasa rama
Alat: vretenasto glodalo Ø7
- 370.070- pvc maska za drenažni otvor
- processing of frame lower zone
Tool: end mill Ø7
- 370.070- pvc mask for drainage hole







Presjek A-A
Cross-section A-A



OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:




OBRADA NA PROFILU FT-0601 RADI IZLAZA KAPLJEVINA KOD FIKSNE STIJENE



OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:





PRESJEK 2-2




FT-0621

OBRADA NA PROFILU FT-06021 I FT-0622
RADI IZLAZA KAPLJEVINA KOD FIKSNE STIJENE




FT-0621


PRESJEK 1-1




OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:



FT-0622



373.003



OBRADA NA PROFILU KRILA PROZORA

RADI ODVODA KAPLJEVINA I VENTILIRANJA PROZORA

-obrada donjeg i okomitih pojasa krila (štancanjem iz dva prolaza)

-obrada na štanci S1




-uslijed probijenih otvora unutar prozora dolazi do uspostave strujanja zraka i isušivanja mogućih kapljevina

PROCESSING ON SASH PROFILE FOR DRAINAGE AND VENTILATION



-processing of lower and vertical zones on sash (two pass punching)



-processing on punch S1

-due to punched openings in the window, air ventilation is established that dries possible liquids



OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:







OBRADA NA PROFILU KRILA PROZORA RADI ODVODA KAPLJEVINA I VENTILIRANJA PROZORA


- obrada donjeg i okomitih pojasa krila
- obrada na vertikalnoj glodalici
- uslijed probijenih otvora unutar prozora dolazi do uspostave strujanja zraka i isušivanja mogućih kapljevina


PROCESSING ON SASH PROFILE FOR DRAINAGE AND VENTILATION

- processing of lower and vertical zones on sash
- processing on vertical milling machine
- due to punched openings in the window, air ventilation is established that dries possible liquids



obrada
glodanjem








OBRADA NA PROFILU KRILA PROZORA RADI ODVODA KAPLJEVINA I VENTILIRANJA PROZORA



- obrada donjeg i okomitih pojasa krila
- obrada na štanci S9
- uslijed probijenih otvora unutar prozora dolazi do uspostave strujanja zraka i isušivanja mogućih kapljevina

PROCESSING ON SASH PROFILE FOR DRAINAGE AND VENTILATION

- processing of lower and vertical zones on sash
- processing on punch S9
- due to punched openings in the window, air ventilation is established that dries possible liquids





ODVOD KAPLJEVINA IZ KRILA VRATA (otvaranje unutra) DRAINAGE FROM DOOR SASH(inside opening)





① = 3 x 35

OBRADA PROFILA KRILA FT-0613 PROCESSING OF SASH PROFILE FT-0613




- Obradu raditi na štanci S9
- Processing work on bracket S9




ODVOD KAPLJEVINA IZ KRILA VRATA (otvaranje unutra) DRAINAGE FROM DOOR SASH (inside opening)




① = 5 x 30







- Obradu raditi vretenastim glodalom
- Process with end mill




POLOŽAJ OBRADJE PROCESSING POSITION






UGRADNJA PROFILA F-1123 I BRTVE 344.001 U PROFILE FT-0613 I FT-0650
INSTALLATION PROFILE F-1123 I GASKET 344.001 IN PROFILE FT-0613 AND FT-0650




UGRADNJA PROFILA F-1123 I BRTVE 344.001 U PROFIL FT-0613 I FT-0650
INSTALLATION PROFILE F-1123 I GASKET 344.001 IN PROFILE FT-0613 AND FT-0650





UGRADNJA MONODRAIN CJEVČICE 360.009 MONTAGE OF MONODRAIN TUBULE 360.009



Obrada za ugradnju monodrain cjevčice 360.009
-rupa Ø10, max.700 mm (min.dva po krilu), 100 mm od kraja
Processing for installation of monodrain tubular 360.009
-hole Ø10, max.700 mm (min.two on sash), 100 mm form end



ODVOD KAPLJEVINA IZ KRILA VRATA (otvaranje vani) DRAINAGE FROM DOOR SASH(outside opening)





① = 3 x 35


- Obradu raditi na štanci S9
- Processing work on bracket S9

② = 5 x 30

- Obradu raditi vretenastim glodalom
- Process with end mill



② = 5 x 30









365.063 - UMETAK ZA PROFIL FT-0635 prema profilima FT-0611, FT-0612, FT-0615 i FT-0620


- Obavezna uporaba kod ključanja pomoćnog krila u više točaka

365.063 - INSERT FOR PROFILE FT-0635 toward profiles FT-0611, FT-0612, FT-0615 and FT-0620

- Necessarily use when locking the auxiliary sash in multiple points



ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)



ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)







365.064

-gornji i donji umetak-simetrično
-materijal:tvrd guma
-mjera pilanja profila FT-0635=Hkr - 68


365.064

-upper and lower insert-symmetrical
-material:hard rubber
-cutting length of profile FT-0635=Hkr - 68

365.004 - UMETAK ZA PROFIL FT-0631 prema profilima FT-0611, FT-0612, FT-0615 i FT-0620
 365.004 - INSERT FOR PROFILE FT-0631 toward profiles FT-0611, FT-0612, FT-0615 and FT-0620



ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)





ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)

365.004
-gornji i donji umetak-simetrično
-materijal:tvrd guma
-mjera pilanja profila FT-0631=Hkr - 68

365.004
-upper and lower insert-symmetrical
-material:hard rubber
-cutting length of profile FT-0631=Hkr - 68

365.004 - UMETAK ZA PROFIL FT-0631 prema profilima FT-0613 i FT-0650

363.004 - INSERT FOR PROFILE FT-0631 toward profiles FT-0613 and FT-0650





365.004

- gornji i donji umetak-simetrično
- materijal:tvrd guma
- mjera pilanja profila FT-0631=Hkr - 68


365.004

- upper and lower insert-symmetrical
- material:hard rubber
- cutting length of profile FT-0631=Hkr - 68



ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)

365.004 - UMETAK ZA PROFIL FT-0631 prema profilu FT-0619
 363.004 - INSERT FOR PROFILE FT-0631 toward profile FT-0619





365.004

- gornji i donji umetak-simetrično
- materijal: tvrda guma
- mjera pilanja profila FT-0631=Hkr - 68


365.004

- upper and lower insert-symmetrical
- material: hard rubber
- cutting length of profile FT-0631=Hkr - 68



ljepilo za metal
 (npr. Teroson MS 939)
 metal glue
 (eg. Teroson MS 939)

363.017 - UMETAK ZA PROFIL FT-0632 prema profilu FT-0614
 363.017 - INSERT FOR PROFILE FT-0632 toward profile FT-0614





363.017

- gornji i donji umetak-simetrično
- materijal: tvrda guma
- mjera pilanja profila FT-0632=Hkr - 68








363.017

- upper and lower insert-symmetrical
- material: hard rubber
- cutting length of profile FT-0632=Hkr - 68




ljepilo za metal
 (npr. Teroson MS 939)
 metal glue
 (eg. Teroson MS 939)

365.051 - UMETAK ZA PROFIL FT-0633 prema profilu FT-0616, FT-0617 i FT-0618
 365.051 - INSERT FOR PROFILE FT-0633 toward profile FT-0616, FT-0617 and FT-0618



ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)





ljepilo za metal
(npr. Teroson MS 939)
metal glue
(eg. Teroson MS 939)


365.051
-gornji i donji umetak-simetrično
-materijal: tvrda guma
-mjera pilanja profila FT-0633=Hkr - 68

365.051
-upper and lower insert-symmetrical
-material:hard rubber
-cutting length of profile FT-0633=Hkr - 68



UGRADNJA I OBRADA PROFILA PRAGA FT-0643 ZA UMETAK 365.008 U PROFIL FT-0601-otvaranje unutra
MOUNTING AND PROCESSING TRESHOLD PROFILE FT-0643 FOR INSERT 365.008
IN PROFILE FT-0601-openeng inside




OBRADA PROFILA FT-0601 ZA UGRADNJU PRAGA S UMETKOM
PROCESSING PROFILE FT-0601 FOR TRESHOLD MONTAGE WIHT INSERT





OBRADA PROFILA PRAGA FT-0643 PREMA PROFILU FT-0605-otvaranje vani PROCESSING TRESHOLD PROFILE FT-0643 TOWARD PROFILE FT-0601-opening outside




OBRADA PROFILA FT-0605 ZA UGRADNJU PRAGA PROCESSING PROFILE FT-0605 FOR TRESHOLD MONTAGE







UGRADNJA PROFILA FT-0648 U KRILO VRATA SA UMETKOM 363.062-otvaranje unutra MOUNTING PROFILE FT-0648 IN SASH DOOR WITH INSERT 363.062-opening inside



- Profil FT-0648 se pila ravno
Mjera pilanja $L(FT-0288) = Lkr-72$
- Profile FT-0648 is cut straight
Cutting measure $L(FT-0288) = Lkr-72$




UGRADNJA PROFILA FT-01402 U KRILO VRATA
 SA UMETKOM 373.036-otvaranje unutra
 MOUNTING PROFILE FT-1402 IN SASH DOOR
 WITH INSERT 373.036-opening inside





- Mjera pilanja profila F-1402
- Cutting length of profile F-1402
 $L(F-1402) = Lkr - 72$
- Mjera rezanja brtve 344.056
- Cutting length of gasket 344.056
 $L(344.056) = Lkr - 50$


OBRADA PROZORSKOG PROFILA KRILA ZA UGRADNJU RUČKE PROCESSING OF WINDOW SASH PROFILE FOR HADNLE MONTAGE




- Za zaokretno i otklopno-zaokretno otvaranje
- Obrada je ista za sve profile krila prozora
- For turn and tilt&turn opening
- Processing is the same for all sash window profiles





OBRADA PROFILA KRILA VRATA (otvaranje unutra) ZA BRAVU 124.001 I RUČKU PROCESSING OF DOOR SASH PROFILE (inside opening) FOR LOCK 124.001 AND HANDLE




PRESJEK 1-1
CROSS-SECTION 1-1




PRESJEK 2-2
CROSS-SECTION 2-2





OBRADA PROFILA KRILA VRATA (otvaranje unutra) ZA BRAVU 124.001 I RUČKU
PROCESSING OF DOOR SASH PROFILE (inside opening) FOR LOCK 124.001 AND HANDLE






PRESJEK 1-1
CROSS-SECTION 1-1







PRESJEK 2-2
CROSS-SECTION 2-2





OBRADA PROFILA KRILA VRATA (otvaranje vani) ZA BRAVU 124.001 I RUČKU
PROCESSING OF DOOR SASH PROFILE (inside opening) FOR LOCK 124.001 AND HANDLE




OBRADA PROFILA KRILA VRATA (otvaranje vani) ZA BRAVU 124.001 I RUČKU
PROCESSING OF DOOR SASH PROFILE (inside opening) FOR LOCK 124.001 AND HANDLE



OBRADA PROFILA RAMA VRATA (otvaranje unutra) ZA PRIHVATNIK JEZIČKA BRAVE 124.003 (Stublina)
PROCESSING OF DOOR FRAME PROFILE (inside opening) FOR LOCK LATCHBOLT ACCEPTOR 124.003 (St.)




PRESJEK 1-1
CROSS-SECTION 1-1




124.003
prihvatnik jezička brave
lock latchbolt acceptor

FT-0603




OBRADA PROFILA KRILA VRATA (otvaranje unutra) ZA BRAVU - 122.052 (GU)
 PROCESSING OF DOOR SASH PROFILE (inwards opening) FOR LOCK - 122.052 (GU)





osa ručke (obilježen usijek)
axis handle (marked groove)


PRESJEK 1-1
PRESJEK 1-1




PRESJEK 2-2
CROSS-SECTION 2-2




OBRADA PROFILA KRILA VRATA (otvaranje unutra) ZA KUTIJU MASIVNOG ZASUNA - 122.052 (GU)
 PROCESSING OF DOOR SASH PROFILE (inwards opening) FOR MASSIVE BOLT CASE - 122.052 (GU)








OBRADA PROFILA RAMA VRATA (otvaranje unutra) ZA PRIHVATNU PLOČICU 122.053 (GU)
PROCESSING OF DOOR FRAME PROFILE (inwards opening) FOR STRIKING PLATE 122.053 (GU)




OBRADA PROFILA RAMA VRATA (otvaranje unutra) ZA PRIHVATNI LIM 122.054 (GU)
PROCESSING OF DOOR FRAME PROFILE (inwards opening) FOR STRIKING PLATE 122.054 (GU)




OBRADA PROFILA RAMA VRATA (otvaranje unutra) ZA PRIHVATNI LIM 122.054 (GU)
PROCESSING OF DOOR FRAME PROFILE (inwards opening) FOR STRIKING PLATE 122.054 (GU)








SET USADNIH BAGLAMA-OSNO 70 mm
UGRAĐUJE SE U KRILU VRATA FT-0650 (OTVARANJE UNUTRA)
SET USADNIH BAGLAMA-OSNO 70 mm
UGRAĐUJE SE U KRILU VRATA FT-0650 (OTVARANJE UNUTRA)





OBRADA
OBRADA





SET USADNIH BAGLAMA-OSNO 60 mm
UGRAĐUJE SE U KRILA VRATA FT-0613 (OTVARANJE UNUTRA)
SET USADNIH BAGLAMA-OSNO 60 mm
UGRAĐUJE SE U KRILA VRATA FT-0613 (OTVARANJE UNUTRA)




SET ZA TERMO 65
SET ZA TERMO 65





OBRADA
OBRADA




SET USADNIH BAGLAMA-OSNO 70 mm
UGRAĐUJE SE U KRILA VRATA FT-0614 (OTVARANJE VANI)
SET USADNIH BAGLAMA-OSNO 70 mm
UGRAĐUJE SE U KRILA VRATA FT-0614 (OTVARANJE VANI)




OBRADA
OBRADA



SET USADNIH BAGLAMA-OSNO 96 mm
UGRAĐUJE SE U KRILA VRATA, U AL.STIJENI (OTVARANJE VANI)
SET USADNIH BAGLAMA-OSNO 96 mm
UGRAĐUJE SE U KRILA VRATA, U AL, STIJENI (OTVARANJE VANI)



MONTAŽA FRANCUSKOG BALKONA, staklo 88.4 FRENCH BALCONY INSTALLATION, glass 88.4



- 1 - profil rukohvata F-1490
- 1 - handrail profile F-1490
- 2 - PVC čep 373.054
- 2 - PVC cover cap 373.054
- 3 - brtva 311.007
- 3 - gasket 311.007
- 4 - profil okomice F-1569
- 4 - french balcony profile F-1569


- 5 - 433.134 (6 komada)
- 5 - 433.134 (6 pieces)
- 6 - 433.048 (svakih 200 mm)
- 6 - 433.048 (every 200 mm)
- 7 - poklopna lajsna F-0826
- 7 - cover profile F-0826
- 8 - nosiva pločica lijeva 391.148
- 8 - glass support left 391.148



- 9 - nosiva pločica desna 391.149
- 9 - glass support right 391.149
- 10 - staklo 88.4 Kaljeno lamistal
- 10 - glass 88.2 toughened laminated
- 11 - brtva 340.055
- 11 - gasket 340.055
- 12 - PVC distancer 100x30x4 mm*
- 12 - PVC packer 100x30x4 mm*

- 13 - 433.046 (za PVC čep)
- 13 - 433.046 (for PVC cover cap)
- 14 - PVC distancer 20x20x2 mm*
- 14 - PVC packer 20x20x2 mm*
- 15 - brtva 321.003
- 15 - gasket 321.003


*- ne prodaje FEAL
*- not sold by FEAL

MONTAŽA FRANCUSKOG BALKONA, staklo 1010.4 FRENCH BALCONY INSTALLATION, glass 1010.4







OBRADA PROFILA KRILA SASH PROFILE PROCESSING














art. 391.175







art. 100.019






PRIKAZ KUTNIKA U PROFILIMA DISPLAY OF CORNER BRACKETS IN PROFILES

FT-0601			730.006	FT-0612	730.006		
			①		710.449	①	710.511
			②		710.475	⑥	710.475
			③		710.048	⑦	710.441
			③		730.002	⑧	730.004
			⑧		730.001		
FT-0602			730.006	FT-0620	730.006		
			①		710.449	①	710.511
			④		710.475	⑥	710.475
			③		710.455	⑧	710.441
			③		730.002	⑧	731.010
			⑧		730.001		
FT-0603			710.057	FT-0615	⑬	710.161	
			⑤		710.058	⑦	730.004
			②		710.048	⑩	710.456
			③		730.002	⑧	730.001
FT-0606			710.057	FT-0613	⑨	710.063	
			⑤		710.058	⑩	710.064
			②		710.048	⑦	710.456
			③		730.002	⑧	730.004
							⑧
FT-0607			725.701	FT-0650	⑨	710.063	
			⑲		725.702	⑩	710.064
			⑳		725.128	⑩	710.456
			⑱		731.010	⑱	731.010
							⑧
FT-0611			730.006				
			①		710.511		
			⑥		710.475		
			⑦		710.441		
			⑧		730.004		
			⑧		730.001		


PRIKAZ KUTNIKA U PROFILIMA DISPLAY OF CORNER BRACKETS IN PROFILES

<p>FT-0605</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑭</td> <td>710.072</td> </tr> <tr> <td>710.059</td> </tr> <tr> <td>⑮</td> <td>725.032</td> </tr> <tr> <td>③</td> <td>730.002</td> </tr> </tbody> </table>	⑭	710.072	710.059	⑮	725.032	③	730.002				
⑭	710.072												
	710.059												
⑮	725.032												
③	730.002												
<p>FT-0608</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑳</td> <td>725.709</td> </tr> <tr> <td>725.710</td> </tr> <tr> <td>㉒</td> <td>725.705</td> </tr> <tr> <td>⑱</td> <td>731.010</td> </tr> </tbody> </table>	⑳	725.709	725.710	㉒	725.705	⑱	731.010				
⑳	725.709												
	725.710												
㉒	725.705												
⑱	731.010												
<p>FT-0614</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑪</td> <td>710.059</td> </tr> <tr> <td>710.099</td> </tr> <tr> <td>⑫</td> <td>730.005</td> </tr> <tr> <td>⑬</td> <td>725.031</td> </tr> <tr> <td>⑧</td> <td>730.001</td> </tr> </tbody> </table>	⑪	710.059	710.099	⑫	730.005	⑬	725.031	⑧	730.001		
⑪	710.059												
	710.099												
⑫	730.005												
⑬	725.031												
⑧	730.001												
<p>FT-0619</p>		<table border="1"> <tbody> <tr> <td>⑯</td> <td>710.161</td> </tr> <tr> <td>⑲</td> <td>710.176</td> </tr> <tr> <td>⑱</td> <td>731.010</td> </tr> <tr> <td>⑧</td> <td>730.001</td> </tr> </tbody> </table>	⑯	710.161	⑲	710.176	⑱	731.010	⑧	730.001			
⑯	710.161												
⑲	710.176												
⑱	731.010												
⑧	730.001												


PRIKAZ KUTNIKA U PROFILIMA DISPLAY OF CORNER BRACKETS IN PROFILES

<p>FT-0616</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑰</td> <td>710.483</td> </tr> <tr> <td>710.508</td> </tr> <tr> <td>⑥</td> <td>710.441</td> </tr> <tr> <td>⑱</td> <td>731.010</td> </tr> <tr> <td>⑧</td> <td>730.001</td> </tr> </tbody> </table>	⑰	710.483	710.508	⑥	710.441	⑱	731.010	⑧	730.001		
⑰	710.483												
	710.508												
⑥	710.441												
⑱	731.010												
⑧	730.001												
<p>FT-0617</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑰</td> <td>710.483</td> </tr> <tr> <td>710.508</td> </tr> <tr> <td>⑥</td> <td>710.441</td> </tr> <tr> <td>⑦</td> <td>730.004</td> </tr> <tr> <td>⑧</td> <td>730.001</td> </tr> </tbody> </table>	⑰	710.483	710.508	⑥	710.441	⑦	730.004	⑧	730.001		
⑰	710.483												
	710.508												
⑥	710.441												
⑦	730.004												
⑧	730.001												
<p>FT-0618</p>		<table border="1"> <tbody> <tr> <td rowspan="2">⑰</td> <td>710.483</td> </tr> <tr> <td>710.508</td> </tr> <tr> <td>⑥</td> <td>710.441</td> </tr> <tr> <td>⑦</td> <td>730.004</td> </tr> <tr> <td>⑧</td> <td>730.001</td> </tr> </tbody> </table>	⑰	710.483	710.508	⑥	710.441	⑦	730.004	⑧	730.001		
⑰	710.483												
	710.508												
⑥	710.441												
⑦	730.004												
⑧	730.001												



SPAJANJE PROFILA FT-0601 KUTNICIMA 730.006, 710.048
PROFILE CONNECTION FT-0601 WITH CORNER BRACKETS 730.006, 710.048



Spajanje kutnikom 730.006 s predobradom štancanja - (štanca S1)
Conection with corner bracket 730.006 with punching preprocessing - (punch S1)




Spajanje kutnikom 710.048 uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.048 aluminium profile corner crimping





SPAJANJE PROFILA FT-0601 KUTNICIMA 710.449, 710.048

CONNECTION OF PROFILE FT-0601 WITH CORNER BRACKETS 710.449, 710.048




Spajanje kutnikom 710.449
vjcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.449
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.048
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0601 KUTNICIMA 710.475, 710.048
CONNECTION OF PROFILE FT-0601 WITH PROFILE 710.475, 710.048




Spajanje kutnikom 710.475
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.475
aluminium profile corner
crimping


Spajanje kutnikom 710.048
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping




SPAJANJE PROFILA FT-602; KUTNICIMA; 730.006, 710.455
CONNECTION OF PROFILE FT-0602; WITH CORNER BRACKETS; 730.006, 710.455



Spajanje kutnikom 730.006 s
predobradom štancanja - (štanca S1)
Conection with corner bracket 730.006
with punching preprocessing - (punch S1)




Spajanje kutnikom 710.455
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.455
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0602; KUTNICIMA; 710.449, 710.455

CONNECTION OF PROFILE FT-0602; WITH CORNER BRACKETS; 710.449, 710.455




Spajanje kutnikom 710.449
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.449
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.455
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.455
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0602; KUTNICIMA; 710.475, 710.455

CONNECIOTN OF PROFILE FT-0602; WITH CORNER BRACKETS; 710.475, 710.455




Spajanje kutnikom 710.475
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.475
aluminium profile corner
crimping


Spajanje kutnikom 710.455
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.455
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0603 KUTNICIMA; 710.057, 710.048
CONNECTION OF PROFILE FT-0603 WITH CORNER BRACKETS; 710.057, 710.048




Spajanje kutnikom 710.057
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.057
screws M8x13 -type Feal -(punch S1)



Spajanje kutnikom 710.048
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping




SPAJANJE PROFILA FT-0603 KUTNICIMA; 710.058, 710.048
CONNECTION OF PROFILE FT-0603 WITH CORNER BRACKETS; 710.058, 710.048




Spajanje kutnikom 710.058
uprešavanjem stijenske profila
prema kutniku
Corn. brac. connection 710.058
aluminium profile corner
crimping

Spajanje kutnikom 710.048
uprešavanjem stijenske profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping




SPAJANJE PROFILA FT-0606 KUTNICIMA; 710.057, 710.048

CONNECTION OF PROFILE FT-0606 WITH CORNER BRACKETS; 710.057, 710.048




Spajanje kutnikom 710.057
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.057
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.048
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping




PRESJEK A-A



PRESJEK C-C


SPAJANJE PROFILA FT-0606 KUTNICIMA; 710.058, 710.048

CONNECTION OF PROFILE FT-0606 WITH CORNER BRACKETS; 710.058, 710.048




Spajanje kutnikom 710.058
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.058
aluminium profile corner
crimping

Spajanje kutnikom 710.048
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.048
aluminium profile corner
crimping




PRESJEK A-A





PRESJEK C-C

SPAJANJE PROFILA FT-0607 KUTNICIMA; 725.701 (725.702), 725.128

CONNECTION OF PROFILE FT-0607 WITH CORNER BRACKETS; 725.701 (725.702), 725.128




PRESJEK B-B
CROSS-SECTION B-B




Spajanje kutnikom 725.702
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 725.702
aluminium profile corner crimping


Spajanje kutnikom 725.128
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 725.128
aluminium profile corner crimping



PRESJEK A-A
CROSS-SECTION A-A




PRESJEK C-C
CROSS-SECTION C-C




PRESJEK A-A
CROSS-SECTION A-A

Spajanje kutnikom 725.701
vijcima M8x13(431.266)-tip Feal
Corner bracket connection 725.701
screws M8x13(431.266) -type Feal





SPAJANJE PROFILA FT-0611 KUTNICIMA; 710.511, 710.441

CONNECTION OF PROFILE FT-0611 WITH CORNER BRACKETS; 710.511, 710.441




Spajanje kutnikom 710.511
vjcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.511
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom
710.441 uprešavanjem stijenke
profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0611 KUTNICIMA; 710.475, 710.441
CONNECTION OF PROFILE FT-0611 WITH CORNER BRACKETS; 710.475, 710.441




Spajanje kutnikom 710.475
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.475
aluminium profile corner
crimping

Spajanje kutnikom 710.441
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.441
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0612 KUTNICIMA; 710.511, 710.441
CONNECTION OF PROFILE FT-0612 WITH CORNER BRACKETS; 710.511, 710.441




Spajanje kutnikom 710.511
vjcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.511
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom
710.441 uprešavanjem stijenke
profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0612 KUTNICIMA; 710.475, 710.441
CONNECTION OF PROFILE FT-0612 WITH CORNER BRACKETS; 710.475, 710.441




Spajanje kutnikom 710.475
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.475
aluminium profile corner
crimping

Spajanje kutnikom 710.441
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.441
aluminium profile corner
crimping





SPAJANJE PROFILA FT-0620 KUTNICIMA; 710.511, 710.441
CONNECTION OF PROFILE FT-0620 WITH CORNER BRACKETS; 710.511, 710.441




Spajanje kutnikom 710.511
vjcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.511
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.441
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping





SPAJANJE PROFILA FT-0620 KUTNICIMA; 710.475, 710.441

CONNECTION OF PROFILE FT-0620 WITH CORNER BRACKETS; 710.475, 710.441




Spajanje kutnikom 710.475
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.475
aluminium profile corner crimping

Spajanje kutnikom 710.441
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping




SPAJANJE PROFILA FT-0615 KUTNICIMA; 710.161, 710.456

CONNECTION OF PROFILE FT-0615 WITH CORNER BRACKETS; 710.161, 710.456




Spajanje kutnikom 710.161
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.161
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.456
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.456
aluminium profile corner crimping




SPAJANJE PROFILA FT-0613 KUTNICIMA; 710.063, 710.456


CONNECTION OF PROFILE FT-0613 WITH CORNER BRACKETS; 710.063, 710.456




Spajanje kutnikom 710.063
vjcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.063
screws M8x13 -type Feal -(punch S1)



Spajanje kutnikom 710.456
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.456
aluminium profile corner crimping




SPAJANJE PROFILA FT-0613 KUTNICIMA; 710.064, 710.456
CONNECTION OF PROFILE FT-0613 WITH CORNER BRACKETS; 710.064, 710.456




Spajanje kutnikom 710.064
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.064
aluminium profile corner crimping

Spajanje kutnikom 710.456
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.456
aluminium profile corner crimping




SPAJANJE PROFILA FT-0650 KUTNICIMA; 710.063, 710.456

CONNECTION OF PROFILE FT-0650 WITH CORNER BRACKETS; 710.063, 710.456




Spajanje kutnikom 710.063 vijcima
M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.063
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.456
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.456
aluminium profile corner crimping




SPAJANJE PROFILA FT-0650 KUTNICIMA; 710.064, 710.456

CONNECTION OF PROFILE FT-0650 WITH CORNER BRACKETS; 710.064, 710.456




Spajanje kutnikom 710.064
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.064
aluminium profile corner crimping

Spajanje kutnikom 710.456
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.456
aluminium profile corner crimping



SPAJANJE PROFILA FT-0605 KUTNICIMA; 710.072, 725.032


CONNECTION OF PROFILE FT-0605 WITH CORNER BRACKETS; 710.072, 725.032



PRESJEK B-B

Spajanje kutnikom 710.072
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.072
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 725.032
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 725.032
aluminium profile corner crimping




PRESJEK A-A

PRESJEK C-C


SPAJANJE PROFILA FT-0605 KUTNICIMA; 710.59, 725.032

CONNECTION OF PROFILE FT-0605 WITH CORNER BRACKETS; 710.059, 725.032




Spajanje kutnikom 710.059
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.059
aluminium profile corner crimping

Spajanje kutnikom 725.032
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 725.032
aluminium profile corner crimping




SPAJANJE PROFILA FT-0608 KUTNICIMA; 725.709 (725.710), 725.705



CONNECTION OF PROFILE FT-0608 WITH CORNER BRACKETS; 725.709 (725.710), 725.705




Spajanje kutnikom 725.710
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 725.710
aluminium profile corner crimping



Spajanje kutnikom 725.705
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 725.705
aluminium profile corner crimping




Spajanje kutnikom 725.709
vijcima M8x13(431.266)-tip Feal
Corner bracket connection 725.709
screws M8x13(431.266) -type Feal




SPAJANJE PROFILA FT-614 KUTNICIMA; 710.099, 725.031

CONNECTION OF PROFILE FT-0614 WITH CORNER BRACKETS; 710.099, 725.031




Spajanje kutnikom 710.0799
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.099
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 725.031
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 725.031
aluminium profile corner crimping




SPAJANJE PROFILA FT-614 KUTNICIMA; 710.059, 725.031
CONNECTION OF PROFILE FT-0614 WITH CORNER BRACKETS; 710.059, 725.031




Spajanje kutnikom 710.059
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.059
aluminium profile corner crimping

Spajanje kutnikom 725.031
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 725.031
aluminium profile corner crimping





SPAJANJE PROFILA FT-619 KUTNICIMA; 710.161, 710.176

CONNECTION OF PROFILE FT-0619 WITH CORNER BRACKETS; 710.161, 710.176




Spajanje kutnikom 710.161
vijcima M8x13 -tip Feal -(štanca S1)
Corner bracket connection 710.161
screws M8x13 -type Feal -(punch S1)

Spajanje kutnikom 710.176
uprešavanjem stijenke profila
prema kutniku
Corn. brac. connection 710.176
aluminium profile corner crimping





SPAJANJE PROFILA FT-616 KUTNICIMA; 710.483, 710.441
CONNECTION OF PROFILE FT-0616 WITH CORNER BRACKETS; 710.483, 710.441




Spajanje kutnikom 710.483
vijcima M8x13 -tip Feal
Corner bracket connection 710.483
screws M8x13 -type Feal

Spajanje kutnikom 710.441
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping





SPAJANJE PROFILA FT-0616 KUTNICIMA; 710.508, 710.441
CONNECTION OF PROFILE FT-0616 WITH CORNER BRACKETS; 710.508, 710.441




Spajanje kutnikom 710.508
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.508
aluminium profile corner crimping


Spajanje kutnikom 710.441
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping




SPAJANJE PROFILA FT-617 KUTNICIMA; 710.483, 710.441
CONNECTION OF PROFILE FT-0617 WITH CORNER BRACKETS; 710.483, 710.441




Spajanje kutnikom 710.483
vijcima M8x13 -tip Feal
Corner bracket connection 710.483
screws M8x13 -type Feal



Spajanje kutnikom 710.441
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping





SPAJANJE PROFILA FT-617 KUTNICIMA; 710.503, 710.441
CONNECTION OF PROFILE FT-0617 WITH CORNER BRACKETS; 710.503, 710.441



Spajanje kutnikom 710.503
vijcima M8x13 -tip Feal
Corner bracket connection 710.503
screws M8x13 -type Feal




Spajanje kutnikom 710.441
uprešavanjem stijenke profila prema kutniku
Corn. brac. connection 710.441
aluminium profile corner crimping




OBRADA PROFILA PREČKE (FT-0621, FT-0622, FT-0623, FT-0624 i FT-0625) PREMA PROFILIMA KRILA, RAMA I PREČKE.

PROCESSING PROFILES MULLION (FT-0621, FT-0622, FT-0623, FT-0624 and FT-0625) TOWARDS PROFILES OF SASH, FRAME AND MULLION.




OBRADU RADITI SNOPOM GLODALA 220.002
OBRADU RADITI SNOPOM GLODALA 220.002





OBRADA PROFILA JE ISTA I ZA PROFILE:
PROFILE PROCESSING IS THE SAME FOR PROFILES:





SPAJANJE PROFILA PREČKE I RAMA VEZNIKOM CONNECTION OF MULLION PROFILE WITH



Mjera pilanja prečke:
 $Lpr = So / \text{svijetli otvor} / + 53 \text{ mm}$
 Cutting length of mullion:
 $Lmu = So / \text{light opening} / + 53 \text{ mm}$




SPAJANJE PROFILA PARAPETNE PREČKE I RAMA VIJCIMA CONNECTION OF MULLION PROFILE WITH SCREW





Mjera pilanja prečke:
Lpr=So /svijetli otvor/ + 53 mm
Cutting length of mullion:
Lmu=So /light oppening/ + 53 mm


SPAJANJE PROFILA FT-0621 PREMA FT-0611 i FT-0612 VEZNICIMA
CONNECTION PROFILE FT-0621 ACCORDING AND FT-0611 and FT-0612 WITH CONNECTORS




SPAJANJE PROFILA FT-0622 PREMA FT-0611 i FT-0612 VEZNICIMA
CONNECTION PROFILE FT-0622 ACCORDING AND FT-0611 and FT-0612 WITH CONNECTORS




Mjera pilanja prečke:
 $L_{pr} = L_{kr} - 82,5 \text{ mm}$
 Cutting length of mullion:
 $L_{mu} = L_{sa} - 82,5 \text{ mm}$




SPAJANJE PROFILA FT-0625 PREMA FT-0615 VEZNICIMA
CONNECTION PROFILE FT-0625 ACCORDING AND FT-0615 WITH CONNECTORS




SPAJANJE PROFILA PARAPETNE PREČKE FT-0623 VIJCIMA CONNECTION OF MULLION PROFILE FT-0623 WITH SCREW



Mjera pilanja prečke:
Lpr=Lkr - 147 mm
Cutting length of mullion:
Lmu=Lsa - 147 mm



OBRADA I SPAJANJE PROFILA PARAPETNE PREČKE FT-0626 PREMA PROFILU KRILA FT-0650 PROCESSING AND CONNECTION OF MULLION PROFILE FT-0626 ACCORDING PROFILE FT-050



Obradu pre\u0107ke raditi snopom glodala 220.019


Mjera pilanja pre\u0107ke:

$L_{pre\u0107ke} = L_{kr} - 147$


Obradu pre\u0107ke raditi snopom glodala 220.019

Mjera pilanja pre\u0107ke:


$L_{pre\u0107ke} = L_{kr} - 147$




OBRADA I SPAJANJE PROFILA PREČKE FT-0627 I FT-0628 PREMA PROFILU KRILA FT-0650 I FT-0620
PROCESSING AND CONNECTION OF MULLION PROFILE FT-0627 AND FT-0628 ACCORDING PROFILE
FT-0650 and FT-0620





Obradu prečke raditi snopom glodala 220.019
Mjera pilanja prečke:
L_{prečke} = L_{kr} - 147
Obradu prečke raditi snopom glodala 220.019
Mjera pilanja prečke:
L_{prečke} = L_{kr} - 147



SPAJANJE PROFILA PARAPETNE PREČKE FT-0623 VIJCIMA CONNECTION OF MULLION PROFILE FT-0623 WITH SCREW




OBRADA PROFILA KRILA PROCESING PROFILE SASH



Mjera pilanja prečke:
Lpr=Lkr - 163 mm
Cutting length of mullion:
Lmu=Lsa - 163 mm

OBRADA I SPAJANJE PROFILA PARAPETNE PREČKE FT-0626 PREMA PROFILU KRILA FT-0619 PROCESSING AND CONNECTION OF MULLION PROFILE FT-0626 ACCORDING PROFILE FT-0619



Obradu prečke raditi snopom glodala 220.018

Mjera pilanja prečke:


Lprečke=Lkr-139

Obradu prečke raditi snopom glodala 220.018



Mjera pilanja prečke:

Lprečke=Lkr-139

SPAJANJE PROFILA PREČKE FT-0624 I RAMA VEZNICIMA CONNECTION OF MULLION FT-0624 AND PROFILE WITH NONNECTORS





Mjera pilanja prečke:
 $L_{pr} = S_o / \text{svijetli otvor} / + 53 \text{ mm}$
 Cutting length of mullion:
 $L_{mu} = S_o / \text{light opening} / + 53 \text{ mm}$






Rezne liste

Cutting lists





PROFILI	opis		kom.	mjera	pilanje
PROFILES	description		pcs	measure	cutting
FT-0601	vodoravnica okvira	horizontal frame profile	2	L	45-45
FT-0601	okomica okvira	vertical frame profile	2	H	45-45
FT-0612	vodoravnica krila	horizontal sash profile	2	Lkr=L-66	45-45
FT-0612	okomica krila	vertical sash profile	2	Hkr=H-66	45-45
Z40-666	vodoravna lajsna	horizontal bead	2	Lkr-92.5	90-90
Z40-666	okomita lajsna	vertical bead	2	Hkr-136.5	90-90
NC-1459	klizač	slider			90-90
Z40-657	okapnica	drip edge	1	Lkr-68	90-90
OKOVI					
HARDWARE					
710.449	kutnik rama	frame corner bracket	4		
710.048	pomoćni kutnik rama	support frame cor. brac.	4		
710.511	kutnik krila	sash corner bracket	4		
710.441	pomoćni kutnik krila	support sash cor. brac	4		
730.004	pomoćni kutnik krila	support sash cor. brac	4		
730.001	pomoćni kutnik krila	support sash cor. brac	4		
730.002	pomoćni kutnik krila	support sash cor. brac	4		
134.026	otklopno-zaokretni meh. (Stublina 4135.00)	Tilt and turn mechanism (Stublina 4135.00)	1		
373.003	maska za drenažni otvor	mask for drainage holes	2		
433.017	vijak 3.9x16 za Z40-657	screw 3.9x16 for Z40-657	3		
BRTVE					
GASKETS					
331.001	srednja brtva	middle gasket		2L+2H	
321.006	brtva u krilu	gasket in sash		2L+2H	
321.002	brtva prema staklu	gasket towards glass		2L+2H	
311.004	brtva prema staklu	gasket towards glass		2L+2H	
345.002	kutni umetak brtve	corner insert	4		
345.013	ispuna po opsegu stakla	fill around the glass		2L+2H	
STAKLO					
GLASS					
26 mm			1	Lkr-112 x Hkr-112	








PROFILI PROFILES	opis description		kom. pcs	mjera measure	pilanje cutting
FT-0601	vodoravnica okvira	horizontal frame profile	2	L	45-45
FT-0601	okomia okvira	vertical frame profile	2	H	45-45
FT-0612	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-36	45-45
FT-0612	okomica krila	vertical sash profile	4	Hkr=H-66	45-45
FT-0635	profil za okretanje	profile for turning	1	Hkr-68	90-90
Z40-666	vodoravna lajsna	horizontal bead	4	Lkr-92.5	90-90
Z40-666	okomita lajsna	vertical bead	4	Hkr-136.5	90-90
NC-1459	klizač	slider			90-90
Z40-657	okapnica 1	drip edge 1	1	Lkr-68	90-90
Z40-657	okapnica 2	drip edge 2	1	Lkr-2	90-90
OKOVI					
HARDWARE					
710.449	kutnik rama	frame corner bracket	4		
710.048	pomoćni kutnik rama	support frame cor. brac.	4		
710.511	kutnik krila	sash corner bracket	8		
710.441	pomoćni kutnik krila	support sash cor. brac	8		
730.004	pomoćni kutnik krila	support cor. brac	8		
730.001	pomoćni kutnik	support cor. brac	8		
730.002	pomoćni kutnik	support sash cor. brac	4		
111.001	baglama	hinge	2		
134.001	okov pom. krila	lock. mech. for auxiliary sash	1		
134.026	otklopno-zaokretni meh. (Stublina 4135.00)	Tilt and turn mechanism (Stublina 4135.00)	1		
373.003	maska za drenažni otvor	mask for drainage holes	2		
365.064	umetak za FT-0635	insert for FT-0635	L+D		
433.017	vijak 3.9x16 za Z40-657	screw 3.9x16 for Z40-657	6		
433.046	vijak 4.8x25 za FT-0286	screw 4.8x25 for FT-0286	3		
433.134	vijak 4.8x38 za FT-0286	screw 4.8x38 for FT-0286	3		
BRTVE					
GASKETS					
331.002	srednja brtva	middle gasket		2L+4H	
321.006	brtva u krilu	gasket in sash		2L+4H	
321.002	brtva prema staklu	gasket towards glass		2L+4H	
311.004	brtva prema staklu	gasket towards glass		2L+4H	
345.002	kutni umetak brtve	corner insert	4		
345.013	ispuna po opsegu stakla	fill around the glass		2L+4H	
STAKLO					
GLASS					
26 mm			2	Lkr-112 x Hkr-112	





PROFILI PROFILES	opis description		kom. pcs	mjera measure	pilanje cutting
FT-0601	vodoravnica okvira	horizontal frame profile	2	L	45-45
FT-0601	okomica okvira	vertical frame profile	2	H	45-45
FT-0612	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-40.5	45-45
FT-0612	okomica krila	vertical sash profile	4	Hkr=H-66	45-45
FT-0621	prečka okomita	vertical mullion	1	H-69	90-90
Z40-666	vodoravna lajsna -fiksno	horizontal bead -fixed	2	L/2-52.7	90-90
Z40-666	okomita lajsna -fiksno	vertical bead -fixed	2	H-122	90-90
Z40-666	vodoravna lajsna	horizontal bead	2	Lkr-92.5	
Z40-666	okomita lajsna	vertical bead	2	Hkr-136.5	
NC-1459	klizač	slider			90-90
Z40-657	okapnica	drip edge	1	Lkr-68	90-90
OKOVI HARDWARE					
710.449	kutnik rama	frame corner bracket	4		
710.048	pomoćni kutnik rama	support frame cor. brac.	4		
710.511	kutnik krila	sash corner bracket	4		
710.441	pomoćni kutnik krila	support sash cor. brac	4		
730.004	pomoćni kutnik krila	support sash cor. brac	4		
730.001	pomoćni kutnik krila	support cor. brac	4		
730.002	pomoćni kutnik rama	support cor. brac	4		
134.026	otklopno-zaokretni meh.(Stublina 4135.00)	Tilt and turn mechanism (Stublina 4135.00)	1		
710.066	dodatni veznik	add. connector	2		
710.069	veznik	connector	2		
373.003	maska za drenažni otvor	mask for drainage holes	3		
433.017	vijak 3.9x16 za Z40-657	screw 3.9x16 for Z40-657	3		
BRTVE GASKETS					
331.002	srednja brtva	middle gasket		L+2H	
321.006	brtva u krilu	gasket in sash		L+2H	
321.002	brtva prema staklu	gasket towards glass		2L+4H	
311.004	brtva prema staklu	gasket towards glass		2L+4H	
345.002	kutni umetak brtve	corner insert	4		
345.013	ispuna po opsegu stakla	fill around the glass	0	2L+4H	
STAKLO GLASS					
26 mm			1	L/2-72 x H-97	
26 mm			1	Lkr-112 x Hkr-112	





PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0603	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0603	okomica okvira	vertical frame profile	2	H	45-90
FT-0613	vodoravnica krila	horizontal sash profile	2	Lkr=L-87	45-45
FT-0613	okomica krila	vertical sash profile	2	Hkr=H-53.5	45-45
Z40-666	vodoravna lajsna	horizontal bead	2	Lkr-156	90-90
Z40-666	okomita lajsna	vertical bead	2	Hkr-200	90-90
FT-0643	prag	threshold	1	Lkr-28	90-90
F-1123	dodatni profil krila	additional profile sash	1	Lkr-50	90-90

OKOVI HARDWARE



710.057	kutnik rama	frame corner bracket	2		
710.048	pomoćni kutnik rama	support frame corn. brac.	2		
710.063	kutnik krila	sash corn. bracket	4		
710.456	pomoćni kutnik krila	support sash corn. brac.	4		
730.004	pomoćni kutnik krila	support sash corn. brac.	4		
730.001	pomoćni kutnik	support corn. brac.	4		
730.002	pomoćni kutnik	support corn. brac.	2		
114.001	baglama	hinge	2		
124.001	brava	lock	1		
124.003	šild za vrata	shield for door	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad	1		
124.032	štitnik uložka (cilindra)	cylinder shield	1		
365.008	umetak praga	insert treshold	L+D		


BRTVE GASKET

			kom pcs	mjera measure
331.002	srednja brtva	middle gasket		L+2H
321.006	brtva krila	gasket of sash		2L+2H
321.002	brtva prema staklu	gasket towards glass		2L+2H
311.004	brtva prema staklu	gasket towards glass		2L+2H
344.001	brtva prema pragu	gasket towards treshold		2L
345.002	kutni umetak sr.brtve	corner ins.of middle g.	2	

STAKLO GLASS

26 mm			1	Lkr-175 x Hkr-175
-------	--	--	---	-------------------





PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0603	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0603	okomica okvira	vertical frame profile	2	H	45-90
FT-0650	vodoravnica krila	horizontal sash profile	2	Lkr=L-87	45-45
FT-0650	okomica krila	vertical sash profile	2	Hkr=H-53.5	45-45
Z40-668	vodoravna lajsna	horizontal bead	2	Lkr-156	90-90
Z40-668	okomita lajsna	vertical bead	2	Hkr-200	90-90
FT-0643	prag	threshold	1	Lkr-28	90-90
F-1123	dodatni profil krila	additional profile sash	1	Lkr-50	90-90

OKOVI HARDWARE



710.057	kutnik rama	frame corner bracket	2		
710.048	pomoćni kutnik rama	support frame corn. brac.	2		
710.063	kutnik krila	sash corn. bracket	4		
710.456	pomoćni kutnik krila	support sash corn. brac.	4		
731.010	pomoćni kutnik krila	support sash corn. brac.	4		
730.001	pomoćni kutnik	support corn. brac.	4		
730.002	pomoćni kutnik	support corn. brac.	2		
114.001	baglama	hinge	2		
124.001	brava	lock	1		
124.003	šild za vrata	shield for door	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad	1		
124.032	štitnik uložka (cilindra)	cylinder shield	1		
365.008	umetak praga	insert threshold	L+D		


BRTVE

			kom pcs	mjera measure
331.002	srednja brtva	middle gasket		L+2H
321.006	brtva krila	gasket of sash		2L+2H
321.002	brtva prema staklu	gasket towards glass		2L+2H
311.003	brtva prema staklu	towards glass		2L+2H
344.001	brtva prema pragu	gasket towards threshold		2L
345.002	kutni umetak sred.brtve	corner ins.of middle g.	2	

STAKLO GLASS

26 mm			1	Lkr-175 x Hkr-175
-------	--	--	---	-------------------





PROFILI PROFILES

PROFILI PROFILES			kom pcs	mjera measure	pilanje cutting
FT-0603	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0643	prag	treshold	1	L-115	90-90
FT-0603	okomica okvira	vertical frame profile	2	H	45-90
FT-0650	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-46	45-45
FT-0650	okomica krila	vertical sash profile	4	Hkr=H-53.5	45-45
FT-0631	kombatuta	flying mullion	1	Hkr-68	90-90
F-1123	dodatak krilu 1	sash addition 1	1	Lkr-50	90-90
F-1123	dodatak krilu 2	sash addition 2	1	Lkr+8	90-90
Z40-668	vodoravna lajsna	horizontal bead	4	Lkr-156	90-90
Z40-668	okomita lajsna	vertical bead	4	Hkr-200	90-90

VEZNI ELEMENTI CONNECTION ELEMENTS



VEZNI ELEMENTI CONNECTION ELEMENTS			kom pcs		
710.057	kutnik rama	main corner bracket	2		
710.048	pomoćni kutnik rama	support frame corn. brac.	2		
710.163	kutnik krila	sash corner bracket	8		
710.142	pomoćni kutnik krila	supprot sash corn. brack.	8		
731.010	pomoćni kutnik krila	support cor.bra. sash	8		
730.001	pomoćni kutnik	support corn.brack.	8		
730.002	pomoćni kutnik	support corn.brack.	2		
144.000	krakun za pasivno krilo	latch for passive sash	2		
114.001	baglama	hinge	4		
124.001	brava 35-ica	lock 35	1		
124.003	šild za bravu	lock cover	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad 85	1		
124.032	štitnik uloška (cilindra)	cylinder shield	2		
365.008	umetak praga	insert treshold	L+D		
365.004	umetak za FT-0631	insert for FT-0631	L+D		


BRTVE GASKETS

BRTVE GASKETS			kom pcs	mjera measure
321.006	brtva u krilu	gasket in shash		2L+4H
331.002	središnja brtva	middle gasket		L+3H
321.002	brtva prema staklu vanjska	gasket towards glass exterior		2L+4H
311.003	brtva prema staklu unutarnja	gasket towards glass interior		2L+4H
345.002	kutni umetak središnje brtve	corner insert of middle gasket	2 kom	
344.001	brtva prema pragu	gasket towardw treshold		2L

STAKLO GLASS

STAKLO GLASS			kom pcs	mjera measure
26 mm			2	Lkr-175 x Hkr-175





PROFILI
PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0603	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0603	okomica okvira	vertical frame profile	2	H	45-90
FT-0619	vodoravnica krila	horizontal sash profile	2	Lkr=L-87	45-45
FT-0619	okomica krila	vertical sash profile	2	Hkr=H-53.5	45-45
Z40-668	vodoravna lajsna	horizontal bead	2	Lkr-148	90-90
Z40-668	okomita lajsna	vertical bead	2	Hkr-192	90-90
FT-0643	prag	threshold	1	Lkr-28	90-90
F-1123	dodatni profil krila	additional profile sash	1	Lkr-50	90-90

OKOVI
HARDWARE



710.057	kutnik rama	frame corner bracket	2		
710.048	pomoćni kutnik rama	support frame corn. brac.	2		
710.161	kutnik krila	sash corn. bracket	4		
710.176	pomoćni kutnik krila	support sash corn. brac.	4		
731.010	pomoćni kutnik krila	support sash corn. brac.	4		
730.001	pomoćni kutnik	support corn. brac.	4		
730.002	pomoćni kutnik	support corn. brac.	2		
114.001	baglama	hinge	2		
124.001	brava	lock	1		
124.003	šild za vrata	shield for door	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad	1		
124.032	štitnik uloška (cilindra)	cylinder shield	1		
365.008	umetak praga	insert threshold	L+D		


BRTVE

			kom pcs	mjera measure
331.002	srednja brtva	middle gasket		L+2H
321.006	brtva krila	gasket of sash		2L+2H
321.002	brtva prema staklu	gasket towards glass		2L+2H
311.003	brtva prema staklu	towards glass		2L+2H
344.056	brtva prema pragu	gasket towards threshold		2L
345.002	kutni umetak sred.brtve	corner ins.of middle g.	2	

STAKLO
GLASS

26 mm			1	Lkr-167 x Hkr-167
-------	--	--	---	-------------------





PROFILI
PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0603	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0643	prag	treshold	1	L-115	90-90
FT-0603	okomica okvira	vertical frame profile	2	H	45-90
FT-0619	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-46	45-45
FT-0619	okomica krila	vertical sash profile	4	Hkr=H-53.5	45-45
FT-0631	kombatuta	flying mullion	1	Hkr-68	90-90
F-1402	dodatak krilu 1	sash addition 1	1	Lkr-72	90-90
F-1402	dodatak krilu 2	sash addition 2	1	Lkr-72	90-90
Z40-668	vodoravna lajsna	horizontal bead	4	Lkr-148	90-90
Z40-668	okomita lajsna	vertical bead	4	Hkr-192	90-90

VEZNI ELEMENTI
CONNECTION ELEMENTS



			kom pcs		
710.057	kutnik rama	main corner bracket	2		
710.048	pomoćni kutnik rama	support frame corn. brac.	2		
710.161	kutnik krila	sash corner bracket	8		
710.176	pomoćni kutnik krila	supprot sash corn. brack.	8		
731.010	pomoćni kutnik krila	support cor.bra. sash	8		
730.001	pomoćni kutnik	support corn.brack.	8		
730.002	pomoćni kutnik	support corn.brack.	2		
144.000	krakun za pasivno krilo	latch for passive sash	2		
114.001	baglama	hinge	4		
124.001	brava 35-ica	lock 35	1		
124.003	šild za bravu	lock cover	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad 85	1		
124.032	štitnik uloška (cilindra)	cylinder shield	2		
365.008	umetak praga	insert treshold	L+D		
365.004	umetak za FT-0631	insert for FT-0631	L+D		
373.036	umetak za F-1402	insert for F-1402	L+D		


BRTVE
GASKETS

			kom pcs	mjera measure
321.006	brtva u krilu	gasket in sash		2L+4H
331.002	središnja brtva	middle gasket		L+3H
321.002	brtva prema staklu vanjska	gasket towards glass exterior		2L+4H
311.003	brtva prema staklu unutarnja	gasket towards glass interior		2L+4H
345.002	kutni umetak središnje brtve	corner insert of middle gasket	2 kom	
344.056	brtva prema pragu	gasket towardw treshold		L

STAKLO
GLASS

		kom pcs	mjera measure
26 mm		2	Lkr-167 x Hkr-167





PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0605	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0605	okomica okvira	vertical frame profile	2	H	45-90
FT-0614	vodoravnica krila	horizontal sash profile	2	Lkr=L-87	45-45
FT-0614	okomica krila	vertical sash profile	2	Hkr=H-53.5	45-45
Z40-666	vodoravna lajsna	horizontal bead	2	Lkr-172	90-90
Z40-666	okomita lajsna	vertical bead	2	Hkr-216	90-90
FT-0643	prag	threshold	1	Lkr-12	90-90
F-0758	dodatni profil krila	additional profile sash	1	Lkr-44	90-90

OKOVI HARDWARE



710.072	kutnik rama	frame corner bracket	2		
725.032	pomoćni kutnik rama	support frame corn. brac.	2		
710.099	kutnik krila	sash corn. bracket	4		
725.031	pomoćni kutnik krila	support sash corn. brac.	4		
730.005	pomoćni kutnik krila	support sash corn. brac.	4		
730.001	pomoćni kutnik	support corn. brac.	4		
113.009	baglama 170 mm	hinge 70 mm	2		
124.001	brava	lock	1		
124.003	šild za vrata	shield for door	1		
104.009	ručka	handle	par		
124.002	uložak za bravu	lock pad	1		
124.032	štitnik uloška (cilindra)	cylinder shield	1		


BRTVE GASKET

			kom pcs	mjera measure
321.006	brtva krila	gasket of sash		3L+4H
321.002	brtva prema staklu	gasket towards glass		2L+2H
311.004	brtva prema staklu	towards glass		2L+2H
344.042	brtva prema pragu	gasket towards threshold		L

STAKLO GLASS

		kom pcs	mjera measure
26 mm		1	Lkr-191 x Hkr-191





PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0605	vodoravnica okvira	horizontal frame profile	1	L	45-45
FT-0605	okomica okvira	vertical frame profile	2	H	45-90
FT-0614	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-46	45-45
FT-0614	okomica krila	vertical sash profile	4	Hkr=H-53.5	45-45
FT-0623	par.prečka	mullion	2	L-163	90-90
FT-0632	kombatuta	flying mullion	1	Hkr-34	90-90
Z40-666	vodoravna lajsna	horizontal bead	4	Lkr-172	90-90
Z40-666	okomita lajsna	vertical bead	4	Hkr-216	90-90

VEZNI ELEMENTI CONNECTION ELEMENTS



			kom kom
710.072	kutnik rama	main corner bracket	2
725.032	pomoćni kutnik rama	support frame corn. brac.	2
710.099	kutnik krila	sash corner bracket	8
725.031	pomoćni kutnik krila	supprot sash corn. brack.	8
730.005	pomoćni kutnik krila	support cor.bra. sash	8
730.001	pomoćni kutnik	support corn.brack.	16
144.000	krakun za pasivno krilo	latch for passive sash	2
114.001	baglama	hinge	4
124.001	brava 35-ica	lock 35	1
124.003	šild za bravu	lock cover	1
104.009	ručka	handle	par
124.002	uložak za bravu	lock pad 85	1
124.032	štitnik uloška (cilindra)	cylinder shield	2
363.017	umetak za FT-0632	insert for FT-0632	L+D


BRTVE GASKETS

			kom pcs	mjera measure
321.006	brtva u krilu	gasket in sash		2L+5H
321.002	brtva prema staklu vanjska	gasket towards glass exterior		2L+4H
311.003	brtva prema staklu unutarnja	gasket towards glass interior		2L+4H
521.001	brtva prema pragu	gasket towardw treshold		L
347.001	brtva prema pragu	gasket towardw treshold		L

STAKLO GLASS

		kom pcs	mjera measure
26 mm		2	Lkr-191 x Hkr-191





PROFILI
PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0601	vodoravnica okvira	horizontal frame profile	2	L	45-45
FT-0601	okomica okvira	vertical frame profile	2	H	45-45
FT-0616	vodoravnica krila	horizontal sash profile	2	Lkr=L-66	45-45
FT-0616	okomica krila	vertical sash profile	2	Hkr=H-66	45-45
Z40-668	vodoravna lajsna	horizontal bead	2	Lkr-92	90-90
Z40-668	okomita lajsna	vertical bead	2	Hkr-136	90-90
Z40-657	okapnica	drip edge	1	Lkr-68	90-90

OKOVI
HARDWARE



			kom pcs	mjera measure	pilanje cutting
730.006	kutnik rama	frame corner bracket	4		
710.048	pomoćni kutnik rama	support frame corn. brac	4		
730.002	pomoćni kutnik rama	support frame corn. brac	4		
710.483	kutnik krila	sash corner bracket	4		
710.441	pomoćni kutnik krila	support sash corn. brac.	4		
731.010	pomoćni kutnik krila	support sash corn. brac.	4		
730.001	pomoćni kutnik krila	support sash corn. brac.	4		
142.054	Otkl-zaokr.okov-UNI-JET C	TILT&TURN UNI-JET C	1		
433.017	vijak 3.9x16 za Z40-657	screw 3.9x16 for Z40-657	4		
373.003	maska za drenažni otvor	masko for drainage holes	2		


BRTVE
GASKETS

			kom pcs	mjera measure	pilanje cutting
331.002	srednja brtva	middle gasket		2L+2H	
321.006	brtva u krilu	gasket in sash		2L+2H	
321.002	brtva prema staklu	gasket towards glass		2L+2H	
311.003	brtva prema staklu	gasket towards glass		2L+2H	
345.002	kutni umetak	corner insert	4		
340.013	ispuna po opsegu stakla	fill around glass		2L+2H	

STAKLO
GLASS

		kom pcs	mjera measure
26 mm		1	Lkr-112 x Hkr-112





PROFILI PROFILES

			kom pcs	mjera measure	pilanje cutting
FT-0601	vodoravnica okvira	horizontal frame profile	2	L	45-45
FT-0601	okomica okvira	vertical frame profile	2	H	45-45
FT-0617	vodoravnica krila	horizontal sash profile	4	Lkr=L/2-35.5	45-45
FT-0617	okomica krila	vertical sash profile	4	Hkr=H-66	45-45
FT-0633	profil za okretanje	profile for turning	1	Hkr-68	90-90
Z40-667	vodoravna lajsna	horizontal bead	4	Lkr-92	90-90
Z40-667	okomita lajsna	vertical bead	4	Hkr-136	90-90
Z40-657	okapnica1	drip edge1	1	Lkr-68	90-90
Z40-657	okapnica2	drip edge2	1	Lkr-2	90-90

OKOVI HARDWARE



			kom pcs	
730.006	kutnik rama	frame corner bracket	4	
710.048	pomoćni kutnik rama	support frame corn. brac	4	
730.002	pomoćni kutnik rama	support frame corn. brac	4	
710.483	kutnik krila	sash corner bracket	8	
710.441	pomoćni kutnik krila	support sash corn. brac.	8	
731.010	pomoćni kutnik krila	support sash corn. brac.	8	
730.001	pomoćni kutnik krila	support sash corn. brac.	8	
142.054	otkl-zaokr.okov-UNI-JET C	TILT&TURN UNI-JET C	1	
142.055	UNI-JET C za pom.krilo	UNI-JET C for aux. sash	1	
373.003	maska za drenažni otvor	mask for drainage holes	2	
365.051	čep-umetak za FT-0633	cap-insert for FT-0633	L+D	
433.017	vijak 3.9x16 za Z40-657	screw 3.9x16 for Z40-657	6	

BRTVE GASKET

			kom pcs	mjera measure
331.002	srednja brtva	middle gasket		2L+3H
321.006	brtva u krilu	gasket in sash		2L+4H
321.002	brtva prema staklu	gasket towards glass		2L+4H
311.003	brtva prema staklu	gasket towards glass		2L+4H
345.002	kutni umetak	corner insert	4	
340.013	ispuna po opsegu stakla	fill around glass		2L+4H

STAKLO GLASS

		kom pcs	mjera measure
26 mm		2	Lkr-112 x Hkr-112



FEAL



Skenirajte QR kod i registrirajte se na partner.feal.ba

Scan the QR code and register on partner.feal.ba

TERMO 60

Knjiga B / *Book B*

Ožujak 2020. / *march 2020*

FEAL d.o.o.
Trnska cesta 146
88220 Široki Brijeg
Bosna i Hercegovina
Tel. +387 39 704-269; 705-807; 705-636
Fax. +387 39 704-358
info@feal.ba
www.feal.ba